

# Package ‘rbmi’

October 16, 2024

**Title** Reference Based Multiple Imputation

**Version** 1.3.0

**Description** Implements standard and reference based multiple imputation methods for continuous longitudinal endpoints (Gower-Page et al. (2022) <[doi:10.21105/joss.04251](https://doi.org/10.21105/joss.04251)>). In particular, this package supports deterministic conditional mean imputation and jackknifing as described in Wolbers et al. (2022) <[doi:10.1002/pst.2234](https://doi.org/10.1002/pst.2234)>, Bayesian multiple imputation as described in Carpenter et al. (2013) <[doi:10.1080/10543406.2013.834911](https://doi.org/10.1080/10543406.2013.834911)>, and bootstrapped maximum likelihood imputation as described in von Hippel and Bartlett (2021) <[doi:10.1214/20-STS793](https://doi.org/10.1214/20-STS793)>.

**Encoding** UTF-8

**LazyData** true

**URL** <https://insightsengineering.github.io/rbmi/>,  
<https://github.com/insightsengineering/rbmi>

**BugReports** <https://github.com/insightsengineering/rbmi/issues>

**RoxygenNote** 7.3.2

**Suggests** dplyr, tidyr, nlme, testthat, emmeans, tibble, mvtnorm,  
knitr, rmarkdown, bookdown, lubridate, purrr, ggplot2, rstan  
(>= 2.26.0), R.rsp

**Config/testthat/edition** 3

**Imports** mmmr, pkgload, Matrix, tools, methods, R6, assertthat

**Depends** R (>= 3.4.0)

**License** Apache License (>= 2)

**VignetteBuilder** R.rsp

**NeedsCompilation** no

**Author** Craig Gower-Page [aut, cre],  
Alessandro Noci [aut],  
Marcel Wolbers [ctb],  
F. Hoffmann-La Roche AG [cph, fnd]

**Maintainer** Craig Gower-Page <[craig.gower-page@roche.com](mailto:craig.gower-page@roche.com)>

**Repository** CRAN

**Date/Publication** 2024-10-16 15:10:05 UTC

## Contents

add_class	5
adjust_trajectories	5
adjust_trajectories_single	6
analyse	7
ancova	11
ancova_single	13
antidepressant_data	15
apply_delta	16
assert_variables_exist	16
as_analysis	17
as_ascii_table	17
as_class	18
as_cropped_char	18
as_dataframe	19
as_draws	19
as_imputation	20
as_indices	21
as_mmrn_df	21
as_mmrn_formula	22
as_model_df	22
as_simple_formula	23
as_stan_array	23
as_strata	24
char2fct	24
check_ESS	25
check_hmc_diagn	25
check_mcmc	26
compute_sigma	27
convert_to_imputation_list_df	27
delta_template	29
draws	32
d_lagscale	36
eval_mmrn	37
expand	37
extract_covariates	39
extract_data_nmar_as_na	40
extract_draws	40
extract_imputed_df	41
extract_imputed_dfs	42
extract_params	43
fit_mcmc	43
fit_mmrn	44
generate_data_single	45
getStrategies	46
get_bootstrap_stack	47
get_conditional_parameters	48

get_delta_template . . . . .	48
get_draws_mle . . . . .	49
get_ESS . . . . .	50
get_ests_bmlmi . . . . .	51
get_example_data . . . . .	52
get_jackknife_stack . . . . .	53
get_mmrn_sample . . . . .	53
get_pattern_groups . . . . .	54
get_pattern_groups_unique . . . . .	54
get_pool_components . . . . .	55
get_visit_distribution_parameters . . . . .	55
has_class . . . . .	56
ife . . . . .	56
imputation_df . . . . .	57
imputation_list_df . . . . .	57
imputation_list_single . . . . .	57
imputation_single . . . . .	58
impute . . . . .	58
impute_data_individual . . . . .	61
impute_internal . . . . .	62
impute_outcome . . . . .	63
invert . . . . .	64
invert_indexes . . . . .	64
is_absent . . . . .	65
is_char_fact . . . . .	65
is_char_one . . . . .	65
is_in_rbmi_development . . . . .	66
is_num_char_fact . . . . .	66
locf . . . . .	67
longDataConstructor . . . . .	67
lsmeans . . . . .	72
ls_design . . . . .	73
make_rbmi_cluster . . . . .	74
method . . . . .	75
parametric_ci . . . . .	77
par_lapply . . . . .	78
pool . . . . .	78
pool_bootstrap_normal . . . . .	80
pool_bootstrap_percentile . . . . .	80
pool_internal . . . . .	81
prepare_stan_data . . . . .	82
print.analysis . . . . .	83
print.draws . . . . .	83
print.imputation . . . . .	84
progressLogger . . . . .	84
pval_percentile . . . . .	85
QR_decomp . . . . .	86
random_effects_expr . . . . .	86

rbmi-settings . . . . .	87
record . . . . .	88
recursive_reduce . . . . .	89
remove_if_all_missing . . . . .	89
rubin_df . . . . .	90
rubin_rules . . . . .	90
sample_ids . . . . .	91
sample_list . . . . .	92
sample_mvnorm . . . . .	92
sample_single . . . . .	93
scalerConstructor . . . . .	94
set_simul_pars . . . . .	95
set_vars . . . . .	97
simulate_data . . . . .	98
simulate_dropout . . . . .	100
simulate_ice . . . . .	101
simulate_test_data . . . . .	102
sort_by . . . . .	103
split_dim . . . . .	104
split_imputations . . . . .	105
Stack . . . . .	106
strategies . . . . .	107
string_pad . . . . .	108
str_contains . . . . .	108
transpose_imputations . . . . .	109
transpose_results . . . . .	109
transpose_samples . . . . .	110
validate . . . . .	111
validate.analysis . . . . .	111
validate.draws . . . . .	112
validate.is_mar . . . . .	112
validate.ivars . . . . .	113
validate.references . . . . .	113
validate.sample_list . . . . .	114
validate.sample_single . . . . .	114
validate.simul_pars . . . . .	115
validate.stan_data . . . . .	115
validate_analyse_pars . . . . .	116
validate_datalong . . . . .	116
validate_strategies . . . . .	117

---

add_class	<i>Add a class</i>
-----------	--------------------

---

**Description**

Utility function to add a class to an object. Adds the new class after any existing classes.

**Usage**

```
add_class(x, cls)
```

**Arguments**

x	object to add a class to.
cls	the class to be added.

---

adjust_trajectories	<i>Adjust trajectories due to the intercurrent event (ICE)</i>
---------------------	--

---

**Description**

Adjust trajectories due to the intercurrent event (ICE)

**Usage**

```
adjust_trajectories(
  distr_pars_group,
  outcome,
  ids,
  ind_ice,
  strategy_fun,
  distr_pars_ref = NULL
)
```

**Arguments**

distr_pars_group	Named list containing the simulation parameters of the multivariate normal distribution assumed for the given treatment group. It contains the following elements: <ul style="list-style-type: none"> <li>• mu: Numeric vector indicating the mean outcome trajectory. It should include the outcome at baseline.</li> <li>• sigma Covariance matrix of the outcome trajectory.</li> </ul>
outcome	Numeric variable that specifies the longitudinal outcome.

ids	Factor variable that specifies the id of each subject.
ind_ice	A binary variable that takes value 1 if the corresponding outcome is affected by the ICE and 0 otherwise.
strategy_fun	Function implementing trajectories after the intercurrent event (ICE). Must be one of <code>getStrategies()</code> . See <code>getStrategies()</code> for details.
distr_pars_ref	Optional. Named list containing the simulation parameters of the reference arm. It contains the following elements: <ul style="list-style-type: none"> <li>• mu: Numeric vector indicating the mean outcome trajectory assuming no ICEs. It should include the outcome at baseline.</li> <li>• sigma Covariance matrix of the outcome trajectory assuming no ICEs.</li> </ul>

**Value**

A numeric vector containing the adjusted trajectories.

**See Also**

`adjust_trajectories_single()`.

---

adjust\_trajectories\_single

*Adjust trajectory of a subject's outcome due to the intercurrent event (ICE)*

---

**Description**

Adjust trajectory of a subject's outcome due to the intercurrent event (ICE)

**Usage**

```
adjust_trajectories_single(
  distr_pars_group,
  outcome,
  strategy_fun,
  distr_pars_ref = NULL
)
```

**Arguments**

distr\_pars\_group

Named list containing the simulation parameters of the multivariate normal distribution assumed for the given treatment group. It contains the following elements:

- mu: Numeric vector indicating the mean outcome trajectory. It should include the outcome at baseline.
- sigma Covariance matrix of the outcome trajectory.

outcome	Numeric variable that specifies the longitudinal outcome.
strategy_fun	Function implementing trajectories after the intercurrent event (ICE). Must be one of <code>getStrategies()</code> . See <code>getStrategies()</code> for details.
distr_pars_ref	Optional. Named list containing the simulation parameters of the reference arm. It contains the following elements: <ul style="list-style-type: none"> <li>• mu: Numeric vector indicating the mean outcome trajectory assuming no ICEs. It should include the outcome at baseline.</li> <li>• sigma Covariance matrix of the outcome trajectory assuming no ICEs.</li> </ul>

### Details

outcome should be specified such that all-and-only the post-ICE observations (i.e. the observations to be adjusted) are set to NA.

### Value

A numeric vector containing the adjusted trajectory for a single subject.

---

analyse	<i>Analyse Multiple Imputed Datasets</i>
---------	--

---

### Description

This function takes multiple imputed datasets (as generated by the `impute()` function) and runs an analysis function on each of them.

### Usage

```
analyse(
  imputations,
  fun = ancova,
  delta = NULL,
  ...,
  ncores = 1,
  .validate = TRUE
)
```

### Arguments

imputations	An imputations object as created by <code>impute()</code> .
fun	An analysis function to be applied to each imputed dataset. See details.
delta	A data.frame containing the delta transformation to be applied to the imputed datasets prior to running fun. See details.
...	Additional arguments passed onto fun.

ncores	The number of parallel processes to use when running this function. Can also be a cluster object created by <code>make_rbmi_cluster()</code> . See the parallisation section below.
.validate	Should inputations be checked to ensure it conforms to the required format (default = TRUE) ? Can gain a small performance increase if this is set to FALSE when analysing a large number of samples.

## Details

This function works by performing the following steps:

1. Extract a dataset from the imputations object.
2. Apply any delta adjustments as specified by the delta argument.
3. Run the analysis function fun on the dataset.
4. Repeat steps 1-3 across all of the datasets inside the imputations object.
5. Collect and return all of the analysis results.

The analysis function fun must take a data.frame as its first argument. All other options to `analyse()` are passed onto fun via `... fun` must return a named list with each element itself being a list containing a single numeric element called est (or additionally se and df if you had originally specified `method_bayes()` or `method_approxbayes()`) i.e.:

```
myfun <- function(dat, ...) {
  mod_1 <- lm(data = dat, outcome ~ group)
  mod_2 <- lm(data = dat, outcome ~ group + covar)
  x <- list(
    trt_1 = list(
      est = coef(mod_1)[[group]],
      se = sqrt(vcov(mod_1)[group, group]),
      df = df.residual(mod_1)
    ),
    trt_2 = list(
      est = coef(mod_2)[[group]],
      se = sqrt(vcov(mod_2)[group, group]),
      df = df.residual(mod_2)
    )
  )
  return(x)
}
```

Please note that the `vars$subjid` column (as defined in the original call to `draws()`) will be scrambled in the data.frames that are provided to fun. This is to say they will not contain the original subject values and as such any hard coding of subject ids is strictly to be avoided.

By default fun is the `ancova()` function. Please note that this function requires that a vars object, as created by `set_vars()`, is provided via the vars argument e.g. `analyse(imputeObj, vars = set_vars(...))`. Please see the documentation for `ancova()` for full details. Please also note that the theoretical justification for the conditional mean imputation method (`method =`



method\_condmean() in `draws()`) relies on the fact that ANCOVA is a linear transformation of the outcomes. Thus care is required when applying alternative analysis functions in this setting.

The `delta` argument can be used to specify offsets to be applied to the outcome variable in the imputed datasets prior to the analysis. This is typically used for sensitivity or tipping point analyses. The `delta` dataset must contain columns `vars$subjid`, `vars$visit` (as specified in the original call to `draws()`) and `delta`. Essentially this `data.frame` is merged onto the imputed dataset by `vars$subjid` and `vars$visit` and then the outcome variable is modified by:

```
imputed_data[[vars$outcome]] <- imputed_data[[vars$outcome]] + imputed_data[["delta"]]
```

Please note that in order to provide maximum flexibility, the `delta` argument can be used to modify any/all outcome values including those that were not imputed. Care must be taken when defining offsets. It is recommended that you use the helper function `delta_template()` to define the `delta` datasets as this provides utility variables such as `is_missing` which can be used to identify exactly which visits have been imputed.

## Parallelisation

To speed up the evaluation of `analyse()` you can use the `ncores` argument to enable parallelisation. Simply providing an integer will get `rbmi` to automatically spawn that many background processes to parallelise across. If you are using a custom analysis function then you need to ensure that any libraries or global objects required by your function are available in the sub-processes. To do this you need to use the `make_rbmi_cluster()` function for example:

```
my_custom_fun <- function(...) <some analysis code>
cl <- make_rbmi_cluster(
  4,
  objects = list("my_custom_fun" = my_custom_fun),
  packages = c("dplyr", "nlme")
)
analyse(
  imputeObj,
  fun = my_custom_fun,
  ncores = cl
)
parallel::stopCluster(cl)
```

Note that there is significant overhead both with setting up the sub-processes and with transferring data back-and-forth between the main process and the sub-processes. As such parallelisation of the `analyse()` function tends to only be worth it when you have > 2000 samples generated by `draws()`. Conversely using parallelisation if your samples are smaller than this may lead to longer run times than just running it sequentially.

It is important to note that the implementation of parallel processing within `analyse()` has been optimised around the assumption that the parallel processes will be spawned on the same machine and not a remote cluster. One such optimisation is that the required data is saved to a temporary file on the local disk from which it is then read into each sub-process. This is done to avoid the overhead of transferring the data over the network. Our assumption is that if you are at the stage

where you need to be parallelising your analysis over a remote cluster then you would likely be better off parallelising across multiple rbmi runs rather than within a single rbmi run.

Finally, if you are doing a tipping point analysis you can get a reasonable performance improvement by re-using the cluster between each call to `analyse()` e.g.

```
cl <- make_rbmi_cluster(4)
ana_1 <- analyse(
  imputations = imputeObj,
  delta = delta_plan_1,
  ncores = cl
)
ana_2 <- analyse(
  imputations = imputeObj,
  delta = delta_plan_2,
  ncores = cl
)
ana_3 <- analyse(
  imputations = imputeObj,
  delta = delta_plan_3,
  ncores = cl
)
parallel::clusterStop(cl)
```

### See Also

[extract\\_imputed\\_dfs\(\)](#) for manually extracting imputed datasets.

[delta\\_template\(\)](#) for creating delta data.frames.

[ancova\(\)](#) for the default analysis function.

### Examples

```
## Not run:
vars <- set_vars(
  subjid = "subjid",
  visit = "visit",
  outcome = "outcome",
  group = "group",
  covariates = c("sex", "age", "sex*age")
)

analyse(
  imputations = imputeObj,
  vars = vars
)

deltadf <- data.frame(
  subjid = c("Pt1", "Pt1", "Pt2"),
  visit = c("Visit_1", "Visit_2", "Visit_2"),
  delta = c( 5, 9, -10)
```

```

)

analyse(
  imputations = imputeObj,
  delta = deltadf,
  vars = vars
)

## End(Not run)

```

---

ancova

*Analysis of Covariance*


---

### Description

Performs an analysis of covariance between two groups returning the estimated "treatment effect" (i.e. the contrast between the two treatment groups) and the least square means estimates in each group.

### Usage

```

ancova(
  data,
  vars,
  visits = NULL,
  weights = c("counterfactual", "equal", "proportional_em", "proportional")
)

```

### Arguments

<code>data</code>	A <code>data.frame</code> containing the data to be used in the model.
<code>vars</code>	A <code>vars</code> object as generated by <code>set_vars()</code> . Only the <code>group</code> , <code>visit</code> , <code>outcome</code> and <code>covariates</code> elements are required. See details.
<code>visits</code>	An optional character vector specifying which visits to fit the ancova model at. If <code>NULL</code> , a separate ancova model will be fit to the outcomes for each visit (as determined by <code>unique(data[[vars\$visit]])</code> ). See details.
<code>weights</code>	Character, either "counterfactual" (default), "equal", "proportional_em" or "proportional". Specifies the weighting strategy to be used when calculating the lsmeans. See the weighting section for more details.

### Details

The function works as follows:

1. Select the first value from `visits`.
2. Subset the data to only the observations that occurred on this visit.
3. Fit a linear model as `vars$outcome ~ vars$group + vars$covariates`.

4. Extract the "treatment effect" & least square means for each treatment group.
5. Repeat points 2-3 for all other values in visits.

If no value for visits is provided then it will be set to `unique(data[[vars$visit]])`.

In order to meet the formatting standards set by `analyse()` the results will be collapsed into a single list suffixed by the visit name, e.g.:

```
list(
  trt_visit_1 = list(est = ...),
  lsm_ref_visit_1 = list(est = ...),
  lsm_alt_visit_1 = list(est = ...),
  trt_visit_2 = list(est = ...),
  lsm_ref_visit_2 = list(est = ...),
  lsm_alt_visit_2 = list(est = ...),
  ...
)
```

Please note that "ref" refers to the first factor level of `vars$group` which does not necessarily coincide with the control arm. Analogously, "alt" refers to the second factor level of `vars$group`. "trt" refers to the model contrast translating the mean difference between the second level and first level.

If you want to include interaction terms in your model this can be done by providing them to the `covariates` argument of `set_vars()` e.g. `set_vars(covariates = c("sex*age"))`.

## Weighting

### Counterfactual:

For `weights = "counterfactual"` (the default) the lsmeans are obtained by taking the average of the predicted values for each patient after assigning all patients to each arm in turn. This approach is equivalent to standardization or g-computation. In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", counterfactual = "<treatment>")
```

Note that to ensure backwards compatibility with previous versions of `rbmi` `weights = "proportional"` is an alias for `weights = "counterfactual"`. To get results consistent with `emmeans`'s `weights = "proportional"` please use `weights = "proportional_em"`.

### Equal:

For `weights = "equal"` the lsmeans are obtained by taking the model fitted value of a hypothetical patient whose covariates are defined as follows:

- Continuous covariates are set to  $\text{mean}(X)$
- Dummy categorical variables are set to  $1/N$  where  $N$  is the number of levels
- Continuous \* continuous interactions are set to  $\text{mean}(X) * \text{mean}(Y)$
- Continuous \* categorical interactions are set to  $\text{mean}(X) * 1/N$
- Dummy categorical \* categorical interactions are set to  $1/N * 1/M$

In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "equal")
```

### Proportional:

For `weights = "proportional_em"` the `lsmeans` are obtained as per `weights = "equal"` except instead of weighting each observation equally they are weighted by the proportion in which the given combination of categorical values occurred in the data. In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "proportional")
```

Note that this is not to be confused with `weights = "proportional"` which is an alias for `weights = "counterfactual"`.

### See Also

```
analyse()
stats::lm()
set_vars()
```

---

ancova_single	<i>Implements an Analysis of Covariance (ANCOVA)</i>
---------------	--

---

### Description

Performance analysis of covariance. See [ancova\(\)](#) for full details.

### Usage

```
ancova_single(
  data,
  outcome,
  group,
  covariates,
  weights = c("counterfactual", "equal", "proportional_em", "proportional")
)
```

### Arguments

<code>data</code>	A <code>data.frame</code> containing the data to be used in the model.
<code>outcome</code>	Character, the name of the outcome variable in <code>data</code> .
<code>group</code>	Character, the name of the group variable in <code>data</code> .
<code>covariates</code>	Character vector containing the name of any additional covariates to be included in the model as well as any interaction terms.
<code>weights</code>	Character, either <code>"counterfactual"</code> (default), <code>"equal"</code> , <code>"proportional_em"</code> or <code>"proportional"</code> . Specifies the weighting strategy to be used when calculating the <code>lsmeans</code> . See the weighting section for more details.

**Details**

- group must be a factor variable with only 2 levels.
- outcome must be a continuous numeric variable.

**Weighting****Counterfactual:**

For `weights = "counterfactual"` (the default) the lsmeans are obtained by taking the average of the predicted values for each patient after assigning all patients to each arm in turn. This approach is equivalent to standardization or g-computation. In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", counterfactual = "<treatment>")
```

Note that to ensure backwards compatibility with previous versions of `rbmi` `weights = "proportional"` is an alias for `weights = "counterfactual"`. To get results consistent with `emmeans`'s `weights = "proportional"` please use `weights = "proportional_em"`.

**Equal:**

For `weights = "equal"` the lsmeans are obtained by taking the model fitted value of a hypothetical patient whose covariates are defined as follows:

- Continuous covariates are set to  $\text{mean}(X)$
- Dummy categorical variables are set to  $1/N$  where  $N$  is the number of levels
- Continuous \* continuous interactions are set to  $\text{mean}(X) * \text{mean}(Y)$
- Continuous \* categorical interactions are set to  $\text{mean}(X) * 1/N$
- Dummy categorical \* categorical interactions are set to  $1/N * 1/M$

In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "equal")
```

**Proportional:**

For `weights = "proportional_em"` the lsmeans are obtained as per `weights = "equal"` except instead of weighting each observation equally they are weighted by the proportion in which the given combination of categorical values occurred in the data. In comparison to `emmeans` this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "proportional")
```

Note that this is not to be confused with `weights = "proportional"` which is an alias for `weights = "counterfactual"`.

**See Also**

[ancova\(\)](#)

## Examples

```
## Not run:
iris2 <- iris[ iris$Species %in% c("versicolor", "virginica"), ]
iris2$Species <- factor(iris2$Species)
ancova_single(iris2, "Sepal.Length", "Species", c("Petal.Length * Petal.Width"))

## End(Not run)
```

---

antidepressant\_data    *Antidepressant trial data*

---

## Description

A dataset containing data from a publicly available example data set from an antidepressant clinical trial. The dataset is available on the website of the [Drug Information Association Scientific Working Group on Estimands and Missing Data](#). As per that website, the original data are from an antidepressant clinical trial with four treatments; two doses of an experimental medication, a positive control, and placebo and was published in Goldstein et al (2004). To mask the real data, week 8 observations were removed and two arms were created: the original placebo arm and a "drug arm" created by randomly selecting patients from the three non-placebo arms.

## Usage

```
antidepressant_data
```

## Format

A data.frame with 608 rows and 11 variables:

- PATIENT: patients IDs.
- HAMATOTL: total score Hamilton Anxiety Rating Scale.
- PGIIMP: patient's Global Impression of Improvement Rating Scale.
- RELDAYS: number of days between visit and baseline.
- VISIT: post-baseline visit. Has levels 4,5,6,7.
- THERAPY: the treatment group variable. It is equal to PLACEBO for observations from the placebo arm, or DRUG for observations from the active arm.
- GENDER: patient's gender.
- POOLINV: pooled investigator.
- BASVAL: baseline outcome value.
- HAMDTL17: Hamilton 17-item rating scale value.
- CHANGE: change from baseline in the Hamilton 17-item rating scale.

**Details**

The relevant endpoint is the Hamilton 17-item rating scale for depression (HAMD17) for which baseline and weeks 1, 2, 4, and 6 assessments are included. Study drug discontinuation occurred in 24% subjects from the active drug and 26% from placebo. All data after study drug discontinuation are missing and there is a single additional intermittent missing observation.

**References**

Goldstein, Lu, Detke, Wiltse, Mallinckrodt, Demitrack. Duloxetine in the treatment of depression: a double-blind placebo-controlled comparison with paroxetine. *J Clin Psychopharmacol* 2004;24: 389-399.

---

apply_delta	<i>Applies delta adjustment</i>
-------------	---------------------------------

---

**Description**

Takes a delta dataset and adjusts the outcome variable by adding the corresponding delta.

**Usage**

```
apply_delta(data, delta = NULL, group = NULL, outcome = NULL)
```

**Arguments**

data	data.frame which will have its outcome column adjusted.
delta	data.frame (must contain a column called delta).
group	character vector of variables in both data and delta that will be used to merge the 2 data.frames together by.
outcome	character, name of the outcome variable in data.

---

assert_variables_exist	<i>Assert that all variables exist within a dataset</i>
------------------------	---

---

**Description**

Performs an assertion check to ensure that a vector of variable exists within a data.frame as expected.

**Usage**

```
assert_variables_exist(data, vars)
```

**Arguments**

data	a data.frame
vars	a character vector of variable names



---

as_analysis	<i>Construct an analysis object</i>
-------------	-------------------------------------

---

**Description**

Creates an analysis object ensuring that all components are correctly defined.

**Usage**

```
as_analysis(results, method, delta = NULL, fun = NULL, fun_name = NULL)
```

**Arguments**

results	A list of lists contain the analysis results for each imputation See <a href="#">analyse()</a> for details on what this object should look like.
method	The method object as specified in <a href="#">draws()</a> .
delta	The delta dataset used. See <a href="#">analyse()</a> for details on how this should be specified.
fun	The analysis function that was used.
fun_name	The character name of the analysis function (used for printing) purposes.

---

as_ascii_table	<i>as_ascii_table</i>
----------------	-----------------------

---

**Description**

This function takes a data.frame and attempts to convert it into a simple ascii format suitable for printing to the screen It is assumed all variable values have a as.character() method in order to cast them to character.

**Usage**

```
as_ascii_table(dat, line_prefix = " ", pcol = NULL)
```

**Arguments**

dat	Input dataset to convert into a ascii table
line_prefix	Symbols to prefix infront of every line of the table
pcol	name of column to be handled as a p-value. Sets the value to <0.001 if the value is 0 after rounding

---

as_class	<i>Set Class</i>
----------	------------------

---

**Description**

Utility function to set an objects class.

**Usage**

```
as_class(x, cls)
```

**Arguments**

x	object to set the class of.
cls	the class to be set.

---

as_cropped_char	<i>as_cropped_char</i>
-----------------	------------------------

---

**Description**

Makes any character string above x chars Reduce down to a x char string with ...

**Usage**

```
as_cropped_char(inval, crop_at = 30, ndp = 3)
```

**Arguments**

inval	a single element value
crop_at	character limit
ndp	Number of decimal places to display

---

as_dataframe	<i>Convert object to dataframe</i>
--------------	------------------------------------

---

**Description**

Convert object to dataframe

**Usage**

```
as_dataframe(x)
```

**Arguments**

x	a data.frame like object Utility function to convert a "data.frame-like" object to an actual data.frame to avoid issues with inconsistency on methods (such as [] and dplyr's grouped dataframes)
---	--

---

as_draws	<i>Creates a draws object</i>
----------	-------------------------------

---

**Description**

Creates a draws object which is the final output of a call to [draws\(\)](#).

**Usage**

```
as_draws(method, samples, data, formula, n_failures = NULL, fit = NULL)
```

**Arguments**

method	A method object as generated by either <a href="#">method_bayes()</a> , <a href="#">method_approxbayes()</a> , <a href="#">method_condmean()</a> or <a href="#">method_bmlmi()</a> .
samples	A list of <code>sample_single</code> objects. See <a href="#">sample_single()</a> .
data	R6 longdata object containing all relevant input data information.
formula	Fixed effects formula object used for the model specification.
n_failures	Absolute number of failures of the model fit.
fit	If <code>method_bayes()</code> is chosen, returns the MCMC Stan fit object. Otherwise NULL.

**Value**

A draws object which is a named list containing the following:

- `data`: R6 longdata object containing all relevant input data information.
- `method`: A method object as generated by either `method_bayes()`, `method_approxbayes()` or `method_condmean()`.
- `samples`: list containing the estimated parameters of interest. Each element of `samples` is a named list containing the following:
  - `ids`: vector of characters containing the ids of the subjects included in the original dataset.
  - `beta`: numeric vector of estimated regression coefficients.
  - `sigma`: list of estimated covariance matrices (one for each level of `vars$group`).
  - `theta`: numeric vector of transformed covariances.
  - `failed`: Logical. TRUE if the model fit failed.
  - `ids_samp`: vector of characters containing the ids of the subjects included in the given sample.
- `fit`: if `method_bayes()` is chosen, returns the MCMC Stan fit object. Otherwise NULL.
- `n_failures`: absolute number of failures of the model fit. Relevant only for `method_condmean(type = "bootstrap")`, `method_approxbayes()` and `method_bmlmi()`.
- `formula`: fixed effects formula object used for the model specification.

---

as\_imputation

*Create an imputation object*

---

**Description**

This function creates the object that is returned from `impute()`. Essentially it is a glorified wrapper around `list()` ensuring that the required elements have been set and that the class is added as expected.

**Usage**

```
as_imputation(imputations, data, method, references)
```

**Arguments**

<code>imputations</code>	A list of <code>imputations_list</code> 's as created by <code>imputation_df()</code>
<code>data</code>	A longdata object as created by <code>longDataConstructor()</code>
<code>method</code>	A method object as created by <code>method_condmean()</code> , <code>method_bayes()</code> or <code>method_approxbayes()</code>
<code>references</code>	A named vector. Identifies the references to be used when generating the imputed values. Should be of the form <code>c("Group" = "Reference", "Group" = "Reference")</code> .

---

as_indices	<i>Convert indicator to index</i>
------------	-----------------------------------

---

**Description**

Converts a string of 0's and 1's into index positions of the 1's padding the results by 0's so they are all the same length

**Usage**

```
as_indices(x)
```

**Arguments**

x a character vector whose values are all either "0" or "1". All elements of the vector must be the same length

**Details**

i.e.

```
patmap(c("1101", "0001")) -> list(c(1,2,4,999), c(4,999, 999, 999))
```

---

as_mmr_df	<i>Creates a "MMRM" ready dataset</i>
-----------	---------------------------------------

---

**Description**

Converts a design matrix + key variables into a common format In particular this function does the following:

- Renames all covariates as V1, V2, etc to avoid issues of special characters in variable names
- Ensures all key variables are of the right type
- Inserts the outcome, visit and subjid variables into the data.frame naming them as outcome, visit and subjid
- If provided will also insert the group variable into the data.frame named as group

**Usage**

```
as_mmr_df(designmat, outcome, visit, subjid, group = NULL)
```

**Arguments**

designmat	a <code>data.frame</code> or <code>matrix</code> containing the covariates to use in the MMRM model. Dummy variables must already be expanded out, i.e. via <code>stats::model.matrix()</code> . Cannot contain any missing values
outcome	a numeric vector. The outcome value to be regressed on in the MMRM model.
visit	a character / factor vector. Indicates which visit the outcome value occurred on.
subjid	a character / factor vector. The subject identifier used to link separate visits that belong to the same subject.
group	a character / factor vector. Indicates which treatment group the patient belongs to.

---

as_mmr_formula	<i>Create MMRM formula</i>
----------------	----------------------------

---

**Description**

Derives the MMRM model formula from the structure of `mmrm_df`. returns a formula object of the form:

**Usage**

```
as_mmr_formula(mmrm_df, cov_struct)
```

**Arguments**

mmrm_df	an mmrm <code>data.frame</code> as created by <code>as_mmr_df()</code>
cov_struct	Character - The covariance structure to be used, must be one of "us" (default), "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", or "toeph")

**Details**

```
outcome ~ 0 + V1 + V2 + V4 + ... + us(visit | group / subjid)
```

---

as_model_df	<i>Expand data.frame into a design matrix</i>
-------------	---

---

**Description**

Expands out a `data.frame` using a formula to create a design matrix. Key details are that it will always place the outcome variable into the first column of the return object.

**Usage**

```
as_model_df(dat, frm)
```

**Arguments**

dat	a data.frame
frm	a formula

**Details**

The outcome column may contain NA's but none of the other variables listed in the formula should contain missing values

---

as_simple_formula	<i>Creates a simple formula object from a string</i>
-------------------	--

---

**Description**

Converts a string list of variables into a formula object

**Usage**

```
as_simple_formula(outcome, covars)
```

**Arguments**

outcome	character (length 1 vector). Name of the outcome variable
covars	character (vector). Name of covariates

**Value**

A formula

---

as_stan_array	<i>As array</i>
---------------	-----------------

---

**Description**

Converts a numeric value of length 1 into a 1 dimension array. This is to avoid type errors that are thrown by stan when length 1 numeric vectors are provided by R for stan::vector inputs

**Usage**

```
as_stan_array(x)
```

**Arguments**

x	a numeric vector
---	------------------

---

as_strata	<i>Create vector of Stratas</i>
-----------	---------------------------------

---

**Description**

Collapse multiple categorical variables into distinct unique categories. e.g.

```
as_strata(c(1,1,2,2,2,1), c(5,6,5,5,6,5))
```

would return

```
c(1,2,3,3,4,1)
```

**Usage**

```
as_strata(...)
```

**Arguments**

... numeric/character/factor vectors of the same length

**Examples**

```
## Not run:  
as_strata(c(1,1,2,2,2,1), c(5,6,5,5,6,5))  
  
## End(Not run)
```

---

char2fct	<i>Convert character variables to factor</i>
----------	--

---

**Description**

Provided a vector of variable names this function converts any character variables into factors. Has no affect on numeric or existing factor variables

**Usage**

```
char2fct(data, vars = NULL)
```

**Arguments**

data	A data.frame
vars	a character vector of variables in data



---

 check\_ESS

*Diagnostics of the MCMC based on ESS*


---

**Description**

Check the quality of the MCMC draws from the posterior distribution by checking whether the relative ESS is sufficiently large.

**Usage**

```
check_ESS(stan_fit, n_draws, threshold_lowESS = 0.4)
```

**Arguments**

stan_fit	A stanfit object.
n_draws	Number of MCMC draws.
threshold_lowESS	A number in $[\emptyset, 1]$ indicating the minimum acceptable value of the relative ESS. See details.

**Details**

check\_ESS() works as follows:

1. Extract the ESS from stan\_fit for each parameter of the model.
2. Compute the relative ESS (i.e. the ESS divided by the number of draws).
3. Check whether for any of the parameter the ESS is lower than threshold. If for at least one parameter the relative ESS is below the threshold, a warning is thrown.

**Value**

A warning message in case of detected problems.

---

 check\_hmc\_diagn

*Diagnostics of the MCMC based on HMC-related measures.*


---

**Description**

Check that:

1. There are no divergent iterations.
2. The Bayesian Fraction of Missing Information (BFMI) is sufficiently low.
3. The number of iterations that saturated the max treedepth is zero.

Please see `rstan::check_hmc_diagnostics()` for details.

**Usage**

```
check_hmc_diagn(stan_fit)
```

**Arguments**

`stan_fit`      A stanfit object.

**Value**

A warning message in case of detected problems.

---

check\_mcmc      *Diagnostics of the MCMC*

---

**Description**

Diagnostics of the MCMC

**Usage**

```
check_mcmc(stan_fit, n_draws, threshold_lowESS = 0.4)
```

**Arguments**

`stan_fit`      A stanfit object.

`n_draws`      Number of MCMC draws.

`threshold_lowESS`

A number in  $[0, 1]$  indicating the minimum acceptable value of the relative ESS. See details.

**Details**

Performs checks of the quality of the MCMC. See [check\\_ESS\(\)](#) and [check\\_hmc\\_diagn\(\)](#) for details.

**Value**

A warning message in case of detected problems.

---

compute_sigma	<i>Compute covariance matrix for some reference-based methods (JR, CIR)</i>
---------------	---

---

### Description

Adapt covariance matrix in reference-based methods. Used for Copy Increments in Reference (CIR) and Jump To Reference (JTR) methods, to adapt the covariance matrix to different pre-deviation and post deviation covariance structures. See Carpenter et al. (2013)

### Usage

```
compute_sigma(sigma_group, sigma_ref, index_mar)
```

### Arguments

sigma_group	the covariance matrix with dimensions equal to index_mar for the subjects original group
sigma_ref	the covariance matrix with dimensions equal to index_mar for the subjects reference group
index_mar	A logical vector indicating which visits meet the MAR assumption for the subject. I.e. this identifies the observations that after a non-MAR intercurrent event (ICE).

### References

Carpenter, James R., James H. Roger, and Michael G. Kenward. "Analysis of longitudinal trials with protocol deviation: a framework for relevant, accessible assumptions, and inference via multiple imputation." *Journal of Biopharmaceutical statistics* 23.6 (2013): 1352-1371.

---

convert_to_imputation_list_df	<i>Convert list of <code>imputation_list_single()</code> objects to an <code>imputation_list_df()</code> object (i.e. a list of <code>imputation_df()</code> objects's)</i>
-------------------------------	---

---

### Description

Convert list of `imputation_list_single()` objects to an `imputation_list_df()` object (i.e. a list of `imputation_df()` objects's)

### Usage

```
convert_to_imputation_list_df(imputes, sample_ids)
```

**Arguments**

`imputes` a list of `imputation_list_single()` objects

`sample_ids` A list with 1 element per required `imputation_df`. Each element must contain a vector of "ID"'s which correspond to the `imputation_single()` ID's that are required for that dataset. The total number of ID's must be equal to the total number of rows within all of `imputes$imputations`

To accommodate for `method_bmlmi()` the `impute_data_individual()` function returns a list of `imputation_list_single()` objects with 1 object per each subject.

`imputation_list_single()` stores the subjects imputations as a matrix where the columns of the matrix correspond to the D of `method_bmlmi()`. Note that all other methods (i.e. `methods_*`()) are a special case of this with  $D = 1$ . The number of rows in the matrix varies for each subject and is equal to the number of times the patient was selected for imputation (for non-conditional mean methods this should be 1 per subject per imputed dataset).

This function is best illustrated by an example:

```
imputes = list(
  imputation_list_single(
    id = "Tom",
    imputations = matrix(
      imputation_single_t_1_1, imputation_single_t_1_2,
      imputation_single_t_2_1, imputation_single_t_2_2,
      imputation_single_t_3_1, imputation_single_t_3_2
    )
  ),
  imputation_list_single(
    id = "Tom",
    imputations = matrix(
      imputation_single_h_1_1, imputation_single_h_1_2,
    )
  )
)

sample_ids <- list(
  c("Tom", "Harry", "Tom"),
  c("Tom")
)
```

Then `convert_to_imputation_df(imputes, sample_ids)` would result in:

```
imputation_list_df(
  imputation_df(
    imputation_single_t_1_1,
    imputation_single_h_1_1,
    imputation_single_t_2_1
  ),
  imputation_df(
```

```

        imputation_single_t_1_2,
        imputation_single_h_1_2,
        imputation_single_t_2_2
    ),
    imputation_df(
        imputation_single_t_3_1
    ),
    imputation_df(
        imputation_single_t_3_2
    )
)

```

Note that the different repetitions (i.e. the value set for D) are grouped together sequentially.

---

delta_template	<i>Create a delta data.frame template</i>
----------------	---

---

### Description

Creates a data.frame in the format required by [analyse\(\)](#) for the use of applying a delta adjustment.

### Usage

```
delta_template(imputations, delta = NULL, dlag = NULL, missing_only = TRUE)
```

### Arguments

imputations	an imputation object as created by <a href="#">impute()</a> .
delta	NULL or a numeric vector. Determines the baseline amount of delta to be applied to each visit. See details. If a numeric vector it must have the same length as the number of unique visits in the original dataset.
dlag	NULL or a numeric vector. Determines the scaling to be applied to delta based upon which visit the ICE occurred on. See details. If a numeric vector it must have the same length as the number of unique visits in the original dataset.
missing_only	Logical, if TRUE then non-missing post-ICE data will have a delta value of 0 assigned. Note that the calculation (as described in the details section) is performed first and then overwritten with 0's at the end (i.e. the delta values for missing post-ICE visits will stay the same regardless of this option).

### Details

To apply a delta adjustment the [analyse\(\)](#) function expects a delta data.frame with 3 variables: `vars$subjid`, `vars$visit` and `delta` (where `vars` is the object supplied in the original call to [draws\(\)](#) as created by the [set\\_vars\(\)](#) function).

This function will return a `data.frame` with the aforementioned variables with one row per subject per visit. If the `delta` argument to this function is `NULL` then the `delta` column in the returned `data.frame` will be 0 for all observations. If the `delta` argument is not `NULL` then `delta` will be calculated separately for each subject as the accumulative sum of `delta` multiplied by the scaling coefficient `dlag` based upon how many visits after the subject's intercurrent event (ICE) the visit in question is. This is best illustrated with an example:

Let `delta = c(5,6,7,8)` and `dlag=c(1,2,3,4)` (i.e. assuming there are 4 visits) and lets say that the subject had an ICE on visit 2. The calculation would then be as follows:

```
v1 v2 v3 v4
-----
 5  6  7  8 # delta assigned to each visit
 0  1  2  3 # lagged scaling starting from the first visit after the subjects ICE
-----
 0  6 14 24 # delta * lagged scaling
-----
 0  6 20 44 # accumulative sum of delta to be applied to each visit
```

That is to say the subject would have a `delta` offset of 0 applied for visit-1, 6 for visit-2, 20 for visit-3 and 44 for visit-4. As a comparison, lets say that the subject instead had their ICE on visit 3, the calculation would then be as follows:

```
v1 v2 v3 v4
-----
 5  6  7  8 # delta assigned to each visit
 0  0  1  2 # lagged scaling starting from the first visit after the subjects ICE
-----
 0  0  7 16 # delta * lagged scaling
-----
 0  0  7 23 # accumulative sum of delta to be applied to each visit
```

In terms of practical usage, lets say that you wanted a `delta` of 5 to be used for all post ICE visits regardless of their proximity to the ICE visit. This can be achieved by setting `delta = c(5,5,5,5)` and `dlag = c(1,0,0,0)`. For example lets say a subject had their ICE on visit-1, then the calculation would be as follows:

```
v1 v2 v3 v4
-----
 5  5  5  5 # delta assigned to each visit
 1  0  0  0 # lagged scaling starting from the first visit after the subjects ICE
-----
 5  0  0  0 # delta * lagged scaling
-----
 5  5  5  5 # accumulative sum of delta to be applied to each visit
```

Another way of using these arguments is to set `delta` to be the difference in time between visits and `dlag` to be the amount of `delta` per unit of time. For example lets say that we have a visit on weeks 1, 5, 6 & 9 and that we want a `delta` of 3 to be applied for each week after an ICE. This can

be achieved by setting  $\text{delta} = c(0, 4, 1, 3)$  (the difference in weeks between each visit) and  $\text{dlag} = c(3, 3, 3, 3)$ . For example lets say we have a subject who had their ICE on week-5 (i.e. visit-2) then the calculation would be:

```
v1  v2  v3  v4
-----
 0   4   1   3 # delta assigned to each visit
 0   0   3   3 # lagged scaling starting from the first visit after the subjects ICE
-----
 0   0   3   9 # delta * lagged scaling
-----
 0   0   3  12 # accumulative sum of delta to be applied to each visit
```

i.e. on week-6 (1 week after the ICE) they have a delta of 3 and on week-9 (4 weeks after the ICE) they have a delta of 12.

Please note that this function also returns several utility variables so that the user can create their own custom logic for defining what delta should be set to. These additional variables include:

- `is_mar` - If the observation was missing would it be regarded as MAR? This variable is set to FALSE for observations that occurred after a non-MAR ICE, otherwise it is set to TRUE.
- `is_missing` - Is the outcome variable for this observation missing.
- `is_post_ice` - Does the observation occur after the patient's ICE as defined by the `data_ice` dataset supplied to `draws()`.
- `strategy` - What imputation strategy was assigned to for this subject.

The design and implementation of this function is largely based upon the same functionality as implemented in the so called "five marcos" by James Roger. See Roger (2021).

## References

Roger, James. Reference-based mi via multivariate normal rm (the "five macros" and `miwithd`), 2021. URL <https://www.lshtm.ac.uk/research/centres-projects-groups/missing-data#dia-missing-data>.

## See Also

[analyse\(\)](#)

## Examples

```
## Not run:
delta_template(imputeObj)
delta_template(imputeObj, delta = c(5,6,7,8), dlag = c(1,2,3,4))

## End(Not run)
```

draws

*Fit the base imputation model and get parameter estimates***Description**

`draws` fits the base imputation model to the observed outcome data according to the given multiple imputation methodology. According to the user's method specification, it returns either draws from the posterior distribution of the model parameters as required for Bayesian multiple imputation or frequentist parameter estimates from the original data and bootstrapped or leave-one-out datasets as required for conditional mean imputation. The purpose of the imputation model is to estimate model parameters in the absence of intercurrent events (ICEs) handled using reference-based imputation methods. For this reason, any observed outcome data after ICEs, for which reference-based imputation methods are specified, are removed and considered as missing for the purpose of estimating the imputation model, and for this purpose only. The imputation model is a mixed model for repeated measures (MMRM) that is valid under a missing-at-random (MAR) assumption. It can be fit using maximum likelihood (ML) or restricted ML (REML) estimation, a Bayesian approach, or an approximate Bayesian approach according to the user's method specification. The ML/REML approaches and the approximate Bayesian approach support several possible covariance structures, while the Bayesian approach based on MCMC sampling supports only an unstructured covariance structure. In any case the covariance matrix can be assumed to be the same or different across each group.

**Usage**

```
draws(data, data_ice = NULL, vars, method, ncores = 1, quiet = FALSE)

## S3 method for class 'approxbayes'
draws(data, data_ice = NULL, vars, method, ncores = 1, quiet = FALSE)

## S3 method for class 'condmean'
draws(data, data_ice = NULL, vars, method, ncores = 1, quiet = FALSE)

## S3 method for class 'bmlmi'
draws(data, data_ice = NULL, vars, method, ncores = 1, quiet = FALSE)

## S3 method for class 'bayes'
draws(data, data_ice = NULL, vars, method, ncores = 1, quiet = FALSE)
```

**Arguments**

<code>data</code>	A <code>data.frame</code> containing the data to be used in the model. See details.
<code>data_ice</code>	A <code>data.frame</code> that specifies the information related to the ICEs and the imputation strategies. See details.
<code>vars</code>	A <code>vars</code> object as generated by <code>set_vars()</code> . See details.
<code>method</code>	A method object as generated by either <code>method_bayes()</code> , <code>method_approxbayes()</code> , <code>method_condmean()</code> or <code>method_bmlmi()</code> . It specifies the multiple imputation methodology to be used. See details.



ncores	A single numeric specifying the number of cores to use in creating the draws object. Note that this parameter is ignored for <code>method_bayes()</code> (Default = 1). Can also be a cluster object generated by <code>make_rbmi_cluster()</code>
quiet	Logical, if TRUE will suppress printing of progress information that is printed to the console.

## Details

`draws` performs the first step of the multiple imputation (MI) procedure: fitting the base imputation model. The goal is to estimate the parameters of interest needed for the imputation phase (i.e. the regression coefficients and the covariance matrices from a MMRM model).

The function distinguishes between the following methods:

- Bayesian MI based on MCMC sampling: `draws` returns the draws from the posterior distribution of the parameters using a Bayesian approach based on MCMC sampling. This method can be specified by using `method = method_bayes()`.
- Approximate Bayesian MI based on bootstrapping: `draws` returns the draws from the posterior distribution of the parameters using an approximate Bayesian approach, where the sampling from the posterior distribution is simulated by fitting the MMRM model on bootstrap samples of the original dataset. This method can be specified by using `method = method_approxbayes()`.
- Conditional mean imputation with bootstrap re-sampling: `draws` returns the MMRM parameter estimates from the original dataset and from `n_samples` bootstrap samples. This method can be specified by using `method = method_condmean()` with argument `type = "bootstrap"`.
- Conditional mean imputation with jackknife re-sampling: `draws` returns the MMRM parameter estimates from the original dataset and from each leave-one-subject-out sample. This method can be specified by using `method = method_condmean()` with argument `type = "jackknife"`.
- Bootstrapped Maximum Likelihood MI: `draws` returns the MMRM parameter estimates from a given number of bootstrap samples needed to perform random imputations of the bootstrapped samples. This method can be specified by using `method = method_bmlmi()`.

Bayesian MI based on MCMC sampling has been proposed in Carpenter, Roger, and Kenward (2013) who first introduced reference-based imputation methods. Approximate Bayesian MI is discussed in Little and Rubin (2002). Conditional mean imputation methods are discussed in Wolbers et al (2022). Bootstrapped Maximum Likelihood MI is described in Von Hippel & Bartlett (2021).

The argument `data` contains the longitudinal data. It must have at least the following variables:

- `subjid`: a factor vector containing the subject ids.
- `visit`: a factor vector containing the visit the outcome was observed on.
- `group`: a factor vector containing the group that the subject belongs to.
- `outcome`: a numeric vector containing the outcome variable. It might contain missing values. Additional baseline or time-varying covariates must be included in data.

`data` must have one row per visit per subject. This means that incomplete outcome data must be set as NA instead of having the related row missing. Missing values in the covariates are not allowed. If data is incomplete then the `expand_locf()` helper function can be used to insert any missing rows using Last Observation Carried Forward (LOCF) imputation to impute the covariates values.

Note that LOCF is generally not a principled imputation method and should only be used when appropriate for the specific covariate.

Please note that there is no special provisioning for the baseline outcome values. If you do not want baseline observations to be included in the model as part of the response variable then these should be removed in advance from the outcome variable in data. At the same time if you want to include the baseline outcome as covariate in the model, then this should be included as a separate column of data (as any other covariate).

Character covariates will be explicitly cast to factors. If you use a custom analysis function that requires specific reference levels for the character covariates (for example in the computation of the least square means computation) then you are advised to manually cast your character covariates to factor in advance of running `draws()`.

The argument `data_ice` contains information about the occurrence of ICEs. It is a `data.frame` with 3 columns:

- **Subject ID**: a character vector containing the ids of the subjects that experienced the ICE. This column must be named as specified in `vars$subjid`.
- **Visit**: a character vector containing the first visit after the occurrence of the ICE (i.e. the first visit affected by the ICE). The visits must be equal to one of the levels of `data[[vars$visit]]`. If multiple ICEs happen for the same subject, then only the first non-MAR visit should be used. This column must be named as specified in `vars$visit`.
- **Strategy**: a character vector specifying the imputation strategy to address the ICE for this subject. This column must be named as specified in `vars$strategy`. Possible imputation strategies are:
  - "MAR": Missing At Random.
  - "CIR": Copy Increments in Reference.
  - "CR": Copy Reference.
  - "JR": Jump to Reference.
  - "LMCF": Last Mean Carried Forward. For explanations of these imputation strategies, see Carpenter, Roger, and Kenward (2013), Cro et al (2021), and Wolbers et al (2022). Please note that user-defined imputation strategies can also be set.

The `data_ice` argument is necessary at this stage since (as explained in Wolbers et al (2022)), the model is fitted after removing the observations which are incompatible with the imputation model, i.e. any observed data on or after `data_ice[[vars$visit]]` that are addressed with an imputation strategy different from MAR are excluded for the model fit. However such observations will not be discarded from the data in the imputation phase (performed with the function (`impute()`)). To summarize, **at this stage only pre-ICE data and post-ICE data that is after ICEs for which MAR imputation is specified are used.**

If the `data_ice` argument is omitted, or if a subject doesn't have a record within `data_ice`, then it is assumed that all of the relevant subject's data is pre-ICE and as such all missing visits will be imputed under the MAR assumption and all observed data will be used to fit the base imputation model. Please note that the ICE visit cannot be updated via the `update_strategy` argument in `impute()`; this means that subjects who didn't have a record in `data_ice` will always have their missing data imputed under the MAR assumption even if their strategy is updated.

The `vars` argument is a named list that specifies the names of key variables within data and `data_ice`. This list is created by `set_vars()` and contains the following named elements:

- `subjid`: name of the column in `data` and `data_ice` which contains the subject ids variable.
- `visit`: name of the column in `data` and `data_ice` which contains the visit variable.
- `group`: name of the column in `data` which contains the group variable.
- `outcome`: name of the column in `data` which contains the outcome variable.
- `covariates`: vector of characters which contains the covariates to be included in the model (including interactions which are specified as `"covariateName1*covariateName2"`). If no covariates are provided the default model specification of `outcome ~ 1 + visit + group` will be used. Please note that the `group*visit` interaction is **not** included in the model by default.
- `strata`: covariates used as stratification variables in the bootstrap sampling. By default only the `vars$group` is set as stratification variable. Needed only for `method_condmean(type = "bootstrap")` and `method_approxbayes()`.
- `strategy`: name of the column in `data_ice` which contains the subject-specific imputation strategy.

In our experience, Bayesian MI (`method = method_bayes()`) with a relatively low number of samples (e.g. `n_samples` below 100) frequently triggers STAN warnings about R-hat such as "The largest R-hat is X.XX, indicating chains have not mixed". In many instances, this warning might be spurious, i.e. standard diagnostics analysis of the MCMC samples do not indicate any issues and results look reasonable. Increasing the number of samples to e.g. above 150 usually gets rid of the warning.

## Value

A `draws` object which is a named list containing the following:

- `data`: R6 longdata object containing all relevant input data information.
- `method`: A method object as generated by either `method_bayes()`, `method_approxbayes()` or `method_condmean()`.
- `samples`: list containing the estimated parameters of interest. Each element of `samples` is a named list containing the following:
  - `ids`: vector of characters containing the ids of the subjects included in the original dataset.
  - `beta`: numeric vector of estimated regression coefficients.
  - `sigma`: list of estimated covariance matrices (one for each level of `vars$group`).
  - `theta`: numeric vector of transformed covariances.
  - `failed`: Logical. TRUE if the model fit failed.
  - `ids_samp`: vector of characters containing the ids of the subjects included in the given sample.
- `fit`: if `method_bayes()` is chosen, returns the MCMC Stan fit object. Otherwise NULL.
- `n_failures`: absolute number of failures of the model fit. Relevant only for `method_condmean(type = "bootstrap")`, `method_approxbayes()` and `method_bm1mi()`.
- `formula`: fixed effects formula object used for the model specification.

## References

James R Carpenter, James H Roger, and Michael G Kenward. Analysis of longitudinal trials with protocol deviation: a framework for relevant, accessible assumptions, and inference via multiple imputation. *Journal of Biopharmaceutical Statistics*, 23(6):1352–1371, 2013.

Suzie Cro, Tim P Morris, Michael G Kenward, and James R Carpenter. Sensitivity analysis for clinical trials with missing continuous outcome data using controlled multiple imputation: a practical guide. *Statistics in Medicine*, 39(21):2815–2842, 2020.

Roderick J. A. Little and Donald B. Rubin. *Statistical Analysis with Missing Data*, Second Edition. John Wiley & Sons, Hoboken, New Jersey, 2002. [Section 10.2.3]

Marcel Wolbers, Alessandro Noci, Paul Delmar, Craig Gower-Page, Sean Yiu, Jonathan W. Bartlett. Standard and reference-based conditional mean imputation. <https://arxiv.org/abs/2109.11162>, 2022.

Von Hippel, Paul T and Bartlett, Jonathan W. Maximum likelihood multiple imputation: Faster imputations and consistent standard errors without posterior draws. 2021.

## See Also

[method\\_bayes\(\)](#), [method\\_approxbayes\(\)](#), [method\\_condmean\(\)](#), [method\\_bmlmi\(\)](#) for setting method.

[set\\_vars\(\)](#) for setting vars.

[expand\\_locf\(\)](#) for expanding data in case of missing rows.

For more details see the quickstart vignette: `vignette("quickstart", package = "rbmi")`.

---

d\_lagscale

*Calculate delta from a lagged scale coefficient*

---

## Description

Calculates a delta value based upon a baseline delta value and a post ICE scaling coefficient.

## Usage

```
d_lagscale(delta, dlag, is_post_ice)
```

## Arguments

`delta` a numeric vector. Determines the baseline amount of delta to be applied to each visit.

`dlag` a numeric vector. Determines the scaling to be applied to delta based upon with visit the ICE occurred on. Must be the same length as delta.

`is_post_ice` logical vector. Indicates whether a visit is "post-ICE" or not.

## Details

See [delta\\_template\(\)](#) for full details on how this calculation is performed.

---

`eval_mmrn`*Evaluate a call to mmrm*

---

### Description

This is a utility function that attempts to evaluate a call to `mmrm` managing any warnings or errors that are thrown. In particular this function attempts to catch any warnings or errors and instead of surfacing them it will simply add an additional element failed with a value of `TRUE`. This allows for multiple calls to be made without the program exiting.

### Usage

```
eval_mmrn(expr)
```

### Arguments

`expr` An expression to be evaluated. Should be a call to `mmrm::mmrm()`.

### Details

This function was originally developed for use with `glmmTMB` which needed more hand-holding and dropping of false-positive warnings. It is not as important now but is kept around encase we need to catch false-positive warnings again in the future.

### See Also

[record\(\)](#)

### Examples

```
## Not run:
eval_mmrn({
  mmrm::mmrm(formula, data)
})

## End(Not run)
```

---

`expand`*Expand and fill in missing data.frame rows*

---

### Description

These functions are essentially wrappers around `base::expand.grid()` to ensure that missing combinations of data are inserted into a `data.frame` with imputation/fill methods for updating covariate values of newly created rows.

**Usage**

```
expand(data, ...)

fill_locf(data, vars, group = NULL, order = NULL)

expand_locf(data, ..., vars, group, order)
```

**Arguments**

data	dataset to expand or fill in.
...	variables and the levels that should be expanded out (note that duplicate entries of levels will result in multiple rows for that level).
vars	character vector containing the names of variables that need to be filled in.
group	character vector containing the names of variables to group by when performing LOCF imputation of var.
order	character vector containing the names of additional variables to sort the data.frame by before performing LOCF.

**Details**

The `draws()` function makes the assumption that all subjects and visits are present in the `data.frame` and that all covariate values are non missing; `expand()`, `fill_locf()` and `expand_locf()` are utility functions to support users in ensuring that their `data.frame`'s conform to these assumptions.

`expand()` takes vectors for expected levels in a `data.frame` and expands out all combinations inserting any missing rows into the `data.frame`. Note that all "expanded" variables are cast as factors.

`fill_locf()` applies LOCF imputation to named covariates to fill in any NAs created by the insertion of new rows by `expand()` (though do note that no distinction is made between existing NAs and newly created NAs). Note that the `data.frame` is sorted by `c(group, order)` before performing the LOCF imputation; the `data.frame` will be returned in the original sort order however.

`expand_locf()` a simple composition function of `fill_locf()` and `expand()` i.e. `fill_locf(expand(...))`.

**Missing First Values:**

The `fill_locf()` function performs last observation carried forward imputation. A natural consequence of this is that it is unable to impute missing observations if the observation is the first value for a given subject / grouping. These values are deliberately not imputed as doing so risks silent errors in the case of time varying covariates. One solution is to first use `expand_locf()` on just the visit variable and time varying covariates and then merge on the baseline covariates afterwards i.e.

```
library(dplyr)

dat_expanded <- expand(
  data = dat,
  subject = c("pt1", "pt2", "pt3", "pt4"),
  visit = c("vis1", "vis2", "vis3")
)
```

```
dat_filled <- dat_expanded %>%
  left_join(baseline_covariates, by = "subject")
```

### Examples

```
## Not run:
dat_expanded <- expand(
  data = dat,
  subject = c("pt1", "pt2", "pt3", "pt4"),
  visit = c("vis1", "vis2", "vis3")
)

dat_filled <- fill_locf(
  data = dat_expanded,
  vars = c("Sex", "Age"),
  group = "subject",
  order = "visit"
)

## Or

dat_filled <- expand_locf(
  data = dat,
  subject = c("pt1", "pt2", "pt3", "pt4"),
  visit = c("vis1", "vis2", "vis3"),
  vars = c("Sex", "Age"),
  group = "subject",
  order = "visit"
)

## End(Not run)
```

---

extract\_covariates      *Extract Variables from string vector*

---

### Description

Takes a string including potentially model terms like \* and : and extracts out the individual variables

### Usage

```
extract_covariates(x)
```

### Arguments

x                      string of variable names potentially including interaction terms

### Details

i.e. c("v1", "v2", "v2\*v3", "v1:v2") becomes c("v1", "v2", "v3")

---

```
extract_data_nmar_as_na
```

*Set to NA outcome values that would be MNAR if they were missing (i.e. which occur after an ICE handled using a reference-based imputation strategy)*

---

### Description

Set to NA outcome values that would be MNAR if they were missing (i.e. which occur after an ICE handled using a reference-based imputation strategy)

### Usage

```
extract_data_nmar_as_na(longdata)
```

### Arguments

`longdata` R6 longdata object containing all relevant input data information.

### Value

A data frame containing `longdata$get_data(longdata$ids)`, but MNAR outcome values are set to NA.

---

```
extract_draws
```

*Extract draws from a stanfit object*

---

### Description

Extract draws from a stanfit object and convert them into lists.

The function `rstan::extract()` returns the draws for a given parameter as an array. This function calls `rstan::extract()` to extract the draws from a stanfit object and then convert the arrays into lists.

### Usage

```
extract_draws(stan_fit)
```

### Arguments

`stan_fit` A stanfit object.



**Value**

A named list of length 2 containing:

- `beta`: a list of length equal to the number of draws containing the draws from the posterior distribution of the regression coefficients.
- `sigma`: a list of length equal to the number of draws containing the draws from the posterior distribution of the covariance matrices. Each element of the list is a list with length equal to 1 if `same_cov = TRUE` or equal to the number of groups if `same_cov = FALSE`.

---

<code>extract_imputed_df</code>	<i>Extract imputed dataset</i>
---------------------------------	--------------------------------

---

**Description**

Takes an imputation object as generated by `imputation_df()` and uses this to extract a completed dataset from a `longdata` object as created by `longDataConstructor()`. Also applies a delta transformation if a `data.frame` is provided to the `delta` argument. See `analyse()` for details on the structure of this `data.frame`.

Subject IDs in the returned `data.frame` are scrambled i.e. are not the original values.

**Usage**

```
extract_imputed_df(imputation, ld, delta = NULL, idmap = FALSE)
```

**Arguments**

<code>imputation</code>	An imputation object as generated by <code>imputation_df()</code> .
<code>ld</code>	A <code>longdata</code> object as generated by <code>longDataConstructor()</code> .
<code>delta</code>	Either <code>NULL</code> or a <code>data.frame</code> . Is used to offset outcome values in the imputed dataset.
<code>idmap</code>	Logical. If <code>TRUE</code> an attribute called "idmap" is attached to the return object which contains a list that maps the old subject ids the new subject ids.

**Value**

A `data.frame`.

---

extract\_imputed\_dfs    *Extract imputed datasets*

---

### Description

Extracts the imputed datasets contained within an imputations object generated by `impute()`.

### Usage

```
extract_imputed_dfs(  
  imputations,  
  index = seq_along(imputations$imputations),  
  delta = NULL,  
  idmap = FALSE  
)
```

### Arguments

<code>imputations</code>	An imputations object as created by <code>impute()</code> .
<code>index</code>	The indexes of the imputed datasets to return. By default, all datasets within the imputations object will be returned.
<code>delta</code>	A <code>data.frame</code> containing the delta transformation to be applied to the imputed dataset. See <code>analyse()</code> for details on the format and specification of this <code>data.frame</code> .
<code>idmap</code>	Logical. The subject IDs in the imputed <code>data.frame</code> 's are replaced with new IDs to ensure they are unique. Setting this argument to <code>TRUE</code> attaches an attribute, called <code>idmap</code> , to the returned <code>data.frame</code> 's that will provide a map from the new subject IDs to the old subject IDs.

### Value

A list of `data.frames` equal in length to the `index` argument.

### See Also

`delta_template()` for creating delta `data.frames`.  
`analyse()`.

### Examples

```
## Not run:  
extract_imputed_dfs(imputeObj)  
extract_imputed_dfs(imputeObj, c(1:3))  
  
## End(Not run)
```

---

extract_params	<i>Extract parameters from a MMRM model</i>
----------------	---

---

**Description**

Extracts the beta and sigma coefficients from an MMRM model created by `mrmr::mrmr()`.

**Usage**

```
extract_params(fit)
```

**Arguments**

fit	an object created by <code>mrmr::mrmr()</code>
-----	--

---

fit_mcmc	<i>Fit the base imputation model using a Bayesian approach</i>
----------	--

---

**Description**

`fit_mcmc()` fits the base imputation model using a Bayesian approach. This is done through a MCMC method that is implemented in `stan` and is run by using the function `rstan::sampling()`. The function returns the draws from the posterior distribution of the model parameters and the `stanfit` object. Additionally it performs multiple diagnostics checks of the chain and returns warnings in case of any detected issues.

**Usage**

```
fit_mcmc(designmat, outcome, group, subjid, visit, method, quiet = FALSE)
```

**Arguments**

designmat	The design matrix of the fixed effects.
outcome	The response variable. Must be numeric.
group	Character vector containing the group variable.
subjid	Character vector containing the subjects IDs.
visit	Character vector containing the visit variable.
method	A method object as generated by <code>method_bayes()</code> .
quiet	Specify whether the stan sampling log should be printed to the console.

## Details

The Bayesian model assumes a multivariate normal likelihood function and weakly-informative priors for the model parameters: in particular, uniform priors are assumed for the regression coefficients and inverse-Wishart priors for the covariance matrices. The chain is initialized using the REML parameter estimates from MMRM as starting values.

The function performs the following steps:

1. Fit MMRM using a REML approach.
2. Prepare the input data for the MCMC fit as described in the `data{}` block of the Stan file. See `prepare_stan_data()` for details.
3. Run the MCMC according the input arguments and using as starting values the REML parameter estimates estimated at point 1.
4. Performs diagnostics checks of the MCMC. See `check_mcmc()` for details.
5. Extract the draws from the model fit.

The chains perform `method$n_samples` draws by keeping one every `method$burn_between` iterations. Additionally the first `method$burn_in` iterations are discarded. The total number of iterations will then be `method$burn_in + method$burn_between*method$n_samples`. The purpose of `method$burn_in` is to ensure that the samples are drawn from the stationary distribution of the Markov Chain. The `method$burn_between` aims to keep the draws uncorrelated each from other.

## Value

A named list composed by the following:

- `samples`: a named list containing the draws for each parameter. It corresponds to the output of `extract_draws()`.
- `fit`: a `stanfit` object.

---

fit\_mmrn

*Fit a MMRM model*

---

## Description

Fits a MMRM model allowing for different covariance structures using `mmrm::mmrm()`. Returns a list of key model parameters `beta`, `sigma` and an additional element `failed` indicating whether or not the fit failed to converge. If the fit did fail to converge `beta` and `sigma` will not be present.

## Usage

```
fit_mmrn(
  designmat,
  outcome,
  subjid,
  visit,
  group,
```

```

cov_struct = c("us", "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", "toeph"),
REML = TRUE,
same_cov = TRUE
)

```

### Arguments

designmat	a data.frame or matrix containing the covariates to use in the MMRM model. Dummy variables must already be expanded out, i.e. via <code>stats::model.matrix()</code> . Cannot contain any missing values
outcome	a numeric vector. The outcome value to be regressed on in the MMRM model.
subjid	a character / factor vector. The subject identifier used to link separate visits that belong to the same subject.
visit	a character / factor vector. Indicates which visit the outcome value occurred on.
group	a character / factor vector. Indicates which treatment group the patient belongs to.
cov_struct	a character value. Specifies which covariance structure to use. Must be one of "us" (default), "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", or "toeph")
REML	logical. Specifies whether restricted maximum likelihood should be used
same_cov	logical. Used to specify if a shared or individual covariance matrix should be used per group

---

generate\_data\_single *Generate data for a single group*

---

### Description

Generate data for a single group

### Usage

```
generate_data_single(pars_group, strategy_fun = NULL, distr_pars_ref = NULL)
```

### Arguments

pars_group	A <code>simul_pars</code> object as generated by <code>set_simul_pars()</code> . It specifies the simulation parameters of the given group.
strategy_fun	Function implementing trajectories after the intercurrent event (ICE). Must be one of <code>getStrategies()</code> . See <code>getStrategies()</code> for details. If NULL then post-ICE outcomes are untouched.
distr_pars_ref	Optional. Named list containing the simulation parameters of the reference arm. It contains the following elements: <ul style="list-style-type: none"> <li>• <code>mu</code>: Numeric vector indicating the mean outcome trajectory assuming no ICEs. It should include the outcome at baseline.</li> <li>• <code>sigma</code>: Covariance matrix of the outcome trajectory assuming no ICEs. If NULL, then these parameters are inherited from <code>pars_group</code>.</li> </ul>

**Value**

A data.frame containing the simulated data. It includes the following variables:

- `id`: Factor variable that specifies the id of each subject.
- `visit`: Factor variable that specifies the visit of each assessment. Visit 0 denotes the baseline visit.
- `group`: Factor variable that specifies which treatment group each subject belongs to.
- `outcome_bl`: Numeric variable that specifies the baseline outcome.
- `outcome_noICE`: Numeric variable that specifies the longitudinal outcome assuming no ICEs.
- `ind_ice1`: Binary variable that takes value 1 if the corresponding visit is affected by ICE1 and 0 otherwise.
- `dropout_ice1`: Binary variable that takes value 1 if the corresponding visit is affected by the drop-out following ICE1 and 0 otherwise.
- `ind_ice2`: Binary variable that takes value 1 if the corresponding visit is affected by ICE2.
- `outcome`: Numeric variable that specifies the longitudinal outcome including ICE1, ICE2 and the intermittent missing values.

**See Also**

[simulate\\_data\(\)](#).

---

getStrategies

*Get imputation strategies*

---

**Description**

Returns a list defining the imputation strategies to be used to create the multivariate normal distribution parameters by merging those of the source group and reference group per patient.

**Usage**

```
getStrategies(...)
```

**Arguments**

... User defined methods to be added to the return list. Input must be a function.

**Details**

By default Jump to Reference (JR), Copy Reference (CR), Copy Increments in Reference (CIR), Last Mean Carried Forward (LMCF) and Missing at Random (MAR) are defined.

The user can define their own strategy functions (or overwrite the pre-defined ones) by specifying a named input to the function i.e. `NEW = function(...) ...`. Only exception is MAR which cannot be overwritten.

All user defined functions must take 3 inputs: `pars_group`, `pars_ref` and `index_mar`. `pars_group` and `pars_ref` are both lists with elements `mu` and `sigma` representing the multivariate normal distribution parameters for the subject's current group and reference group respectively. `index_mar` will be a logical vector specifying which visits the subject met the MAR assumption at. The function must return a list with elements `mu` and `sigma`. See the implementation of `strategy_JR()` for an example.

## Examples

```
## Not run:
getStrategies()
getStrategies(
  NEW = function(pars_group, pars_ref, index_mar) code ,
  JR = function(pars_group, pars_ref, index_mar) more_code
)

## End(Not run)
```

---

`get_bootstrap_stack`     *Creates a stack object populated with bootstrapped samples*

---

## Description

Function creates a `Stack()` object and populated the stack with bootstrap samples based upon `method$n_samples`

## Usage

```
get_bootstrap_stack(longdata, method, stack = Stack$new())
```

## Arguments

<code>longdata</code>	A <code>longDataConstructor()</code> object
<code>method</code>	A method object
<code>stack</code>	A <code>Stack()</code> object (this is only exposed for unit testing purposes)

---

`get_conditional_parameters`*Derive conditional multivariate normal parameters*

---

**Description**

Takes parameters for a multivariate normal distribution and observed values to calculate the conditional distribution for the unobserved values.

**Usage**

```
get_conditional_parameters(pars, values)
```

**Arguments**

`pars` a list with elements `mu` and `sigma` defining the mean vector and covariance matrix respectively.

`values` a vector of observed values to condition on, must be same length as `pars$mu`. Missing values must be represented by an NA.

**Value**

A list with the conditional distribution parameters:

- `mu` - The conditional mean vector.
- `sigma` - The conditional covariance matrix.

---

`get_delta_template`*Get delta utility variables*

---

**Description**

This function creates the default delta template (1 row per subject per visit) and extracts all the utility information that users need to define their own logic for defining delta. See [delta\\_template\(\)](#) for full details.

**Usage**

```
get_delta_template(imputations)
```

**Arguments**

`imputations` an imputations object created by [impute\(\)](#).



---

get\_draws\_mle

*Fit the base imputation model on bootstrap samples*


---

### Description

Fit the base imputation model using a ML/REML approach on a given number of bootstrap samples as specified by `method$n_samples`. Returns the parameter estimates from the model fit.

### Usage

```
get_draws_mle(
  longdata,
  method,
  sample_stack,
  n_target_samples,
  first_sample_orig,
  use_samp_ids,
  failure_limit = 0,
  ncores = 1,
  quiet = FALSE
)
```

### Arguments

<code>longdata</code>	R6 longdata object containing all relevant input data information.
<code>method</code>	A method object as generated by either <code>method_approxbayes()</code> or <code>method_condmean()</code> with argument type = "bootstrap".
<code>sample_stack</code>	A stack object containing the subject ids to be used on each mmmr iteration.
<code>n_target_samples</code>	Number of samples needed to be created
<code>first_sample_orig</code>	Logical. If TRUE the function returns <code>method\$n_samples + 1</code> samples where the first sample contains the parameter estimates from the original dataset and <code>method\$n_samples</code> samples contain the parameter estimates from bootstrap samples. If FALSE the function returns <code>method\$n_samples</code> samples containing the parameter estimates from bootstrap samples.
<code>use_samp_ids</code>	Logical. If TRUE, the sampled subject ids are returned. Otherwise the subject ids from the original dataset are returned. These values are used to tell <code>impute()</code> what subjects should be used to derive the imputed dataset.
<code>failure_limit</code>	Number of failed samples that are allowed before throwing an error
<code>ncores</code>	Number of processes to parallelise the job over
<code>quiet</code>	Logical, If TRUE will suppress printing of progress information that is printed to the console.

**Details**

This function takes a Stack object which contains multiple lists of patient ids. The function takes this Stack and pulls a set ids and then constructs a dataset just consisting of these patients (i.e. potentially a bootstrap or a jackknife sample).

The function then fits a MMRM model to this dataset to create a sample object. The function repeats this process until `n_target_samples` have been reached. If more than `failure_limit` samples fail to converge then the function throws an error.

After reaching the desired number of samples the function generates and returns a draws object.

**Value**

A draws object which is a named list containing the following:

- `data`: R6 longdata object containing all relevant input data information.
- `method`: A method object as generated by either `method_bayes()`, `method_approxbayes()` or `method_condmean()`.
- `samples`: list containing the estimated parameters of interest. Each element of `samples` is a named list containing the following:
  - `ids`: vector of characters containing the ids of the subjects included in the original dataset.
  - `beta`: numeric vector of estimated regression coefficients.
  - `sigma`: list of estimated covariance matrices (one for each level of `vars$group`).
  - `theta`: numeric vector of transformed covariances.
  - `failed`: Logical. TRUE if the model fit failed.
  - `ids_samp`: vector of characters containing the ids of the subjects included in the given sample.
- `fit`: if `method_bayes()` is chosen, returns the MCMC Stan fit object. Otherwise NULL.
- `n_failures`: absolute number of failures of the model fit. Relevant only for `method_condmean(type = "bootstrap")`, `method_approxbayes()` and `method_bmlmi()`.
- `formula`: fixed effects formula object used for the model specification.

---

get\_ESS

*Extract the Effective Sample Size (ESS) from a stanfit object*

---

**Description**

Extract the Effective Sample Size (ESS) from a stanfit object

**Usage**

```
get_ESS(stan_fit)
```

**Arguments**

`stan_fit`      A stanfit object.

**Value**

A named vector containing the ESS for each parameter of the model.

---

get_ests_bmlmi	<i>Von Hippel and Bartlett pooling of BMLMI method</i>
----------------	--

---

**Description**

Compute pooled point estimates, standard error and degrees of freedom according to the Von Hippel and Bartlett formula for Bootstrapped Maximum Likelihood Multiple Imputation (BMLMI).

**Usage**

```
get_ests_bmlmi(ests, D)
```

**Arguments**

ests	numeric vector containing estimates from the analysis of the imputed datasets.
D	numeric representing the number of imputations between each bootstrap sample in the BMLMI method.

**Details**

ests must be provided in the following order: the firsts D elements are related to analyses from random imputation of one bootstrap sample. The second set of D elements (i.e. from D+1 to 2\*D) are related to the second bootstrap sample and so on.

**Value**

a list containing point estimate, standard error and degrees of freedom.

**References**

Von Hippel, Paul T and Bartlett, Jonathan W8. Maximum likelihood multiple imputation: Faster imputations and consistent standard errors without posterior draws. 2021

---

get_example_data	<i>Simulate a realistic example dataset</i>
------------------	---

---

### Description

Simulate a realistic example dataset using `simulate_data()` with hard-coded values of all the input arguments.

### Usage

```
get_example_data()
```

### Details

`get_example_data()` simulates a 1:1 randomized trial of an active drug (intervention) versus placebo (control) with 100 subjects per group and 6 post-baseline assessments (bi-monthly visits until 12 months). One intercurrent event corresponding to treatment discontinuation is also simulated. Specifically, data are simulated under the following assumptions:

- The mean outcome trajectory in the placebo group increases linearly from 50 at baseline (visit 0) to 60 at visit 6, i.e. the slope is 10 points/year.
- The mean outcome trajectory in the intervention group is identical to the placebo group up to visit 2. From visit 2 onward, the slope decreases by 50% to 5 points/year.
- The covariance structure of the baseline and follow-up values in both groups is implied by a random intercept and slope model with a standard deviation of 5 for both the intercept and the slope, and a correlation of 0.25. In addition, an independent residual error with standard deviation 2.5 is added to each assessment.
- The probability of study drug discontinuation after each visit is calculated according to a logistic model which depends on the observed outcome at that visit. Specifically, a visit-wise discontinuation probability of 2% and 3% in the control and intervention group, respectively, is specified in case the observed outcome is equal to 50 (the mean value at baseline). The odds of a discontinuation is simulated to increase by +10% for each +1 point increase of the observed outcome.
- Study drug discontinuation is simulated to have no effect on the mean trajectory in the placebo group. In the intervention group, subjects who discontinue follow the slope of the mean trajectory from the placebo group from that time point onward. This is compatible with a copy increments in reference (CIR) assumption.
- Study drop-out at the study drug discontinuation visit occurs with a probability of 50% leading to missing outcome data from that time point onward.

### See Also

`simulate_data()`, `set_simul_pars()`

---

get\_jackknife\_stack      *Creates a stack object populated with jackknife samples*

---

### Description

Function creates a [Stack\(\)](#) object and populated the stack with jackknife samples based upon

### Usage

```
get_jackknife_stack(longdata, method, stack = Stack$new())
```

### Arguments

longdata	A <a href="#">longDataConstructor()</a> object
method	A method object
stack	A <a href="#">Stack()</a> object (this is only exposed for unit testing purposes)

---

get\_mmrn\_sample      *Fit MMRM and returns parameter estimates*

---

### Description

get\_mmrn\_sample fits the base imputation model using a ML/REML approach. Returns the parameter estimates from the fit.

### Usage

```
get_mmrn_sample(ids, longdata, method)
```

### Arguments

ids	vector of characters containing the ids of the subjects.
longdata	R6 longdata object containing all relevant input data information.
method	A method object as generated by either <a href="#">method_approxbayes()</a> or <a href="#">method_condmean()</a> .

### Value

A named list of class `sample_single`. It contains the following:

- ids vector of characters containing the ids of the subjects included in the original dataset.
- beta numeric vector of estimated regression coefficients.
- sigma list of estimated covariance matrices (one for each level of `vars$group`).
- theta numeric vector of transformed covariances.
- failed logical. TRUE if the model fit failed.
- ids\_samp vector of characters containing the ids of the subjects included in the given sample.

---

get\_pattern\_groups      *Determine patients missingness group*

---

### Description

Takes a design matrix with multiple rows per subject and returns a dataset with 1 row per subject with a new column pgroup indicating which group the patient belongs to (based upon their missingness pattern and treatment group)

### Usage

```
get_pattern_groups(ddat)
```

### Arguments

ddat                    a data.frame with columns subjid, visit, group, is\_avail

### Details

- The column is\_avail must be a character or numeric 0 or 1

---

get\_pattern\_groups\_unique  
*Get Pattern Summary*

---

### Description

Takes a dataset of pattern information and creates a summary dataset of it with just 1 row per pattern

### Usage

```
get_pattern_groups_unique(patterns)
```

### Arguments

patterns                A data.frame with the columns pgroup, pattern and group

### Details

- The column pgroup must be a numeric vector indicating which pattern group the patient belongs to
- The column pattern must be a character string of 0's or 1's. It must be identical for all rows within the same pgroup
- The column group must be a character / numeric vector indicating which covariance group the observation belongs to. It must be identical within the same pgroup

---

get\_pool\_components     *Expected Pool Components*

---

### Description

Returns the elements expected to be contained in the analyse object depending on what analysis method was specified.

### Usage

```
get_pool_components(x)
```

### Arguments

x                      Character name of the analysis method, must one of either "rubin", "jackknife", "bootstrap" or "bmlmi".

---

get\_visit\_distribution\_parameters

*Derive visit distribution parameters*

---

### Description

Takes patient level data and beta coefficients and expands them to get a patient specific estimate for the visit distribution parameters mu and sigma. Returns the values in a specific format which is expected by downstream functions in the imputation process (namely `list(list(mu = ..., sigma = ...), list(mu = ..., sigma = ...))`).

### Usage

```
get_visit_distribution_parameters(dat, beta, sigma)
```

### Arguments

dat                    Patient level dataset, must be 1 row per visit. Column order must be in the same order as beta. The number of columns must match the length of beta

beta                   List of model beta coefficients. There should be 1 element for each sample e.g. if there were 3 samples and the models each had 4 beta coefficients then this argument should be of the form `list( c(1, 2, 3, 4) , c(5, 6, 7, 8) , c(9, 10, 11, 12))`. All elements of beta must be the same length and must be the same length and order as dat.

sigma                  List of sigma. Must have the same number of entries as beta.

---

has_class	<i>Does object have a class ?</i>
-----------	-----------------------------------

---

**Description**

Utility function to see if an object has a particular class. Useful when we don't know how many other classes the object may have.

**Usage**

```
has_class(x, cls)
```

**Arguments**

x	the object we want to check the class of.
cls	the class we want to know if it has or not.

**Value**

TRUE if the object has the class. FALSE if the object does not have the class.

---

ife	<i>if else</i>
-----	----------------

---

**Description**

A wrapper around `if() else()` to prevent unexpected interactions between `ifelse()` and factor variables

**Usage**

```
ife(x, a, b)
```

**Arguments**

x	True / False
a	value to return if True
b	value to return if False

**Details**

By default `ifelse()` will convert factor variables to their numeric values which is often undesirable. This convenience function avoids that problem



---

imputation_df	<i>Create a valid imputation_df object</i>
---------------	--

---

**Description**

Create a valid imputation\_df object

**Usage**

```
imputation_df(...)
```

**Arguments**

... a list of imputation\_single.

---

imputation_list_df	<i>List of imputations_df</i>
--------------------	-------------------------------

---

**Description**

A container for multiple [imputation\\_df](#)'s

**Usage**

```
imputation_list_df(...)
```

**Arguments**

... objects of class imputation\_df

---

imputation_list_single	<i>A collection of imputation_singles() grouped by a single subjid ID</i>
------------------------	---

---

**Description**

A collection of imputation\_singles() grouped by a single subjid ID

**Usage**

```
imputation_list_single(imputations, D = 1)
```

**Arguments**

- `imputations` a list of `imputation_single()` objects ordered so that repetitions are grouped sequentially
- `D` the number of repetitions that were performed which determines how many columns the imputation matrix should have
- This is a constructor function to create a `imputation_list_single` object which contains a matrix of `imputation_single()` objects grouped by a single `id`. The matrix is split so that it has `D` columns (i.e. for non-bmlmi methods this will always be 1)
- The `id` attribute is determined by extracting the `id` attribute from the contributing `imputation_single()` objects. An error is throw if multiple `id` are detected

---

<code>imputation_single</code>	<i>Create a valid imputation_single object</i>
--------------------------------	--

---

**Description**

Create a valid `imputation_single` object

**Usage**

```
imputation_single(id, values)
```

**Arguments**

- `id` a character string specifying the subject id.
- `values` a numeric vector indicating the imputed values.

---

<code>impute</code>	<i>Create imputed datasets</i>
---------------------	--------------------------------

---

**Description**

`impute()` creates imputed datasets based upon the data and options specified in the call to `draws()`. One imputed dataset is created per each "sample" created by `draws()`.

**Usage**

```

impute(
  draws,
  references = NULL,
  update_strategy = NULL,
  strategies = getStrategies()
)

## S3 method for class 'random'
impute(
  draws,
  references = NULL,
  update_strategy = NULL,
  strategies = getStrategies()
)

## S3 method for class 'condmean'
impute(
  draws,
  references = NULL,
  update_strategy = NULL,
  strategies = getStrategies()
)

```

**Arguments**

<code>draws</code>	A draws object created by <a href="#">draws()</a> .
<code>references</code>	A named vector. Identifies the references to be used for reference-based imputation methods. Should be of the form <code>c("Group1" = "Reference1", "Group2" = "Reference2")</code> . If <code>NULL</code> (default), the references are assumed to be of the form <code>c("Group1" = "Group1", "Group2" = "Group2")</code> . This argument cannot be <code>NULL</code> if an imputation strategy (as defined by <code>data_ice[[vars\$strategy]]</code> in the call to <a href="#">draws()</a> ) other than MAR is set.
<code>update_strategy</code>	An optional <code>data.frame</code> . Updates the imputation method that was originally set via the <code>data_ice</code> option in <a href="#">draws()</a> . See the details section for more information.
<code>strategies</code>	A named list of functions. Defines the imputation functions to be used. The names of the list should mirror the values specified in <code>strategy</code> column of <code>data_ice</code> . Default = <a href="#">getStrategies()</a> . See <a href="#">getStrategies()</a> for more details.

**Details**

`impute()` uses the imputation model parameter estimates, as generated by [draws\(\)](#), to first calculate the marginal (multivariate normal) distribution of a subject's longitudinal outcome variable depending on their covariate values. For subjects with intercurrent events (ICEs) handled using non-MAR methods, this marginal distribution is then updated depending on the time of the first visit

affected by the ICE, the chosen imputation strategy and the chosen reference group as described in Carpenter, Roger, and Kenward (2013) . The subject's imputation distribution used for imputing missing values is then defined as their marginal distribution conditional on their observed outcome values. One dataset is being generated per set of parameter estimates provided by `draws()`.

The exact manner in how missing values are imputed from this conditional imputation distribution depends on the method object that was provided to `draws()`, in particular:

- Bayes & Approximate Bayes: each imputed dataset contains 1 row per subject & visit from the original dataset with missing values imputed by taking a single random sample from the conditional imputation distribution.
- Conditional Mean: each imputed dataset contains 1 row per subject & visit from the bootstrapped or jackknife dataset that was used to generate the corresponding parameter estimates in `draws()`. Missing values are imputed by using the mean of the conditional imputation distribution. Please note that the first imputed dataset refers to the conditional mean imputation on the original dataset whereas all subsequent imputed datasets refer to conditional mean imputations for bootstrap or jackknife samples, respectively, of the original data.
- Bootstrapped Maximum Likelihood MI (BMLMI): it performs D random imputations of each bootstrapped dataset that was used to generate the corresponding parameter estimates in `draws()`. A total number of B\*D imputed datasets is provided, where B is the number of bootstrapped datasets. Missing values are imputed by taking a random sample from the conditional imputation distribution.

The `update_strategy` argument can be used to update the imputation strategy that was originally set via the `data_ice` option in `draws()`. This avoids having to re-run the `draws()` function when changing the imputation strategy in certain circumstances (as detailed below). The `data.frame` provided to `update_strategy` argument must contain two columns, one for the subject ID and another for the imputation strategy, whose names are the same as those defined in the `vars` argument as specified in the call to `draws()`. Please note that this argument only allows you to update the imputation strategy and not other arguments such as the time of the first visit affected by the ICE. A key limitation of this functionality is that one can only switch between a MAR and a non-MAR strategy (or vice versa) for subjects without observed post-ICE data. The reason for this is that such a change would affect whether the post-ICE data is included in the base imputation model or not (as explained in the help to `draws()`). As an example, if a subject had their ICE on "Visit 2" but had observed/known values for "Visit 3" then the function will throw an error if one tries to switch the strategy from MAR to a non-MAR strategy. In contrast, switching from a non-MAR to a MAR strategy, whilst valid, will raise a warning as not all usable data will have been utilised in the imputation model.

## References

James R Carpenter, James H Roger, and Michael G Kenward. Analysis of longitudinal trials with protocol deviation: a framework for relevant, accessible assumptions, and inference via multiple imputation. *Journal of Biopharmaceutical Statistics*, 23(6):1352–1371, 2013. [Section 4.2 and 4.3]

## Examples

```
## Not run:

impute(
```

```
    draws = drawobj,  
    references = c("Trt" = "Placebo", "Placebo" = "Placebo")  
  )  
  
  new_strategy <- data.frame(  
    subjid = c("Pt1", "Pt2"),  
    strategy = c("MAR", "JR")  
  )  
  
  impute(  
    draws = drawobj,  
    references = c("Trt" = "Placebo", "Placebo" = "Placebo"),  
    update_strategy = new_strategy  
  )  
  
  ## End(Not run)
```

---

impute\_data\_individual

*Impute data for a single subject*

---

## Description

This function performs the imputation for a single subject at a time implementing the process as detailed in [impute\(\)](#).

## Usage

```
impute_data_individual(  
  id,  
  index,  
  beta,  
  sigma,  
  data,  
  references,  
  strategies,  
  condmean,  
  n_imputations = 1  
)
```

## Arguments

id	Character string identifying the subject.
index	The sample indexes which the subject belongs to e.g c(1, 1, 1, 2, 2, 4).
beta	A list of beta coefficients for each sample, i.e. beta[[1]] is the set of beta coefficients for the first sample.

sigma	A list of the sigma coefficients for each sample split by group i.e. <code>sigma[[1]][["A"]]</code> would give the sigma coefficients for group A for the first sample.
data	A longdata object created by <code>longDataConstructor()</code>
references	A named vector. Identifies the references to be used when generating the imputed values. Should be of the form <code>c("Group" = "Reference", "Group" = "Reference")</code> .
strategies	A named list of functions. Defines the imputation functions to be used. The names of the list should mirror the values specified in method column of <code>data_ice</code> . Default = <code>getStrategies()</code> . See <code>getStrategies()</code> for more details.
condmean	Logical. If TRUE will impute using the conditional mean values, if FALSE will impute by taking a random draw from the multivariate normal distribution.
n_imputations	When <code>condmean = FALSE</code> numeric representing the number of random imputations to be performed for each sample. Default is 1 (one random imputation per sample).

## Details

Note that this function performs all of the required imputations for a subject at the same time. I.e. if a subject is included in samples 1,3,5,9 then all imputations (using sample-dependent imputation model parameters) are performed in one step in order to avoid having to look up a subjects's covariates and expanding them to a design matrix multiple times (which would be more computationally expensive). The function also supports subject belonging to the same sample multiple times, i.e. 1,1,2,3,5,5, as will typically occur for bootstrapped datasets.

---

impute_internal	<i>Create imputed datasets</i>
-----------------	--------------------------------

---

## Description

This is the work horse function that implements most of the functionality of `impute`. See the user level function `impute()` for further details.

## Usage

```
impute_internal(
  draws,
  references = NULL,
  update_strategy,
  strategies,
  condmean
)
```

**Arguments**

draws	A draws object created by <code>draws()</code> .
references	A named vector. Identifies the references to be used for reference-based imputation methods. Should be of the form <code>c("Group1" = "Reference1", "Group2" = "Reference2")</code> . If NULL (default), the references are assumed to be of the form <code>c("Group1" = "Group1", "Group2" = "Group2")</code> . This argument cannot be NULL if an imputation strategy (as defined by <code>data_ice[[vars\$strategy]]</code> in the call to <code>draws()</code> ) other than MAR is set.
update_strategy	An optional data frame. Updates the imputation method that was originally set via the <code>data_ice</code> option in <code>draws()</code> . See the details section for more information.
strategies	A named list of functions. Defines the imputation functions to be used. The names of the list should mirror the values specified in <code>strategy</code> column of <code>data_ice</code> . Default = <code>getStrategies()</code> . See <code>getStrategies()</code> for more details.
condmean	logical. If TRUE will impute using the conditional mean values, if values will impute by taking a random draw from the multivariate normal distribution.

---

impute_outcome	<i>Sample outcome value</i>
----------------	-----------------------------

---

**Description**

Draws a random sample from a multivariate normal distribution.

**Usage**

```
impute_outcome(conditional_parameters, n_imputations = 1, condmean = FALSE)
```

**Arguments**

conditional_parameters	a list with elements <code>mu</code> and <code>sigma</code> which contain the mean vector and covariance matrix to sample from.
n_imputations	numeric representing the number of random samples from the multivariate normal distribution to be performed. Default is 1.
condmean	should conditional mean imputation be performed (as opposed to random sampling)

---

invert	<i>invert</i>
--------	---------------

---

**Description**

Utility function used to replicated purrr::transpose. Turns a list inside out.

**Usage**

```
invert(x)
```

**Arguments**

x	list
---	------

---

invert_indexes	<i>Invert and derive indexes</i>
----------------	----------------------------------

---

**Description**

Takes a list of elements and creates a new list containing 1 entry per unique element value containing the indexes of which original elements it occurred in.

**Usage**

```
invert_indexes(x)
```

**Arguments**

x	list of elements to invert and calculate index from (see details).
---	--

**Details**

This functions purpose is best illustrated by an example:

input:

```
list( c("A", "B", "C"), c("A", "A", "B"))
```

becomes:

```
list( "A" = c(1,2,2), "B" = c(1,2), "C" = 1 )
```



---

is_absent	<i>Is value absent</i>
-----------	------------------------

---

**Description**

Returns true if a value is either NULL, NA or "". In the case of a vector all values must be NULL/NA/"" for x to be regarded as absent.

**Usage**

```
is_absent(x, na = TRUE, blank = TRUE)
```

**Arguments**

x	a value to check if it is absent or not
na	do NAs count as absent
blank	do blanks i.e. "" count as absent

---

is_char_fact	<i>Is character or factor</i>
--------------	-------------------------------

---

**Description**

returns true if x is character or factor vector

**Usage**

```
is_char_fact(x)
```

**Arguments**

x	a character or factor vector
---	------------------------------

---

is_char_one	<i>Is single character</i>
-------------	----------------------------

---

**Description**

returns true if x is a length 1 character vector

**Usage**

```
is_char_one(x)
```

**Arguments**

x	a character vector
---	--------------------

---

`is_in_rbmi_development`*Is package in development mode?*

---

**Description**

Returns TRUE if the package is being developed on i.e. you have a local copy of the source code which you are actively editing Returns FALSE otherwise

**Usage**`is_in_rbmi_development()`**Details**

Main use of this function is in parallel processing to indicate whether the sub-processes need to load the current development version of the code or whether they should load the main installed package on the system

---

`is_num_char_fact`*Is character, factor or numeric*

---

**Description**

returns true if x is a character, numeric or factor vector

**Usage**`is_num_char_fact(x)`**Arguments**

x                    a character, numeric or factor vector

---

`locf`*Last Observation Carried Forward*

---

**Description**

Returns a vector after applied last observation carried forward imputation.

**Usage**

```
locf(x)
```

**Arguments**

`x` a vector.

**Examples**

```
## Not run:  
locf(c(NA, 1, 2, 3, NA, 4)) # Returns c(NA, 1, 2, 3, 3, 4)  
  
## End(Not run)
```

---

`longDataConstructor`*R6 Class for Storing / Accessing & Sampling Longitudinal Data*

---

**Description**

A longdata object allows for efficient storage and recall of longitudinal datasets for use in bootstrap sampling. The object works by de-constructing the data into lists based upon subject id thus enabling efficient lookup.

**Details**

The object also handles multiple other operations specific to `rbmi` such as defining whether an outcome value is MAR / Missing or not as well as tracking which imputation strategy is assigned to each subject.

It is recognised that this objects functionality is fairly overloaded and is hoped that this can be split out into more area specific objects / functions in the future. Further additions of functionality to this object should be avoided if possible.

**Public fields**

- data** The original dataset passed to the constructor (sorted by id and visit)
- vars** The vars object (list of key variables) passed to the constructor
- visits** A character vector containing the distinct visit levels
- ids** A character vector containing the unique ids of each subject in `self$data`
- formula** A formula expressing how the design matrix for the data should be constructed
- strata** A numeric vector indicating which strata each corresponding value of `self$ids` belongs to. If no stratification variable is defined this will default to 1 for all subjects (i.e. same group). This field is only used as part of the `self$sample_ids()` function to enable stratified bootstrap sampling
- ice\_visit\_index** A list indexed by subject storing the index number of the first visit affected by the ICE. If there is no ICE then it is set equal to the number of visits plus 1.
- values** A list indexed by subject storing a numeric vector of the original (unimputed) outcome values
- group** A list indexed by subject storing a single character indicating which imputation group the subject belongs to as defined by `self$data[id, self$ivars$group]` It is used to determine what reference group should be used when imputing the subjects data.
- is\_mar** A list indexed by subject storing logical values indicating if the subjects outcome values are MAR or not. This list is defaulted to TRUE for all subjects & outcomes and is then modified by calls to `self$set_strategies()`. Note that this does not indicate which values are missing, this variable is True for outcome values that either occurred before the ICE visit or are post the ICE visit and have an imputation strategy of MAR
- strategies** A list indexed by subject storing a single character value indicating the imputation strategy assigned to that subject. This list is defaulted to "MAR" for all subjects and is then modified by calls to either `self$set_strategies()` or `self$update_strategies()`
- strategy\_lock** A list indexed by subject storing a single logical value indicating whether a patients imputation strategy is locked or not. If a strategy is locked it means that it can't change from MAR to non-MAR. Strategies can be changed from non-MAR to MAR though this will trigger a warning. Strategies are locked if the patient is assigned a MAR strategy and has non-missing after their ICE date. This list is populated by a call to `self$set_strategies()`.
- indexes** A list indexed by subject storing a numeric vector of indexes which specify which rows in the original dataset belong to this subject i.e. to recover the full data for subject "pt3" you can use `self$data[self$indexes[["pt3"]],]`. This may seem redundant over filtering the data directly however it enables efficient bootstrap sampling of the data i.e.
- ```
indexes <- unlist(self$indexes[c("pt3", "pt3")])
self$data[indexes,]
```
- This list is populated during the object initialisation.
- is\_missing** A list indexed by subject storing a logical vector indicating whether the corresponding outcome of a subject is missing. This list is populated during the object initialisation.
- is\_post\_ice** A list indexed by subject storing a logical vector indicating whether the corresponding outcome of a subject is post the date of their ICE. If no ICE data has been provided this defaults to False for all observations. This list is populated by a call to `self$set_strategies()`.

## Methods

### Public methods:

- `longDataConstructor$get_data()`
- `longDataConstructor$add_subject()`
- `longDataConstructor$validate_ids()`
- `longDataConstructor$sample_ids()`
- `longDataConstructor$extract_by_id()`
- `longDataConstructor$update_strategies()`
- `longDataConstructor$set_strategies()`
- `longDataConstructor$check_has_data_at_each_visit()`
- `longDataConstructor$set_strata()`
- `longDataConstructor$new()`
- `longDataConstructor$clone()`

**Method** `get_data()`: Returns a data.frame based upon required subject IDs. Replaces missing values with new ones if provided.

#### Usage:

```
longDataConstructor$get_data(
  obj = NULL,
  nmar.rm = FALSE,
  na.rm = FALSE,
  idmap = FALSE
)
```

#### Arguments:

`obj` Either NULL, a character vector of subjects IDs or a imputation list object. See details.

`nmar.rm` Logical value. If TRUE will remove observations that are not regarded as MAR (as determined from `self$is_mar`).

`na.rm` Logical value. If TRUE will remove outcome values that are missing (as determined from `self$is_missing`).

`idmap` Logical value. If TRUE will add an attribute `idmap` which contains a mapping from the new subject ids to the old subject ids. See details.

**Details:** If `obj` is NULL then the full original dataset is returned.

If `obj` is a character vector then a new dataset consisting of just those subjects is returned; if the character vector contains duplicate entries then that subject will be returned multiple times.

If `obj` is an `imputation_df` object (as created by `imputation_df()`) then the subject ids specified in the object will be returned and missing values will be filled in by those specified in the imputation list object. i.e.

```
obj <- imputation_df(
  imputation_single( id = "pt1", values = c(1,2,3)),
  imputation_single( id = "pt1", values = c(4,5,6)),
  imputation_single( id = "pt3", values = c(7,8))
)
longdata$get_data(obj)
```

Will return a `data.frame` consisting of all observations for pt1 twice and all of the observations for pt3 once. The first set of observations for pt1 will have missing values filled in with `c(1,2,3)` and the second set will be filled in by `c(4,5,6)`. The length of the values must be equal to `sum(self$is_missing[[id]])`.

If `obj` is not `NULL` then all subject IDs will be scrambled in order to ensure that they are unique i.e. If the pt2 is requested twice then this process guarantees that each set of observations be have a unique subject ID number. The `idmap` attribute (if requested) can be used to map from the new ids back to the old ids.

*Returns:* A `data.frame`.

**Method** `add_subject()`: This function decomposes a patient data from `self$data` and populates all the corresponding lists i.e. `self$is_missing`, `self$values`, `self$group`, etc. This function is only called upon the objects initialization.

*Usage:*

```
longDataConstructor$add_subject(id)
```

*Arguments:*

`id` Character subject id that exists within `self$data`.

**Method** `validate_ids()`: Throws an error if any element of `ids` is not within the source data `self$data`.

*Usage:*

```
longDataConstructor$validate_ids(ids)
```

*Arguments:*

`ids` A character vector of ids.

*Returns:* `TRUE`

**Method** `sample_ids()`: Performs random stratified sampling of patient ids (with replacement) Each patient has an equal weight of being picked within their strata (i.e is not dependent on how many non-missing visits they had).

*Usage:*

```
longDataConstructor$sample_ids()
```

*Returns:* Character vector of ids.

**Method** `extract_by_id()`: Returns a list of key information for a given subject. Is a convenience wrapper to save having to manually grab each element.

*Usage:*

```
longDataConstructor$extract_by_id(id)
```

*Arguments:*

`id` Character subject id that exists within `self$data`.

**Method** `update_strategies()`: Convenience function to run `self$set_strategies(dat_ice, update=TRUE)` kept for legacy reasons.

*Usage:*

```
longDataConstructor$update_strategies(dat_ice)
```

*Arguments:*

`dat_ice` A data.frame containing ICE information see [impute\(\)](#) for the format of this dataframe.

**Method** `set_strategies()`: Updates the `self$strategies`, `self$is_mar`, `self$is_post_ice` variables based upon the provided ICE information.

*Usage:*

```
longDataConstructor$set_strategies(dat_ice = NULL, update = FALSE)
```

*Arguments:*

`dat_ice` a data.frame containing ICE information. See details.

`update` Logical, indicates that the ICE data should be used as an update. See details.

*Details:* See [draws\(\)](#) for the specification of `dat_ice` if `update=FALSE`. See [impute\(\)](#) for the format of `dat_ice` if `update=TRUE`. If `update=TRUE` this function ensures that MAR strategies cannot be changed to non-MAR in the presence of post-ICE observations.

**Method** `check_has_data_at_each_visit()`: Ensures that all visits have at least 1 observed "MAR" observation. Throws an error if this criteria is not met. This is to ensure that the initial MMRM can be resolved.

*Usage:*

```
longDataConstructor$check_has_data_at_each_visit()
```

**Method** `set_strata()`: Populates the `self$strata` variable. If the user has specified stratification variables The first visit is used to determine the value of those variables. If no stratification variables have been specified then everyone is defined as being in strata 1.

*Usage:*

```
longDataConstructor$set_strata()
```

**Method** `new()`: Constructor function.

*Usage:*

```
longDataConstructor$new(data, vars)
```

*Arguments:*

`data` longitudinal dataset.

`vars` an `ivars` object created by [set\\_vars\(\)](#).

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
longDataConstructor$clone(deep = FALSE)
```

*Arguments:*

`deep` Whether to make a deep clone.

lsmeans

*Least Square Means***Description**

Estimates the least square means from a linear model. The exact implementation / interpretation depends on the weighting scheme; see the weighting section for more information.

**Usage**

```
lsmeans(
  model,
  ...,
  .weights = c("counterfactual", "equal", "proportional_em", "proportional")
)
```

**Arguments**

|          |                                                                                                                                                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| model    | A model created by lm.                                                                                                                                                                                            |
| ...      | Fixes specific variables to specific values i.e. trt = 1 or age = 50. The name of the argument must be the name of the variable within the dataset.                                                               |
| .weights | Character, either "counterfactual" (default), "equal", "proportional_em" or "proportional". Specifies the weighting strategy to be used when calculating the lsmeans. See the weighting section for more details. |

**Weighting****Counterfactual:**

For weights = "counterfactual" (the default) the lsmeans are obtained by taking the average of the predicted values for each patient after assigning all patients to each arm in turn. This approach is equivalent to standardization or g-computation. In comparison to emmeans this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", counterfactual = "<treatment>")
```

Note that to ensure backwards compatibility with previous versions of rbmi weights = "proportional" is an alias for weights = "counterfactual". To get results consistent with emmeans's weights = "proportional" please use weights = "proportional\_em".

**Equal:**

For weights = "equal" the lsmeans are obtained by taking the model fitted value of a hypothetical patient whose covariates are defined as follows:

- Continuous covariates are set to mean(X)
- Dummy categorical variables are set to 1/N where N is the number of levels
- Continuous \* continuous interactions are set to mean(X) \* mean(Y)
- Continuous \* categorical interactions are set to mean(X) \* 1/N



- Dummy categorical \* categorical interactions are set to  $1/N * 1/M$

In comparison to emmeans this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "equal")
```

### Proportional:

For weights = "proportional\_em" the lsmeans are obtained as per weights = "equal" except instead of weighting each observation equally they are weighted by the proportion in which the given combination of categorical values occurred in the data. In comparison to emmeans this approach is equivalent to:

```
emmeans::emmeans(model, specs = "<treatment>", weights = "proportional")
```

Note that this is not to be confused with weights = "proportional" which is an alias for weights = "counterfactual".

### Fixing

Regardless of the weighting scheme any named arguments passed via ... will fix the value of the covariate to the specified value. For example, lsmeans(model, trt = "A") will fix the dummy variable trtA to 1 for all patients (real or hypothetical) when calculating the lsmeans.

See the references for similar implementations as done in SAS and in R via the emmeans package.

### References

<https://CRAN.R-project.org/package=emmeans>

[https://documentation.sas.com/doc/en/pgmsascdc/9.4\\_3.3/statug/statug\\_glm\\_details41.htm](https://documentation.sas.com/doc/en/pgmsascdc/9.4_3.3/statug/statug_glm_details41.htm)

### Examples

```
## Not run:
mod <- lm(Sepal.Length ~ Species + Petal.Length, data = iris)
lsmeans(mod)
lsmeans(mod, Species = "virginica")
lsmeans(mod, Species = "versicolor")
lsmeans(mod, Species = "versicolor", Petal.Length = 1)

## End(Not run)
```

---

ls\_design

*Calculate design vector for the lsmeans*

---

### Description

Calculates the design vector as required to generate the lsmean and standard error. ls\_design\_equal calculates it by applying an equal weight per covariate combination whilst ls\_design\_proportional applies weighting proportional to the frequency in which the covariate combination occurred in the actual dataset.

**Usage**

```
ls_design_equal(data, frm, fix)

ls_design_counterfactual(data, frm, fix)

ls_design_proportional(data, frm, fix)
```

**Arguments**

|      |                                             |
|------|---------------------------------------------|
| data | A data.frame                                |
| frm  | Formula used to fit the original model      |
| fix  | A named list of variables with fixed values |

---

|                   |                                    |
|-------------------|------------------------------------|
| make_rbmi_cluster | <i>Create a rbmi ready cluster</i> |
|-------------------|------------------------------------|

---

**Description**

Create a rbmi ready cluster

**Usage**

```
make_rbmi_cluster(ncores = 1, objects = NULL, packages = NULL)
```

**Arguments**

|          |                                                                           |
|----------|---------------------------------------------------------------------------|
| ncores   | Number of parallel processes to use or an existing cluster to make use of |
| objects  | a named list of objects to export into the sub-processes                  |
| packages | a character vector of libraries to load in the sub-processes              |

This function is a wrapper around `parallel::makePSOCKcluster()` but takes care of configuring rbmi to be used in the sub-processes as well as loading user defined objects and libraries and setting the seed for reproducibility.

If ncores is 1 this function will return NULL.

If ncores is a cluster created via `parallel::makeCluster()` then this function just takes care of inserting the relevant rbmi objects into the existing cluster.

**Examples**

```
## Not run:
# Basic usage
make_rbmi_cluster(5)

# User objects + libraries
VALUE <- 5
myfun <- function(x) {
  x + day(VALUE) # From lubridate::day()
```

```

}
make_rbmi_cluster(5, list(VALUE = VALUE, myfun = myfun), c("lubridate"))

# Using a already created cluster
cl <- parallel::makeCluster(5)
make_rbmi_cluster(cl)

## End(Not run)

```

---

|        |                                                |
|--------|------------------------------------------------|
| method | <i>Set the multiple imputation methodology</i> |
|--------|------------------------------------------------|

---

### Description

These functions determine what methods rbmi should use when creating the imputation models, generating imputed values and pooling the results.

### Usage

```

method_bayes(
  burn_in = 200,
  burn_between = 50,
  same_cov = TRUE,
  n_samples = 20,
  seed = NULL
)

method_approxbayes(
  covariance = c("us", "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", "toeph"),
  threshold = 0.01,
  same_cov = TRUE,
  REML = TRUE,
  n_samples = 20
)

method_condmean(
  covariance = c("us", "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", "toeph"),
  threshold = 0.01,
  same_cov = TRUE,
  REML = TRUE,
  n_samples = NULL,
  type = c("bootstrap", "jackknife")
)

method_bmlmi(
  covariance = c("us", "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", "toeph"),
  threshold = 0.01,
  same_cov = TRUE,

```

```

    REML = TRUE,
    B = 20,
    D = 2
  )

```

### Arguments

|                           |                                                                                                                                                                                                                                                                                   |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>burn_in</code>      | a numeric that specifies how many observations should be discarded prior to extracting actual samples. Note that the sampler is initialized at the maximum likelihood estimates and a weakly informative prior is used thus in theory this value should not need to be that high. |
| <code>burn_between</code> | a numeric that specifies the "thinning" rate i.e. how many observations should be discarded between each sample. This is used to prevent issues associated with autocorrelation between the samples.                                                                              |
| <code>same_cov</code>     | a logical, if TRUE the imputation model will be fitted using a single shared covariance matrix for all observations. If FALSE a separate covariance matrix will be fit for each group as determined by the <code>group</code> argument of <code>set_vars()</code> .               |
| <code>n_samples</code>    | a numeric that determines how many imputed datasets are generated. In the case of <code>method_condmean(type = "jackknife")</code> this argument must be set to NULL. See details.                                                                                                |
| <code>seed</code>         | deprecated. Please use <code>set.seed()</code> instead.                                                                                                                                                                                                                           |
| <code>covariance</code>   | a character string that specifies the structure of the covariance matrix to be used in the imputation model. Must be one of "us" (default), "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", or "toeph". See details.                                                             |
| <code>threshold</code>    | a numeric between 0 and 1, specifies the proportion of bootstrap datasets that can fail to produce valid samples before an error is thrown. See details.                                                                                                                          |
| <code>REML</code>         | a logical indicating whether to use REML estimation rather than maximum likelihood.                                                                                                                                                                                               |
| <code>type</code>         | a character string that specifies the resampling method used to perform inference when a conditional mean imputation approach (set via <code>method_condmean()</code> ) is used. Must be one of "bootstrap" or "jackknife".                                                       |
| <code>B</code>            | a numeric that determines the number of bootstrap samples for <code>method_bmlmi</code> .                                                                                                                                                                                         |
| <code>D</code>            | a numeric that determines the number of random imputations for each bootstrap sample. Needed for <code>method_bmlmi()</code> .                                                                                                                                                    |

### Details

In the case of `method_condmean(type = "bootstrap")` there will be `n_samples + 1` imputation models and datasets generated as the first sample will be based on the original dataset whilst the other `n_samples` samples will be bootstrapped datasets. Likewise, for `method_condmean(type = "jackknife")` there will be `length(unique(data$subjid)) + 1` imputation models and datasets generated. In both cases this is represented by `n + 1` being displayed in the print message.

The user is able to specify different covariance structures using the `covariance` argument. Currently supported structures include:

- Unstructured ("us") (default)

- Ante-dependence ("ad")
- Heterogeneous ante-dependence ("adh")
- First-order auto-regressive ("ar1")
- Heterogeneous first-order auto-regressive ("ar1h")
- Compound symmetry ("cs")
- Heterogeneous compound symmetry ("csh")
- Toeplitz ("toep")
- Heterogeneous Toeplitz ("toeph")

For full details please see `mrmr::cov_types()`.

Note that at present Bayesian methods only support unstructured.

In the case of `method_condmean(type = "bootstrap")`, `method_approxbayes()` and `method_bmlmi()` repeated bootstrap samples of the original dataset are taken with an MMRM fitted to each sample. Due to the randomness of these sampled datasets, as well as limitations in the optimisers used to fit the models, it is not uncommon that estimates for a particular dataset can't be generated. In these instances `rbmi` is designed to throw out that bootstrapped dataset and try again with another. However to ensure that these errors are due to chance and not due to some underlying misspecification in the data and/or model a tolerance limit is set on how many samples can be discarded. Once the tolerance limit has been reached an error will be thrown and the process aborted. The tolerance limit is defined as `ceiling(threshold * n_samples)`. Note that for the jackknife method estimates need to be generated for all leave-one-out datasets and as such an error will be thrown if any of them fail to fit.

Please note that at the time of writing (September 2021) Stan is unable to produce reproducible samples across different operating systems even when the same seed is used. As such care must be taken when using Stan across different machines. For more information on this limitation please consult the Stan documentation [https://mc-stan.org/docs/2\\_27/reference-manual/reproducibility-chapter.html](https://mc-stan.org/docs/2_27/reference-manual/reproducibility-chapter.html)

---

parametric\_ci

*Calculate parametric confidence intervals*

---

### **Description**

Calculates confidence intervals based upon a parametric distribution.

### **Usage**

```
parametric_ci(point, se, alpha, alternative, qfun, pfun, ...)
```

**Arguments**

|             |                                                                                                                      |
|-------------|----------------------------------------------------------------------------------------------------------------------|
| point       | The point estimate.                                                                                                  |
| se          | The standard error of the point estimate. If using a non-"normal" distribution this should be set to 1.              |
| alpha       | The type 1 error rate, should be a value between 0 and 1.                                                            |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". |
| qfun        | The quantile function for the assumed distribution i.e. qnorm.                                                       |
| pfun        | The CDF function for the assumed distribution i.e. pnorm.                                                            |
| ...         | additional arguments passed on qfun and pfun i.e. df = 102.                                                          |

---

par\_lapply                      *Parallelise Lapply*

---

**Description**

Simple wrapper around lapply and [parallel::clusterApplyLB](#) to abstract away the logic of deciding which one to use

**Usage**

```
par_lapply(cl, fun, x, ...)
```

**Arguments**

|     |                                                                    |
|-----|--------------------------------------------------------------------|
| cl  | Cluster created by <a href="#">parallel::makeCluster()</a> or NULL |
| fun | Function to be run                                                 |
| x   | object to be looped over                                           |
| ... | extra arguments passed to fun                                      |

---

pool                                      *Pool analysis results obtained from the imputed datasets*

---

**Description**

Pool analysis results obtained from the imputed datasets

**Usage**

```
pool(
  results,
  conf.level = 0.95,
  alternative = c("two.sided", "less", "greater"),
  type = c("percentile", "normal")
)

## S3 method for class 'pool'
as.data.frame(x, ...)

## S3 method for class 'pool'
print(x, ...)
```

**Arguments**

|             |                                                                                                                                                                                                                                                                                                    |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| results     | an analysis object created by <a href="#">analyse()</a> .                                                                                                                                                                                                                                          |
| conf.level  | confidence level of the returned confidence interval. Must be a single number between 0 and 1. Default is 0.95.                                                                                                                                                                                    |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".                                                                                                                                                                               |
| type        | a character string of either "percentile" (default) or "normal". Determines what method should be used to calculate the bootstrap confidence intervals. See details. Only used if <code>method_condmean(type = "bootstrap")</code> was specified in the original call to <a href="#">draws()</a> . |
| x           | a pool object generated by <a href="#">pool()</a> .                                                                                                                                                                                                                                                |
| ...         | not used.                                                                                                                                                                                                                                                                                          |

**Details**

The calculation used to generate the point estimate, standard errors and confidence interval depends upon the method specified in the original call to [draws\(\)](#); In particular:

- `method_approxbayes()` & `method_bayes()` both use Rubin's rules to pool estimates and variances across multiple imputed datasets, and the Barnard-Rubin rule to pool degree's of freedom; see Little & Rubin (2002).
- `method_condmean(type = "bootstrap")` uses percentile or normal approximation; see Efron & Tibshirani (1994). Note that for the percentile bootstrap, no standard error is calculated, i.e. the standard errors will be NA in the object / data.frame.
- `method_condmean(type = "jackknife")` uses the standard jackknife variance formula; see Efron & Tibshirani (1994).
- `method_bmlmi` uses pooling procedure for Bootstrapped Maximum Likelihood MI (BMLMI). See Von Hippel & Bartlett (2021).

**References**

- Bradley Efron and Robert J Tibshirani. An introduction to the bootstrap. CRC press, 1994. [Section 11]
- Roderick J. A. Little and Donald B. Rubin. Statistical Analysis with Missing Data, Second Edition. John Wiley & Sons, Hoboken, New Jersey, 2002. [Section 5.4]
- Von Hippel, Paul T and Bartlett, Jonathan W. Maximum likelihood multiple imputation: Faster imputations and consistent standard errors without posterior draws. 2021.

---

pool\_bootstrap\_normal *Bootstrap Pooling via normal approximation*

---

**Description**

Get point estimate, confidence interval and p-value using the normal approximation.

**Usage**

```
pool_bootstrap_normal(est, conf.level, alternative)
```

**Arguments**

- |             |                                                                                                                      |
|-------------|----------------------------------------------------------------------------------------------------------------------|
| est         | a numeric vector of point estimates from each bootstrap sample.                                                      |
| conf.level  | confidence level of the returned confidence interval. Must be a single number between 0 and 1. Default is 0.95.      |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". |

**Details**

The point estimate is taken to be the first element of est. The remaining n-1 values of est are then used to generate the confidence intervals.

---

pool\_bootstrap\_percentile  
*Bootstrap Pooling via Percentiles*

---

**Description**

Get point estimate, confidence interval and p-value using percentiles. Note that quantile "type=6" is used, see [stats::quantile\(\)](#) for details.

**Usage**

```
pool_bootstrap_percentile(est, conf.level, alternative)
```



**Arguments**

|             |                                                                                                                      |
|-------------|----------------------------------------------------------------------------------------------------------------------|
| est         | a numeric vector of point estimates from each bootstrap sample.                                                      |
| conf.level  | confidence level of the returned confidence interval. Must be a single number between 0 and 1. Default is 0.95.      |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". |

**Details**

The point estimate is taken to be the first element of est. The remaining n-1 values of est are then used to generate the confidence intervals.

---

|               |                              |
|---------------|------------------------------|
| pool_internal | <i>Internal Pool Methods</i> |
|---------------|------------------------------|

---

**Description**

Dispatches pool methods based upon results object class. See [pool\(\)](#) for details.

**Usage**

```
pool_internal(results, conf.level, alternative, type, D)

## S3 method for class 'jackknife'
pool_internal(results, conf.level, alternative, type, D)

## S3 method for class 'bootstrap'
pool_internal(
  results,
  conf.level,
  alternative,
  type = c("percentile", "normal"),
  D
)

## S3 method for class 'bmlmi'
pool_internal(results, conf.level, alternative, type, D)

## S3 method for class 'rubin'
pool_internal(results, conf.level, alternative, type, D)
```

**Arguments**

|         |                                                                                                           |
|---------|-----------------------------------------------------------------------------------------------------------|
| results | a list of results i.e. the x\$results element of an analyse object created by <a href="#">analyse()</a> . |
|---------|-----------------------------------------------------------------------------------------------------------|

|             |                                                                                                                                                                                                                                                                                                 |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| conf.level  | confidence level of the returned confidence interval. Must be a single number between 0 and 1. Default is 0.95.                                                                                                                                                                                 |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".                                                                                                                                                                            |
| type        | a character string of either "percentile" (default) or "normal". Determines what method should be used to calculate the bootstrap confidence intervals. See details. Only used if <code>method_condmean(type = "bootstrap")</code> was specified in the original call to <code>draws()</code> . |
| D           | numeric representing the number of imputations between each bootstrap sample in the BMLMI method.                                                                                                                                                                                               |

---

prepare\_stan\_data      *Prepare input data to run the Stan model*

---

### Description

Prepare input data to run the Stan model. Creates / calculates all the required inputs as required by the `data{}` block of the MMRM Stan program.

### Usage

```
prepare_stan_data(ddat, subjid, visit, outcome, group)
```

### Arguments

|         |                                                 |
|---------|-------------------------------------------------|
| ddat    | A design matrix                                 |
| subjid  | Character vector containing the subjects IDs.   |
| visit   | Vector containing the visits.                   |
| outcome | Numeric vector containing the outcome variable. |
| group   | Vector containing the group variable.           |

### Details

- The `group` argument determines which covariance matrix group the subject belongs to. If you want all subjects to use a shared covariance matrix then set `group` to "1" for everyone.

### Value

A `stan_data` object. A named list as per `data{}` block of the related Stan file. In particular it returns:

- `N` - The number of rows in the design matrix
- `P` - The number of columns in the design matrix
- `G` - The number of distinct covariance matrix groups (i.e. `length(unique(group))`)
- `n_visit` - The number of unique outcome visits

- n\_pat - The total number of pattern groups (as defined by missingness patterns & covariance group)
- pat\_G - Index for which Sigma each pattern group should use
- pat\_n\_pt - number of patients within each pattern group
- pat\_n\_visit - number of non-missing visits in each pattern group
- pat\_sigma\_index - rows/cols from Sigma to subset on for the pattern group (padded by 0's)
- y - The outcome variable
- Q - design matrix (after QR decomposition)
- R - R matrix from the QR decomposition of the design matrix

---

```
print.analysis      Print analysis object
```

---

### Description

Print analysis object

### Usage

```
## S3 method for class 'analysis'
print(x, ...)
```

### Arguments

|     |                                                             |
|-----|-------------------------------------------------------------|
| x   | An analysis object generated by <a href="#">analyse()</a> . |
| ... | Not used.                                                   |

---

```
print.draws      Print draws object
```

---

### Description

Print draws object

### Usage

```
## S3 method for class 'draws'
print(x, ...)
```

### Arguments

|     |                                                       |
|-----|-------------------------------------------------------|
| x   | A draws object generated by <a href="#">draws()</a> . |
| ... | not used.                                             |

---

|                  |                                |
|------------------|--------------------------------|
| print.imputation | <i>Print imputation object</i> |
|------------------|--------------------------------|

---

### Description

Print imputation object

### Usage

```
## S3 method for class 'imputation'
print(x, ...)
```

### Arguments

|     |                                                           |
|-----|-----------------------------------------------------------|
| x   | An imputation object generated by <code>impute()</code> . |
| ... | Not used.                                                 |

---

|                |                                                        |
|----------------|--------------------------------------------------------|
| progressLogger | <i>R6 Class for printing current sampling progress</i> |
|----------------|--------------------------------------------------------|

---

### Description

Object is initialised with total number of iterations that are expected to occur. User can then update the object with the add method to indicate how many more iterations have just occurred. Every time `step * 100 %` of iterations have occurred a message is printed to the console. Use the `quiet` argument to prevent the object from printing anything at all

### Public fields

|              |                                                                                                                           |
|--------------|---------------------------------------------------------------------------------------------------------------------------|
| step         | real, percentage of iterations to allow before printing the progress to the console                                       |
| step_current | integer, the total number of iterations completed since progress was last printed to the console                          |
| n            | integer, the current number of completed iterations                                                                       |
| n_max        | integer, total number of expected iterations to be completed acts as the denominator for calculating progress percentages |
| quiet        | logical holds whether or not to print anything                                                                            |

**Methods****Public methods:**

- `progressLogger$new()`
- `progressLogger$add()`
- `progressLogger$print_progress()`
- `progressLogger$clone()`

**Method** `new()`: Create progressLogger object

*Usage:*

```
progressLogger$new(n_max, quiet = FALSE, step = 0.1)
```

*Arguments:*

`n_max` integer, sets field `n_max`

`quiet` logical, sets field `quiet`

`step` real, sets field `step`

**Method** `add()`: Records that `n` more iterations have been completed this will add that number to the current step count (`step_current`) and will print a progress message to the log if the step limit (`step`) has been reached. This function will do nothing if `quiet` has been set to TRUE

*Usage:*

```
progressLogger$add(n)
```

*Arguments:*

`n` the number of successfully complete iterations since `add()` was last called

**Method** `print_progress()`: method to print the current state of progress

*Usage:*

```
progressLogger$print_progress()
```

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
progressLogger$clone(deep = FALSE)
```

*Arguments:*

`deep` Whether to make a deep clone.

---

pval\_percentile

*P-value of percentile bootstrap*

---

**Description**

Determines the (not necessarily unique) quantile (`type=6`) of "est" which gives a value of 0 From this, derive the p-value corresponding to the percentile bootstrap via inversion.

**Usage**

```
pval_percentile(est)
```

**Arguments**

`est` a numeric vector of point estimates from each bootstrap sample.

**Details**

The p-value for  $H_0: \theta=0$  vs  $H_A: \theta>0$  is the value  $\alpha$  for which  $q_\alpha = 0$ . If there is at least one estimate equal to zero it returns the largest  $\alpha$  such that  $q_\alpha = 0$ . If all bootstrap estimates are  $> 0$  it returns 0; if all bootstrap estimates are  $< 0$  it returns 1. Analogous reasoning is applied for the p-value for  $H_0: \theta=0$  vs  $H_A: \theta<0$ .

**Value**

A named numeric vector of length 2 containing the p-value for  $H_0: \theta=0$  vs  $H_A: \theta>0$  ("pval\_greater") and the p-value for  $H_0: \theta=0$  vs  $H_A: \theta<0$  ("pval\_less").

---

QR\_decomp

*QR decomposition*

---

**Description**

QR decomposition as defined in the [Stan user's guide \(section 1.2\)](#).

**Usage**

```
QR_decomp(mat)
```

**Arguments**

`mat` A matrix to perform the QR decomposition on.

---

random\_effects\_expr

*Construct random effects formula*

---

**Description**

Constructs a character representation of the random effects formula for fitting a MMRM for subject by visit in the format required for `mrm::mrm()`.

**Usage**

```
random_effects_expr(
  cov_struct = c("us", "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", "toeph"),
  cov_by_group = FALSE
)
```

**Arguments**

`cov_struct` Character - The covariance structure to be used, must be one of "us" (default), "ad", "adh", "ar1", "ar1h", "cs", "csh", "toep", or "toeph")

`cov_by_group` Boolean - Whenever or not to use separate covariances per each group level

**Details**

For example assuming the user specified a covariance structure of "us" and that no groups were provided this will return

```
us(visit | subjid)
```

If `cov_by_group` is set to FALSE then this indicates that separate covariance matrices are required per group and as such the following will be returned:

```
us( visit | group / subjid )
```

---

 rbmi-settings

*rbmi settings*


---

**Description**

Define settings that modify the behaviour of the rbmi package

Each of the following are the name of options that can be set via:

```
options(<option_name> = <value>)
```

```
rbmi.cache_dir:
```

```
Default = tools::R_user_dir("rbmi", which = "cache")
```

Directory to store compiled Stan model in. If not set, a temporary directory is used for the given R session. Can also be set via the environment variable RBMI\_CACHE\_DIR.

**Usage**

```
set_options()
```

**Examples**

```
## Not run:
options(rbmi.cache_dir = "some/directory/path")
```

```
## End(Not run)
```

---

|        |                           |
|--------|---------------------------|
| record | <i>Capture all Output</i> |
|--------|---------------------------|

---

## Description

This function silences all warnings, errors & messages and instead returns a list containing the results (if it didn't error) + the warning and error messages as character vectors.

## Usage

```
record(expr)
```

## Arguments

expr            An expression to be executed

## Value

A list containing

- **results** - The object returned by `expr` or `list()` if an error was thrown
- **warnings** - NULL or a character vector if warnings were thrown
- **errors** - NULL or a string if an error was thrown
- **messages** - NULL or a character vector if messages were produced

## Examples

```
## Not run:  
record({  
  x <- 1  
  y <- 2  
  warning("something went wrong")  
  message("0 nearly done")  
  x + y  
})  
  
## End(Not run)
```



---

|                  |                         |
|------------------|-------------------------|
| recursive_reduce | <i>recursive_reduce</i> |
|------------------|-------------------------|

---

**Description**

Utility function used to replicated purrr::reduce. Recursively applies a function to a list of elements until only 1 element remains

**Usage**

```
recursive_reduce(.l, .f)
```

**Arguments**

`.l` list of values to apply a function to

`.f` function to apply to each element of the list in turn i.e. `.l[[1]] <- .f( .l[[1]] , .l[[2]] ) ; .l[[2]]`

---

|                       |                                                                     |
|-----------------------|---------------------------------------------------------------------|
| remove_if_all_missing | <i>Remove subjects from dataset if they have no observed values</i> |
|-----------------------|---------------------------------------------------------------------|

---

**Description**

This function takes a data.frame with variables visit, outcome & subjid. It then removes all rows for a given subjid if they don't have any non-missing values for outcome.

**Usage**

```
remove_if_all_missing(dat)
```

**Arguments**

`dat` a data.frame

---

|          |                                                        |
|----------|--------------------------------------------------------|
| rubin_df | <i>Barnard and Rubin degrees of freedom adjustment</i> |
|----------|--------------------------------------------------------|

---

**Description**

Compute degrees of freedom according to the Barnard-Rubin formula.

**Usage**

```
rubin_df(v_com, var_b, var_t, M)
```

**Arguments**

|       |                                                                                    |
|-------|------------------------------------------------------------------------------------|
| v_com | Positive number representing the degrees of freedom in the complete-data analysis. |
| var_b | Between-variance of point estimate across multiply imputed datasets.               |
| var_t | Total-variance of point estimate according to Rubin's rules.                       |
| M     | Number of imputations.                                                             |

**Details**

The computation takes into account limit cases where there is no missing data (i.e. the between-variance `var_b` is zero) or where the complete-data degrees of freedom is set to `Inf`. Moreover, if `v_com` is given as `NA`, the function returns `Inf`.

**Value**

Degrees of freedom according to Barnard-Rubin formula. See Barnard-Rubin (1999).

**References**

Barnard, J. and Rubin, D.B. (1999). Small sample degrees of freedom with multiple imputation. *Biometrika*, 86, 948-955.

---

|             |                                              |
|-------------|----------------------------------------------|
| rubin_rules | <i>Combine estimates using Rubin's rules</i> |
|-------------|----------------------------------------------|

---

**Description**

Pool together the results from `M` complete-data analyses according to Rubin's rules. See details.

**Usage**

```
rubin_rules(est, ses, v_com)
```

**Arguments**

|       |                                                                                    |
|-------|------------------------------------------------------------------------------------|
| ests  | Numeric vector containing the point estimates from the complete-data analyses.     |
| ses   | Numeric vector containing the standard errors from the complete-data analyses.     |
| v_com | Positive number representing the degrees of freedom in the complete-data analysis. |

**Details**

rubin\_rules applies Rubin's rules (Rubin, 1987) for pooling together the results from a multiple imputation procedure. The pooled point estimate `est_point` is the average across the point estimates from the complete-data analyses (given by the input argument `ests`). The total variance `var_t` is the sum of two terms representing the within-variance and the between-variance (see Little-Rubin (2002)). The function also returns `df`, the estimated pooled degrees of freedom according to Barnard-Rubin (1999) that can be used for inference based on the t-distribution.

**Value**

A list containing:

- `est_point`: the pooled point estimate according to Little-Rubin (2002).
- `var_t`: total variance according to Little-Rubin (2002).
- `df`: degrees of freedom according to Barnard-Rubin (1999).

**References**

- Barnard, J. and Rubin, D.B. (1999). Small sample degrees of freedom with multiple imputation. *Biometrika*, 86, 948-955
- Roderick J. A. Little and Donald B. Rubin. *Statistical Analysis with Missing Data*, Second Edition. John Wiley & Sons, Hoboken, New Jersey, 2002. [Section 5.4]

**See Also**

[rubin\\_df\(\)](#) for the degrees of freedom estimation.

---

sample\_ids

*Sample Patient Ids*

---

**Description**

Performs a stratified bootstrap sample of IDS ensuring the return vector is the same length as the input vector

**Usage**

```
sample_ids(ids, strata = rep(1, length(ids)))
```

**Arguments**

|        |                                                                                                                  |
|--------|------------------------------------------------------------------------------------------------------------------|
| ids    | vector to sample from                                                                                            |
| strata | strata indicator, ids are sampled within each strata ensuring the that the numbers of each strata are maintained |

**Examples**

```
## Not run:
sample_ids( c("a", "b", "c", "d"), strata = c(1,1,2,2))

## End(Not run)
```

---

|             |                                                 |
|-------------|-------------------------------------------------|
| sample_list | <i>Create and validate a sample_list object</i> |
|-------------|-------------------------------------------------|

---

**Description**

Given a list of sample\_single objects generate by `sample_single()`, creates a sample\_list objects and validate it.

**Usage**

```
sample_list(...)
```

**Arguments**

|     |                                  |
|-----|----------------------------------|
| ... | A list of sample_single objects. |
|-----|----------------------------------|

---

|               |                                                                       |
|---------------|-----------------------------------------------------------------------|
| sample_mvnorm | <i>Sample random values from the multivariate normal distribution</i> |
|---------------|-----------------------------------------------------------------------|

---

**Description**

Sample random values from the multivariate normal distribution

**Usage**

```
sample_mvnorm(mu, sigma)
```

**Arguments**

|       |                   |
|-------|-------------------|
| mu    | mean vector       |
| sigma | covariance matrix |

Samples multivariate normal variables by multiplying univariate random normal variables by the cholesky decomposition of the covariance matrix.  
If mu is length 1 then just uses rnorm instead.

---

|               |                                             |
|---------------|---------------------------------------------|
| sample_single | <i>Create object of sample_single class</i> |
|---------------|---------------------------------------------|

---

### Description

Creates an object of class `sample_single` which is a named list containing the input parameters and validate them.

### Usage

```
sample_single(  
  ids,  
  beta = NA,  
  sigma = NA,  
  theta = NA,  
  failed = any(is.na(beta)),  
  ids_samp = ids  
)
```

### Arguments

|                       |                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------|
| <code>ids</code>      | Vector of characters containing the ids of the subjects included in the original dataset. |
| <code>beta</code>     | Numeric vector of estimated regression coefficients.                                      |
| <code>sigma</code>    | List of estimated covariance matrices (one for each level of <code>vars\$group</code> ).  |
| <code>theta</code>    | Numeric vector of transformed covariances.                                                |
| <code>failed</code>   | Logical. TRUE if the model fit failed.                                                    |
| <code>ids_samp</code> | Vector of characters containing the ids of the subjects included in the given sample.     |

### Value

A named list of class `sample_single`. It contains the following:

- `ids` vector of characters containing the ids of the subjects included in the original dataset.
- `beta` numeric vector of estimated regression coefficients.
- `sigma` list of estimated covariance matrices (one for each level of `vars$group`).
- `theta` numeric vector of transformed covariances.
- `failed` logical. TRUE if the model fit failed.
- `ids_samp` vector of characters containing the ids of the subjects included in the given sample.

---

scalerConstructor      *R6 Class for scaling (and un-scaling) design matrices*

---

### Description

Scales a design matrix so that all non-categorical columns have a mean of 0 and a standard deviation of 1.

### Details

The object initialisation is used to determine the relevant mean and SD's to scale by and then the scaling (and un-scaling) itself is performed by the relevant object methods.

Un-scaling is done on linear model Beta and Sigma coefficients. For this purpose the first column on the dataset to be scaled is assumed to be the outcome variable with all other variables assumed to be post-transformation predictor variables (i.e. all dummy variables have already been expanded).

### Public fields

`centre` Vector of column means. The first value is the outcome variable, all other variables are the predictors.

`scales` Vector of column standard deviations. The first value is the outcome variable, all other variables are the predictors.

### Methods

#### Public methods:

- `scalerConstructor$new()`
- `scalerConstructor$scale()`
- `scalerConstructor$unscale_sigma()`
- `scalerConstructor$unscale_beta()`
- `scalerConstructor$clone()`

**Method** `new()`: Uses `dat` to determine the relevant column means and standard deviations to use when scaling and un-scaling future datasets. Implicitly assumes that new datasets have the same column order as `dat`

*Usage:*

```
scalerConstructor$new(dat)
```

*Arguments:*

`dat` A `data.frame` or matrix. All columns must be numeric (i.e dummy variables, must have already been expanded out).

*Details:* Categorical columns (as determined by those who's values are entirely 1 or 0) will not be scaled. This is achieved by setting the corresponding values of `centre` to 0 and `scale` to 1.

**Method** `scale()`: Scales a dataset so that all continuous variables have a mean of 0 and a standard deviation of 1.

*Usage:*

```
scalerConstructor$scale(dat)
```

*Arguments:*

`dat` A `data.frame` or matrix whose columns are all numeric (i.e. dummy variables have all been expanded out) and whose columns are in the same order as the dataset used in the initialization function.

**Method** `unscale_sigma()`: Unscales a sigma value (or matrix) as estimated by a linear model using a design matrix scaled by this object. This function only works if the first column of the initialisation `data.frame` was the outcome variable.

*Usage:*

```
scalerConstructor$unscale_sigma(sigma)
```

*Arguments:*

`sigma` A numeric value or matrix.

*Returns:* A numeric value or matrix

**Method** `unscale_beta()`: Unscales a beta value (or vector) as estimated by a linear model using a design matrix scaled by this object. This function only works if the first column of the initialization `data.frame` was the outcome variable.

*Usage:*

```
scalerConstructor$unscale_beta(beta)
```

*Arguments:*

`beta` A numeric vector of beta coefficients as estimated from a linear model.

*Returns:* A numeric vector.

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

```
scalerConstructor$clone(deep = FALSE)
```

*Arguments:*

`deep` Whether to make a deep clone.

---

set\_simul\_pars

*Set simulation parameters of a study group.*

---

## Description

This function provides input arguments for each study group needed to simulate data with `simulate_data()`. `simulate_data()` generates data for a two-arms clinical trial with longitudinal continuous outcomes and two intercurrent events (ICEs). ICE1 may be thought of as a discontinuation from study treatment due to study drug or condition related (SDCR) reasons. ICE2 may be thought of as discontinuation from study treatment due to uninformative study drop-out, i.e. due to not study drug or condition related (NSDRC) reasons and outcome data after ICE2 is always missing.

**Usage**

```

set_simul_pars(
  mu,
  sigma,
  n,
  prob_ice1 = 0,
  or_outcome_ice1 = 1,
  prob_post_ice1_dropout = 0,
  prob_ice2 = 0,
  prob_miss = 0
)

```

**Arguments**

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mu                     | Numeric vector describing the mean outcome trajectory at each visit (including baseline) assuming no ICEs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| sigma                  | Covariance matrix of the outcome trajectory assuming no ICEs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| n                      | Number of subjects belonging to the group.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| prob_ice1              | Numeric vector that specifies the probability of experiencing ICE1 (discontinuation from study treatment due to SDCR reasons) after each visit for a subject with observed outcome at that visit equal to the mean at baseline ( <code>mu[1]</code> ). If a single numeric is provided, then the same probability is applied to each visit.                                                                                                                                                                                                                                                                                                                                                           |
| or_outcome_ice1        | Numeric value that specifies the odds ratio of experiencing ICE1 after each visit corresponding to a +1 higher value of the observed outcome at that visit.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| prob_post_ice1_dropout | Numeric value that specifies the probability of study drop-out following ICE1. If a subject is simulated to drop-out after ICE1, all outcomes after ICE1 are set to missing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| prob_ice2              | Numeric that specifies an additional probability that a post-baseline visit is affected by study drop-out. Outcome data at the subject's first simulated visit affected by study drop-out and all subsequent visits are set to missing. This generates a second intercurrent event ICE2, which may be thought as treatment discontinuation due to NSDRC reasons with subsequent drop-out. If for a subject, both ICE1 and ICE2 are simulated to occur, then it is assumed that only the earlier of them counts. In case both ICEs are simulated to occur at the same time, it is assumed that ICE1 counts. This means that a single subject can experience either ICE1 or ICE2, but not both of them. |
| prob_miss              | Numeric value that specifies an additional probability for a given post-baseline observation to be missing. This can be used to produce "intermittent" missing values which are not associated with any ICE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

**Details**

For the details, please see [simulate\\_data\(\)](#).



**Value**

A `simul_pars` object which is a named list containing the simulation parameters.

**See Also**

[simulate\\_data\(\)](#)

---

set\_vars

*Set key variables*

---

**Description**

This function is used to define the names of key variables within the `data.frame`'s that are provided as input arguments to [draws\(\)](#) and [ancova\(\)](#).

**Usage**

```
set_vars(
  subjid = "subjid",
  visit = "visit",
  outcome = "outcome",
  group = "group",
  covariates = character(0),
  strata = group,
  strategy = "strategy"
)
```

**Arguments**

|                         |                                                                                                           |
|-------------------------|-----------------------------------------------------------------------------------------------------------|
| <code>subjid</code>     | The name of the "Subject ID" variable. A length 1 character vector.                                       |
| <code>visit</code>      | The name of the "Visit" variable. A length 1 character vector.                                            |
| <code>outcome</code>    | The name of the "Outcome" variable. A length 1 character vector.                                          |
| <code>group</code>      | The name of the "Group" variable. A length 1 character vector.                                            |
| <code>covariates</code> | The name of any covariates to be used in the context of modeling. See details.                            |
| <code>strata</code>     | The name of the any stratification variable to be used in the context of bootstrap sampling. See details. |
| <code>strategy</code>   | The name of the "strategy" variable. A length 1 character vector.                                         |

**Details**

In both [draws\(\)](#) and [ancova\(\)](#) the `covariates` argument can be specified to indicate which variables should be included in the imputation and analysis models respectively. If you wish to include interaction terms these need to be manually specified i.e. `covariates = c("group*visit", "age*sex")`. Please note that the use of the [I\(\)](#) function to inhibit the interpretation/conversion of objects is not supported.

Currently `strata` is only used by `draws()` in combination with `method_condmean(type = "bootstrap")` and `method_approxbayes()` in order to allow for the specification of stratified bootstrap sampling. By default `strata` is set equal to the value of `group` as it is assumed most users will want to preserve the group size between samples. See `draws()` for more details.

Likewise, currently the `strategy` argument is only used by `draws()` to specify the name of the strategy variable within the `data_ice` data.frame. See `draws()` for more details.

### See Also

[draws\(\)](#)

[ancova\(\)](#)

### Examples

```
## Not run:

# Using CDISC variable names as an example
set_vars(
  subjid = "usubjid",
  visit = "avisit",
  outcome = "aval",
  group = "arm",
  covariates = c("bwt", "bht", "arm * avisit"),
  strategy = "strat"
)

## End(Not run)
```

---

simulate\_data

*Generate data*

---

### Description

Generate data for a two-arms clinical trial with longitudinal continuous outcome and two inter-current events (ICEs). ICE1 may be thought of as a discontinuation from study treatment due to study drug or condition related (SDCR) reasons. ICE2 may be thought of as discontinuation from study treatment due to uninformative study drop-out, i.e. due to not study drug or condition related (NSDRC) reasons and outcome data after ICE2 is always missing.

### Usage

```
simulate_data(pars_c, pars_t, post_ice1_traj, strategies = getStrategies())
```

**Arguments**

|                             |                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>pars_c</code>         | A <code>simul_pars</code> object as generated by <code>set_simul_pars()</code> . It specifies the simulation parameters of the control arm.                                                                                                                                                                                                                                                                  |
| <code>pars_t</code>         | A <code>simul_pars</code> object as generated by <code>set_simul_pars()</code> . It specifies the simulation parameters of the treatment arm.                                                                                                                                                                                                                                                                |
| <code>post_ice1_traj</code> | A string which specifies how observed outcomes occurring after ICE1 are simulated. Must target a function included in <code>strategies</code> . Possible choices are: Missing At Random "MAR", Jump to Reference "JR", Copy Reference "CR", Copy Increments in Reference "CIR", Last Mean Carried Forward "LMCF". User-defined strategies could also be added. See <code>getStrategies()</code> for details. |
| <code>strategies</code>     | A named list of functions. Default equal to <code>getStrategies()</code> . See <code>getStrategies()</code> for details.                                                                                                                                                                                                                                                                                     |

**Details**

The data generation works as follows:

- Generate outcome data for all visits (including baseline) from a multivariate normal distribution with parameters `pars_c$mu` and `pars_c$sigma` for the control arm and parameters `pars_t$mu` and `pars_t$sigma` for the treatment arm, respectively. Note that for a randomized trial, outcomes have the same distribution at baseline in both treatment groups, i.e. one should set `pars_c$mu[1]=pars_t$mu[1]` and `pars_c$sigma[1,1]=pars_t$sigma[1,1]`.
- Simulate whether ICE1 (study treatment discontinuation due to SDCR reasons) occurs after each visit according to parameters `pars_c$prob_ice1` and `pars_c$or_outcome_ice1` for the control arm and `pars_t$prob_ice1` and `pars_t$or_outcome_ice1` for the treatment arm, respectively.
- Simulate drop-out following ICE1 according to `pars_c$prob_post_ice1_dropout` and `pars_t$prob_post_ice1_dropout`.
- Simulate an additional uninformative study drop-out with probabilities `pars_c$prob_ice2` and `pars_t$prob_ice2` at each visit. This generates a second intercurrent event ICE2, which may be thought as treatment discontinuation due to NSDRC reasons with subsequent drop-out. The simulated time of drop-out is the subject's first visit which is affected by drop-out and data from this visit and all subsequent visits are consequently set to missing. If for a subject, both ICE1 and ICE2 are simulated to occur, then it is assumed that only the earlier of them counts. In case both ICEs are simulated to occur at the same time, it is assumed that ICE1 counts. This means that a single subject can experience either ICE1 or ICE2, but not both of them.
- Adjust trajectories after ICE1 according to the given assumption expressed with the `post_ice1_traj` argument. Note that only post-ICE1 outcomes in the intervention arm can be adjusted. Post-ICE1 outcomes from the control arm are not adjusted.
- Simulate additional intermittent missing outcome data as per arguments `pars_c$prob_miss` and `pars_t$prob_miss`.

The probability of the ICE after each visit is modeled according to the following logistic regression model:  $\sim 1 + I(\text{visit} == 0) + \dots + I(\text{visit} == n\_visits-1) + I((x-\alpha))$  where:

- `n_visits` is the number of visits (including baseline).

- $\alpha$  is the baseline outcome mean. The term  $I((x-\alpha))$  specifies the dependency of the probability of the ICE on the current outcome value. The corresponding regression coefficients of the logistic model are defined as follows: The intercept is set to 0, the coefficients corresponding to discontinuation after each visit for a subject with outcome equal to the mean at baseline are set according to parameters `pars_c$prob_ice1` (`pars_t$prob_ice1`), and the regression coefficient associated with the covariate  $I((x-\alpha))$  is set to  $\log(\text{pars\_c}\$or\_outcome\_ice1) / (\log(\text{pars\_t}\$or\_outcome\_ice1))$ .

Please note that the baseline outcome cannot be missing nor be affected by any ICEs.

### Value

A data frame containing the simulated data. It includes the following variables:

- `id`: Factor variable that specifies the id of each subject.
- `visit`: Factor variable that specifies the visit of each assessment. Visit 0 denotes the baseline visit.
- `group`: Factor variable that specifies which treatment group each subject belongs to.
- `outcome_bl`: Numeric variable that specifies the baseline outcome.
- `outcome_noICE`: Numeric variable that specifies the longitudinal outcome assuming no ICEs.
- `ind_ice1`: Binary variable that takes value 1 if the corresponding visit is affected by ICE1 and 0 otherwise.
- `dropout_ice1`: Binary variable that takes value 1 if the corresponding visit is affected by the drop-out following ICE1 and 0 otherwise.
- `ind_ice2`: Binary variable that takes value 1 if the corresponding visit is affected by ICE2.
- `outcome`: Numeric variable that specifies the longitudinal outcome including ICE1, ICE2 and the intermittent missing values.

---

|                               |                          |
|-------------------------------|--------------------------|
| <code>simulate_dropout</code> | <i>Simulate drop-out</i> |
|-------------------------------|--------------------------|

---

### Description

Simulate drop-out

### Usage

```
simulate_dropout(prob_dropout, ids, subset = rep(1, length(ids)))
```

### Arguments

|                           |                                                                                                                                                                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>prob_dropout</code> | Numeric that specifies the probability that a post-baseline visit is affected by study drop-out.                                                                                                                                                                         |
| <code>ids</code>          | Factor variable that specifies the id of each subject.                                                                                                                                                                                                                   |
| <code>subset</code>       | Binary variable that specifies the subset that could be affected by drop-out. I.e. <code>subset</code> is a binary vector of length equal to the length of <code>ids</code> that takes value 1 if the corresponding visit could be affected by drop-out and 0 otherwise. |

**Details**

subset can be used to specify outcome values that cannot be affected by the drop-out. By default subset will be set to 1 for all the values except the values corresponding to the baseline outcome, since baseline is supposed to not be affected by drop-out. Even if subset is specified by the user, the values corresponding to the baseline outcome are still hard-coded to be 0.

**Value**

A binary vector of length equal to the length of ids that takes value 1 if the corresponding outcome is affected by study drop-out.

---

|              |                                    |
|--------------|------------------------------------|
| simulate_ice | <i>Simulate intercurrent event</i> |
|--------------|------------------------------------|

---

**Description**

Simulate intercurrent event

**Usage**

```
simulate_ice(outcome, visits, ids, prob_ice, or_outcome_ice, baseline_mean)
```

**Arguments**

|                |                                                                                                                                                                                                                                                             |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| outcome        | Numeric variable that specifies the longitudinal outcome for a single group.                                                                                                                                                                                |
| visits         | Factor variable that specifies the visit of each assessment.                                                                                                                                                                                                |
| ids            | Factor variable that specifies the id of each subject.                                                                                                                                                                                                      |
| prob_ice       | Numeric vector that specifies for each visit the probability of experiencing the ICE after the current visit for a subject with outcome equal to the mean at baseline. If a single numeric is provided, then the same probability is applied to each visit. |
| or_outcome_ice | Numeric value that specifies the odds ratio of the ICE corresponding to a +1 higher value of the outcome at the visit.                                                                                                                                      |
| baseline_mean  | Mean outcome value at baseline.                                                                                                                                                                                                                             |

**Details**

The probability of the ICE after each visit is modeled according to the following logistic regression model:  $\sim 1 + I(\text{visit} == 0) + \dots + I(\text{visit} == n\_visits - 1) + I((x - \alpha))$  where:

- `n_visits` is the number of visits (including baseline).
- `alpha` is the baseline outcome mean set via argument `baseline_mean`. The term  $I((x - \alpha))$  specifies the dependency of the probability of the ICE on the current outcome value. The corresponding regression coefficients of the logistic model are defined as follows: The intercept is set to 0, the coefficients corresponding to discontinuation after each visit for a subject with outcome equal to the mean at baseline are set according to parameter `or_outcome_ice`, and the regression coefficient associated with the covariate  $I((x - \alpha))$  is set to  $\log(\text{or\_outcome\_ice})$ .

**Value**

A binary variable that takes value 1 if the corresponding outcome is affected by the ICE and 0 otherwise.

---

simulate\_test\_data      *Create simulated datasets*

---

**Description**

Creates a longitudinal dataset in the format that rbmi was designed to analyse.

**Usage**

```
simulate_test_data(
  n = 200,
  sd = c(3, 5, 7),
  cor = c(0.1, 0.7, 0.4),
  mu = list(int = 10, age = 3, sex = 2, trt = c(0, 4, 8), visit = c(0, 1, 2))
)

as_vcov(sd, cor)
```

**Arguments**

|     |                                                                                                                                                        |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| n   | the number of subjects to sample. Total number of observations returned is thus $n * \text{length}(\text{sd})$                                         |
| sd  | the standard deviations for the outcome at each visit. i.e. the square root of the diagonal of the covariance matrix for the outcome                   |
| cor | the correlation coefficients between the outcome values at each visit. See details.                                                                    |
| mu  | the coefficients to use to construct the mean outcome value at each visit. Must be a named list with elements int, age, sex, trt & visit. See details. |

**Details**

The number of visits is determined by the size of the variance covariance matrix. i.e. if 3 standard deviation values are provided then 3 visits per patient will be created.

The covariates in the simulated dataset are produced as follows:

- Patients age is sampled at random from a  $N(0,1)$  distribution
- Patients sex is sampled at random with a 50/50 split
- Patients group is sampled at random but fixed so that each group has  $n/2$  patients
- The outcome variable is sampled from a multivariate normal distribution, see below for details

The mean for the outcome variable is derived as:

```
outcome = Intercept + age + sex + visit + treatment
```

The coefficients for the intercept, age and sex are taken from `mu$int`, `mu$age` and `mu$sex` respectively, all of which must be a length 1 numeric.

Treatment and visit coefficients are taken from `mu$trt` and `mu$visit` respectively and must either be of length 1 (i.e. a constant affect across all visits) or equal to the number of visits (as determined by the length of `sd`). I.e. if you wanted a treatment slope of 5 and a visit slope of 1 you could specify:

```
mu = list(..., "trt" = c(0,5,10), "visit" = c(0,1,2))
```

The correlation matrix is constructed from `cor` as follows. Let `cor = c(a, b, c, d, e, f)` then the correlation matrix would be:

```
1  a  b  d
a  1  c  e
b  c  1  f
d  e  f  1
```

---

|                      |                        |
|----------------------|------------------------|
| <code>sort_by</code> | <i>Sort data.frame</i> |
|----------------------|------------------------|

---

### Description

Sorts a `data.frame` (ascending by default) based upon variables within the dataset

### Usage

```
sort_by(df, vars = NULL, decreasing = FALSE)
```

### Arguments

|                         |                                                                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>df</code>         | <code>data.frame</code>                                                                                                                                                                                                        |
| <code>vars</code>       | character vector of variables                                                                                                                                                                                                  |
| <code>decreasing</code> | logical whether sort order should be in descending or ascending (default) order. Can be either a single logical value (in which case it is applied to all variables) or a vector which is the same length as <code>vars</code> |

### Examples

```
## Not run:
sort_by(iris, c("Sepal.Length", "Sepal.Width"), decreasing = c(TRUE, FALSE))

## End(Not run)
```

---

|           |                                            |
|-----------|--------------------------------------------|
| split_dim | <i>Transform array into list of arrays</i> |
|-----------|--------------------------------------------|

---

**Description**

Transform an array into list of arrays where the listing is performed on a given dimension.

**Usage**

```
split_dim(a, n)
```

**Arguments**

|                |                                                             |
|----------------|-------------------------------------------------------------|
| <code>a</code> | Array with number of dimensions at least 2.                 |
| <code>n</code> | Positive integer. Dimension of <code>a</code> to be listed. |

**Details**

For example, if `a` is a 3 dimensional array and `n = 1`, `split_dim(a, n)` returns a list of 2 dimensional arrays (i.e. a list of matrices) where each element of the list is `a[i, , ]`, where `i` takes values from 1 to the length of the first dimension of the array.

Example:

inputs: `a <- array( c(1,2,3,4,5,6,7,8,9,10,11,12), dim = c(3,2,2))`, which means that:

| <code>a[1,,]</code>                    | <code>a[2,,]</code>                    | <code>a[3,,]</code>                    |
|----------------------------------------|----------------------------------------|----------------------------------------|
| <pre>[,1] [,2] ----- 1   7 4  10</pre> | <pre>[,1] [,2] ----- 2   8 5  11</pre> | <pre>[,1] [,2] ----- 3   9 6  12</pre> |

`n <- 1`

output of `res <- split_dim(a, n)` is a list of 3 elements:

| <code>res[[1]]</code>                  | <code>res[[2]]</code>                  | <code>res[[3]]</code>                  |
|----------------------------------------|----------------------------------------|----------------------------------------|
| <pre>[,1] [,2] ----- 1   7 4  10</pre> | <pre>[,1] [,2] ----- 2   8 5  11</pre> | <pre>[,1] [,2] ----- 3   9 6  12</pre> |

**Value**

A list of length `n` of arrays with number of dimensions equal to the number of dimensions of `a` minus 1.



---

split\_imputations      *Split a flat list of `imputation_single()` into multiple `imputation_df()`'s by ID*

---

### Description

Split a flat list of `imputation_single()` into multiple `imputation_df()`'s by ID

### Usage

```
split_imputations(list_of_singles, split_ids)
```

### Arguments

list\_of\_singles

A list of `imputation_single()`'s

split\_ids

A list with 1 element per required split. Each element must contain a vector of "ID"s which correspond to the `imputation_single()` ID's that are required within that sample. The total number of ID's must be equal to the length of `list_of_singles`

### Details

This function converts a list of imputations from being structured per patient to being structured per sample i.e. it converts

```
obj <- list(
  imputation_single("Ben", numeric(0)),
  imputation_single("Ben", numeric(0)),
  imputation_single("Ben", numeric(0)),
  imputation_single("Harry", c(1, 2)),
  imputation_single("Phil", c(3, 4)),
  imputation_single("Phil", c(5, 6)),
  imputation_single("Tom", c(7, 8, 9))
)
```

```
index <- list(
  c("Ben", "Harry", "Phil", "Tom"),
  c("Ben", "Ben", "Phil")
)
```

Into:

```
output <- list(
  imputation_df(
    imputation_single(id = "Ben", values = numeric(0)),
    imputation_single(id = "Harry", values = c(1, 2)),
```

```

    imputation_single(id = "Phil", values = c(3, 4)),
    imputation_single(id = "Tom", values = c(7, 8, 9))
  ),
  imputation_df(
    imputation_single(id = "Ben", values = numeric(0)),
    imputation_single(id = "Ben", values = numeric(0)),
    imputation_single(id = "Phil", values = c(5, 6))
  )
)

```

---

Stack

*R6 Class for a FIFO stack*


---

## Description

This is a simple stack object offering add / pop functionality

## Public fields

`stack` A list containing the current stack

## Methods

### Public methods:

- [Stack\\$add\(\)](#)
- [Stack\\$pop\(\)](#)
- [Stack\\$clone\(\)](#)

**Method** `add()`: Adds content to the end of the stack (must be a list)

*Usage:*

`Stack$add(x)`

*Arguments:*

`x` content to add to the stack

**Method** `pop()`: Retrieve content from the stack

*Usage:*

`Stack$pop(i)`

*Arguments:*

`i` the number of items to retrieve from the stack. If there are less than `i` items left on the stack it will just return everything that is left.

**Method** `clone()`: The objects of this class are cloneable with this method.

*Usage:*

`Stack$clone(deep = FALSE)`

*Arguments:*

`deep` Whether to make a deep clone.

---

strategies

*Strategies*


---

### Description

These functions are used to implement various reference based imputation strategies by combining a subjects own distribution with that of a reference distribution based upon which of their visits failed to meet the Missing-at-Random (MAR) assumption.

### Usage

```
strategy_MAR(pars_group, pars_ref, index_mar)
```

```
strategy_JR(pars_group, pars_ref, index_mar)
```

```
strategy_CR(pars_group, pars_ref, index_mar)
```

```
strategy_CIR(pars_group, pars_ref, index_mar)
```

```
strategy_LMCF(pars_group, pars_ref, index_mar)
```

### Arguments

|                         |                                                                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>pars_group</code> | A list of parameters for the subject's group. See details.                                                                                                        |
| <code>pars_ref</code>   | A list of parameters for the subject's reference group. See details.                                                                                              |
| <code>index_mar</code>  | A logical vector indicating which visits meet the MAR assumption for the subject. I.e. this identifies the observations after a non-MAR intercurrent event (ICE). |

### Details

`pars_group` and `pars_ref` both must be a list containing elements `mu` and `sigma`. `mu` must be a numeric vector and `sigma` must be a square matrix symmetric covariance matrix with dimensions equal to the length of `mu` and `index_mar`. e.g.

```
list(
  mu = c(1,2,3),
  sigma = matrix(c(4,3,2,3,5,4,2,4,6), nrow = 3, ncol = 3)
)
```

Users can define their own strategy functions and include them via the `strategies` argument to `impute()` using `getStrategies()`. That being said the following strategies are available "out the box":

- Missing at Random (MAR)
- Jump to Reference (JR)

- Copy Reference (CR)
- Copy Increments in Reference (CIR)
- Last Mean Carried Forward (LMCF)

---

|            |                   |
|------------|-------------------|
| string_pad | <i>string_pad</i> |
|------------|-------------------|

---

### Description

Utility function used to replicate str\_pad. Adds white space to either end of a string to get it to equal the desired length

### Usage

```
string_pad(x, width)
```

### Arguments

|       |                |
|-------|----------------|
| x     | string         |
| width | desired length |

---

|              |                                          |
|--------------|------------------------------------------|
| str_contains | <i>Does a string contain a substring</i> |
|--------------|------------------------------------------|

---

### Description

Returns a vector of TRUE/FALSE for each element of x if it contains any element in subs  
i.e.

```
str_contains( c("ben", "tom", "harry"), c("e", "y"))
[1] TRUE FALSE TRUE
```

### Usage

```
str_contains(x, subs)
```

### Arguments

|      |                                              |
|------|----------------------------------------------|
| x    | character vector                             |
| subs | a character vector of substrings to look for |

---

transpose\_imputations *Transpose imputations*

---

### Description

Takes an imputation\_df object and transposes it e.g.

```
list(
  list(id = "a", values = c(1,2,3)),
  list(id = "b", values = c(4,5,6))
)
```

### Usage

```
transpose_imputations(imputations)
```

### Arguments

imputations      An imputation\_df object created by [imputation\\_df\(\)](#)

### Details

becomes

```
list(
  ids = c("a", "b"),
  values = c(1,2,3,4,5,6)
)
```

---

transpose\_results      *Transpose results object*

---

### Description

Transposes a Results object (as created by [analyse\(\)](#)) in order to group the same estimates together into vectors.

### Usage

```
transpose_results(results, components)
```

### Arguments

results              A list of results.  
components          a character vector of components to extract (i.e. "est", "se").

**Details**

Essentially this function takes an object of the format:

```
x <- list(
  list(
    "trt1" = list(
      est = 1,
      se = 2
    ),
    "trt2" = list(
      est = 3,
      se = 4
    )
  ),
  list(
    "trt1" = list(
      est = 5,
      se = 6
    ),
    "trt2" = list(
      est = 7,
      se = 8
    )
  )
)
```

and produces:

```
list(
  trt1 = list(
    est = c(1,5),
    se = c(2,6)
  ),
  trt2 = list(
    est = c(3,7),
    se = c(4,8)
  )
)
```

---

|                   |                          |
|-------------------|--------------------------|
| transpose_samples | <i>Transpose samples</i> |
|-------------------|--------------------------|

---

**Description**

Transposes samples generated by `draws()` so that they are grouped by `subjid` instead of by sample number.

**Usage**

```
transpose_samples(samples)
```

**Arguments**

samples            A list of samples generated by `draws()`.

---

|          |                                  |
|----------|----------------------------------|
| validate | <i>Generic validation method</i> |
|----------|----------------------------------|

---

**Description**

This function is used to perform assertions that an object conforms to its expected structure and no basic assumptions have been violated. Will throw an error if checks do not pass.

**Usage**

```
validate(x, ...)
```

**Arguments**

x                    object to be validated.  
 ...                  additional arguments to pass to the specific validation method.

---

|                   |                                  |
|-------------------|----------------------------------|
| validate.analysis | <i>Validate analysis objects</i> |
|-------------------|----------------------------------|

---

**Description**

Validates the return object of the `analyse()` function.

**Usage**

```
## S3 method for class 'analysis'  
validate(x, ...)
```

**Arguments**

x                    An analysis results object (of class "jackknife", "bootstrap", "rubin").  
 ...                  Not used.

---

|                |                              |
|----------------|------------------------------|
| validate.draws | <i>Validate draws object</i> |
|----------------|------------------------------|

---

**Description**

Validate draws object

**Usage**

```
## S3 method for class 'draws'  
validate(x, ...)
```

**Arguments**

|     |                                                          |
|-----|----------------------------------------------------------|
| x   | A draws object generated by <a href="#">as_draws()</a> . |
| ... | Not used.                                                |

---

|                 |                                            |
|-----------------|--------------------------------------------|
| validate.is_mar | <i>Validate is_mar for a given subject</i> |
|-----------------|--------------------------------------------|

---

**Description**

Checks that the longitudinal data for a patient is divided in MAR followed by non-MAR data; a non-MAR observation followed by a MAR observation is not allowed.

**Usage**

```
## S3 method for class 'is_mar'  
validate(x, ...)
```

**Arguments**

|     |                                                                                 |
|-----|---------------------------------------------------------------------------------|
| x   | Object of class is_mar. Logical vector indicating whether observations are MAR. |
| ... | Not used.                                                                       |

**Value**

Will error if there is an issue otherwise will return TRUE.



---

|                |                                 |
|----------------|---------------------------------|
| validate.ivars | <i>Validate inputs for vars</i> |
|----------------|---------------------------------|

---

**Description**

Checks that the required variable names are defined within vars and are of appropriate datatypes

**Usage**

```
## S3 method for class 'ivars'  
validate(x, ...)
```

**Arguments**

|     |                                                                        |
|-----|------------------------------------------------------------------------|
| x   | named list indicating the names of key variables in the source dataset |
| ... | not used                                                               |

---

|                     |                                          |
|---------------------|------------------------------------------|
| validate.references | <i>Validate user supplied references</i> |
|---------------------|------------------------------------------|

---

**Description**

Checks to ensure that the user specified references are exact values (i.e. those found within the source data).

**Usage**

```
## S3 method for class 'references'  
validate(x, control, ...)
```

**Arguments**

|         |                                                                         |
|---------|-------------------------------------------------------------------------|
| x       | named character vector.                                                 |
| control | factor variable (should be the group variable from the source dataset). |
| ...     | Not used.                                                               |

**Value**

Will error if there is an issue otherwise will return TRUE.

---

validate.sample\_list    *Validate sample\_list object*

---

**Description**

Validate sample\_list object

**Usage**

```
## S3 method for class 'sample_list'  
validate(x, ...)
```

**Arguments**

x                    A sample\_list object generated by [sample\\_list\(\)](#).  
...                   Not used.

---

validate.sample\_single  
                          *Validate sample\_single object*

---

**Description**

Validate sample\_single object

**Usage**

```
## S3 method for class 'sample_single'  
validate(x, ...)
```

**Arguments**

x                    A sample\_single object generated by [sample\\_single\(\)](#).  
...                   Not used.

---

validate.simul\_pars    *Validate a simul\_pars object*

---

**Description**

Validate a simul\_pars object

**Usage**

```
## S3 method for class 'simul_pars'  
validate(x, ...)
```

**Arguments**

x                    An simul\_pars object as generated by [set\\_simul\\_pars\(\)](#).  
...                  Not used.

---

validate.stan\_data    *Validate a stan\_data object*

---

**Description**

Validate a stan\_data object

**Usage**

```
## S3 method for class 'stan_data'  
validate(x, ...)
```

**Arguments**

x                    A stan\_data object.  
...                  Not used.

---

validate\_analyse\_pars *Validate analysis results*

---

**Description**

Validates analysis results generated by [analyse\(\)](#).

**Usage**

```
validate_analyse_pars(results, pars)
```

**Arguments**

|         |                                                                                         |
|---------|-----------------------------------------------------------------------------------------|
| results | A list of results generated by the analysis fun used in <a href="#">analyse()</a> .     |
| pars    | A list of expected parameters in each of the analysis. lists i.e. c("est", "se", "df"). |

---

validate\_datalong *Validate a longdata object*

---

**Description**

Validate a longdata object

**Usage**

```
validate_datalong(data, vars)
validate_datalong_varExists(data, vars)
validate_datalong_types(data, vars)
validate_datalong_notMissing(data, vars)
validate_datalong_complete(data, vars)
validate_datalong_unifromStrata(data, vars)
validate_dataice(data, data_ice, vars, update = FALSE)
```

**Arguments**

|          |                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------|
| data     | a data.frame containing the longitudinal outcome data + covariates for multiple subjects            |
| vars     | a vars object as created by <code>set_vars()</code>                                                 |
| data_ice | a data.frame containing the subjects ICE data. See <code>draws()</code> for details.                |
| update   | logical, indicates if the ICE data is being set for the first time or if an update is being applied |

**Details**

These functions are used to validate various different parts of the longdata object to be used in `draws()`, `impute()`, `analyse()` and `pool()`. In particular:

- `validate_datalong_varExists` - Checks that each variable listed in `vars` actually exists in the data
- `validate_datalong_types` - Checks that the types of each key variable is as expected i.e. that visit is a factor variable
- `validate_datalong_notMissing` - Checks that none of the key variables (except the outcome variable) contain any missing values
- `validate_datalong_complete` - Checks that data is complete i.e. there is 1 row for each subject \* visit combination. e.g. that `nrow(data) == length(unique(subjects)) * length(unique(visits))`
- `validate_datalong_unifromStrata` - Checks to make sure that any variables listed as stratification variables do not vary over time. e.g. that subjects don't switch between stratification groups.

---

`validate_strategies`     *Validate user specified strategies*

---

**Description**

Compares the user provided strategies to those that are required (the reference). Will throw an error if not all values of reference have been defined.

**Usage**

```
validate_strategies(strategies, reference)
```

**Arguments**

|            |                                                                 |
|------------|-----------------------------------------------------------------|
| strategies | named list of strategies.                                       |
| reference  | list or character vector of strategies that need to be defined. |

**Value**

Will throw an error if there is an issue otherwise will return TRUE.

# Index

- \* **datasets**
  - antidepressant\_data, 15
- add\_class, 5
- adjust\_trajectories, 5
- adjust\_trajectories\_single, 6
- adjust\_trajectories\_single(), 6
- analyse, 7
- analyse(), 8, 9, 12, 13, 17, 29, 31, 41, 42, 79, 81, 83, 109, 111, 116, 117
- ancova, 11
- ancova(), 8, 10, 13, 14, 97, 98
- ancova\_single, 13
- antidepressant\_data, 15
- apply\_delta, 16
- as.data.frame.pool (pool), 78
- as\_analysis, 17
- as\_ascii\_table, 17
- as\_class, 18
- as\_cropped\_char, 18
- as\_dataframe, 19
- as\_draws, 19
- as\_draws(), 112
- as\_imputation, 20
- as\_indices, 21
- as\_mmr\_df, 21
- as\_mmr\_df(), 22
- as\_mmr\_formula, 22
- as\_model\_df, 22
- as\_simple\_formula, 23
- as\_stan\_array, 23
- as\_strata, 24
- as\_vcov (simulate\_test\_data), 102
- assert\_variables\_exist, 16
  
- base::expand.grid(), 37
  
- char2fct, 24
- check\_ESS, 25
- check\_ESS(), 26
  
- check\_hmc\_diagn, 25
- check\_hmc\_diagn(), 26
- check\_mcmc, 26
- check\_mcmc(), 44
- compute\_sigma, 27
- convert\_to\_imputation\_list\_df, 27
  
- d\_lagscale, 36
- delta\_template, 29
- delta\_template(), 9, 10, 36, 42, 48
- draws, 32, 59, 63
- draws(), 8, 9, 17, 19, 29, 31, 34, 38, 58–60, 63, 71, 79, 82, 83, 97, 98, 110, 111, 117
  
- eval\_mmr, 37
- expand, 37
- expand\_locf (expand), 37
- expand\_locf(), 33, 36
- extract\_covariates, 39
- extract\_data\_nmar\_as\_na, 40
- extract\_draws, 40
- extract\_draws(), 44
- extract\_imputed\_df, 41
- extract\_imputed\_dfs, 42
- extract\_imputed\_dfs(), 10
- extract\_params, 43
  
- fill\_locf (expand), 37
- fit\_mcmc, 43
- fit\_mmr, 44
  
- generate\_data\_single, 45
- get\_bootstrap\_stack, 47
- get\_conditional\_parameters, 48
- get\_delta\_template, 48
- get\_draws\_mle, 49
- get\_ESS, 50
- get\_ests\_bmlmi, 51
- get\_example\_data, 52

- get\_example\_data(), 52
- get\_jackknife\_stack, 53
- get\_mmrn\_sample, 53
- get\_pattern\_groups, 54
- get\_pattern\_groups\_unique, 54
- get\_pool\_components, 55
- get\_visit\_distribution\_parameters, 55
- getStrategies, 46
- getStrategies(), 6, 7, 45, 59, 62, 63, 99, 107
- has\_class, 56
- I(), 97
- ife, 56
- imputation\_df, 57, 57
- imputation\_df(), 20, 27, 41, 69, 105, 109
- imputation\_list\_df, 57
- imputation\_list\_df(), 27
- imputation\_list\_single, 57
- imputation\_list\_single(), 27, 28
- imputation\_single, 58
- imputation\_single(), 28, 58, 105
- impute, 58
- impute(), 7, 20, 29, 34, 42, 48, 49, 61, 62, 71, 84, 107, 117
- impute\_data\_individual, 61
- impute\_data\_individual(), 28
- impute\_internal, 62
- impute\_outcome, 63
- invert, 64
- invert\_indexes, 64
- is\_absent, 65
- is\_char\_fact, 65
- is\_char\_one, 65
- is\_in\_rbmi\_development, 66
- is\_num\_char\_fact, 66
- list(), 20
- locf, 67
- longDataConstructor, 67
- longDataConstructor(), 20, 41, 47, 53, 62
- ls\_design, 73
- ls\_design\_counterfactual (ls\_design), 73
- ls\_design\_equal (ls\_design), 73
- ls\_design\_proportional (ls\_design), 73
- lsmeans, 72
- make\_rbmi\_cluster, 74
- make\_rbmi\_cluster(), 8, 9, 33
- method, 75
- method\_approxbayes (method), 75
- method\_approxbayes(), 8, 19, 20, 32, 35, 36, 49, 50, 53
- method\_bayes (method), 75
- method\_bayes(), 8, 19, 20, 32, 33, 35, 36, 43, 50
- method\_bmlmi (method), 75
- method\_bmlmi(), 19, 28, 32, 36
- method\_condmean (method), 75
- method\_condmean(), 19, 20, 32, 35, 36, 49, 50, 53
- mmrn::cov\_types(), 77
- mmrn::mmrn(), 37, 43, 44, 86
- par\_lapply, 78
- parallel::clusterApplyLB, 78
- parallel::makeCluster(), 78
- parametric\_ci, 77
- pool, 78
- pool(), 79, 81, 117
- pool\_bootstrap\_normal, 80
- pool\_bootstrap\_percentile, 80
- pool\_internal, 81
- prepare\_stan\_data, 82
- prepare\_stan\_data(), 44
- print.analysis, 83
- print.draws, 83
- print.imputation, 84
- print.pool (pool), 78
- progressLogger, 84
- pval\_percentile, 85
- QR\_decomp, 86
- random\_effects\_expr, 86
- rbmi-settings, 87
- record, 88
- record(), 37
- recursive\_reduce, 89
- remove\_if\_all\_missing, 89
- rubin\_df, 90
- rubin\_df(), 91
- rubin\_rules, 90
- sample\_ids, 91
- sample\_list, 92
- sample\_list(), 114
- sample\_mvnorm, 92

sample\_single, 93  
 sample\_single(), 19, 92, 114  
 scalerConstructor, 94  
 set\_options (rbmi-settings), 87  
 set\_simul\_pars, 95  
 set\_simul\_pars(), 45, 52, 99, 115  
 set\_vars, 97  
 set\_vars(), 8, 11–13, 29, 32, 34, 36, 71, 117  
 simulate\_data, 98  
 simulate\_data(), 46, 52, 95–97  
 simulate\_dropout, 100  
 simulate\_ice, 101  
 simulate\_test\_data, 102  
 sort\_by, 103  
 split\_dim, 104  
 split\_imputations, 105  
 Stack, 106  
 Stack(), 47, 53  
 stats::lm(), 13  
 stats::model.matrix(), 22, 45  
 stats::quantile(), 80  
 str\_contains, 108  
 strategies, 107  
 strategy\_CIR (strategies), 107  
 strategy\_CR (strategies), 107  
 strategy\_JR (strategies), 107  
 strategy\_LMCF (strategies), 107  
 strategy\_MAR (strategies), 107  
 string\_pad, 108  
  
 transpose\_imputations, 109  
 transpose\_results, 109  
 transpose\_samples, 110  
  
 validate, 111  
 validate.analysis, 111  
 validate.draws, 112  
 validate.is\_mar, 112  
 validate.ivars, 113  
 validate.references, 113  
 validate.sample\_list, 114  
 validate.sample\_single, 114  
 validate.simul\_pars, 115  
 validate.stan\_data, 115  
 validate\_analyse\_pars, 116  
 validate\_dataice (validate\_datalong),  
     116  
 validate\_datalong, 116  
 validate\_datalong\_complete  
     (validate\_datalong), 116  
 validate\_datalong\_notMissing  
     (validate\_datalong), 116  
 validate\_datalong\_types  
     (validate\_datalong), 116  
 validate\_datalong\_unifromStrata  
     (validate\_datalong), 116  
 validate\_datalong\_varExists  
     (validate\_datalong), 116  
 validate\_strategies, 117