

Package ‘recountmethylation’

March 30, 2021

Version 1.0.0

Title Access and Analyze DNA Methylation Array Databases

Description Access cross-study compilations of DNA methylation array databases. Database files can be downloaded and accessed using provided functions. Background about database file types (HDF5 and HDF5-SummarizedExperiment), SummarizedExperiment classes, and examples for data handling, validation, and analyses, can be found in the package vignettes. Note the disclaimer on package load, and consult the main manuscript for further info.

License Artistic-2.0

Encoding UTF-8

URL <https://github.com/metamaden/recountmethylation>

BugReports <https://github.com/metamaden/recountmethylation/issues>

LazyData FALSE

Depends R (>= 4.0.0)

Imports minfi, HDF5Array, rhdf5, S4Vectors, utils, methods, RCurl,
R.utils, BiocFileCache

Suggests knitr, testthat, ggplot2, gridExtra, rmarkdown, BiocStyle,
GenomicRanges, limma, ExperimentHub, AnnotationHub

VignetteBuilder knitr

biocViews DNAMethylation, Epigenetics, Microarray, MethylationArray,
ExperimentHub

RoxygenNote 7.1.0

git_url <https://git.bioconductor.org/packages/recountmethylation>

git_branch RELEASE_3_12

git_last_commit 8c2ff8d

git_last_commit_date 2020-10-27

Date/Publication 2021-03-29

Author Sean K Maden [cre, aut] (<<https://orcid.org/0000-0002-2212-4894>>),
Reid F Thompson [aut] (<<https://orcid.org/0000-0003-3661-5296>>),
Kasper D Hansen [aut] (<<https://orcid.org/0000-0002-3303-4819>>),
Abhinav Nellore [aut] (<<https://orcid.org/0000-0001-8145-1484>>)

Maintainer Sean K Maden <maden@ohsu.edu>

R topics documented:

data_mdpost	2
gds_idat2rg	3
gds_idatquery	4
getdb	4
getrg	5
get_rmdl	7
hread	8
matchds_1to2	8
rgse	9
servermatrix	10

Index	12
--------------	-----------

data_mdpost	<i>Retrieve all available sample metadata from an HDF5 database.</i>
-------------	--

Description

Retrieve all available sample metadata in a dataset from an HDF5 database. Returns data in meta-data dataset "dsn" contained in an h5 file located at path "dbn."

Usage

```
data_mdpost(dbn = "remethdb2.h5", dsn = "mdpost")
```

Arguments

dbn	Path to h5 HDF5 database file.
dsn	Name or group path to HDF5 dataset containing the sample metadata and learned annotations.

Value

data.frame of available sample metadata.

See Also

hread()

Examples

```
path <- system.file("extdata", "h5test", package = "recountmethylation")
fn <- list.files(path)
dbpath <- file.path(path, fn)
mdp <- data_mdpost(dbn = dbpath, dsn = "mdpost")
dim(mdp) # [1] 2 19
```

`gds_idat2rg`*Get IDATs as an RGChannelSet from GEO/GDS*

Description

Queries and downloads GSM IDAT files in GEO Data Sets db, then returns the assay data as an "RGChannelSet", calling `gds_idatquery()` then `minfi::read.metharray()`.

Usage

```
gds_idat2rg(  
  gsmvi,  
  rmdl = TRUE,  
  ext = "gz",  
  dfp = "./idats/",  
  burl = paste0("ftp://ftp.ncbi.nlm.nih.gov/", "geo/samples/"),  
  silent = TRUE  
)
```

Arguments

<code>gsmvi</code>	A vector of GSM IDs (alphanumeric character strings).
<code>rmdl</code>	Whether to remove downloaded IDAT files when finished (default TRUE).
<code>ext</code>	Extension for downloaded files (default "gz").
<code>dfp</code>	Destination for IDAT downloads.
<code>burl</code>	Base URL string for the IDAT query (default "ftp://ftp.ncbi.nlm.nih.gov/geo/samples/").
<code>silent</code>	Whether to suppress warnings on download removal (default TRUE).

Value

An RGChannelSet object

See Also

`gds_idatquery()`, `read.metharray()`

Examples

```
gsmvi <- c("GSM2465267", "GSM2814572")  
fpath <- file.path(tempdir(), "gds_idat2rg_example")  
rg <- gds_idat2rg(gsmvi, dfp = fpath)
```

 gds_idatquery

Query and download IDATs from GEO Data Sets

Description

Queries GEO Data Sets for IDATs, and downloads available IDATs. This uses anticipated string pattern to construct the URL path for the query. IDATs are detected from the supplement for a GSE record.

Usage

```
gds_idatquery(
  gsmvi,
  ext = "gz",
  expand = TRUE,
  verbose = FALSE,
  dfp = "idats",
  bur1 = paste0("ftp://ftp.ncbi.nlm.nih.gov/geo/samples/")
)
```

Arguments

gsmvi	Vector of valid GSM IDs.
ext	Filename extension.
expand	Whether to expand compressed files.
verbose	Whether to show verbose messages (default FALSE).
dfp	Destination directory for downloads.
bur1	Base URL string for RCurl query.

Value

Lists the basename paths and filenames of IDATs downloaded.

Examples

```
gsmvi <- c("GSM2465267", "GSM2814572")
gds_idatquery(gsmvi, dfp = file.path(tempdir()), "gds_idatquery_example")
```

 getdb

Access database files.

Description

Combines download and load functions for databases. If the "namematch" argument isn't provided, the latest available file is downloaded. All files include metadata for the available samples.

There are 6 functions. Functions with "h5se" access HDF5-SummarizedExperiment files, and "h5" functions access HDF5 databases. The 4 h5se functions are "rg" (RGChannelSet), "gm" (MethylSet), "gr" (GenomicRatioSet), and "test" (data for 2 samples from "gr"). The 2 h5 functions are "rg" (red and green signal datasets), and "test" (data for 2 samples from "rg"). See vignette for details about file types and classes.

Usage

```

getdb_h5se_test(
  namematch = "remethdb-h5se_gr-test.*",
  dfp = NULL,
  verbose = FALSE
)

getdb_h5_test(
  namematch = "remethdb-h5_rg-test.*",
  dfp = NULL,
  verbose = FALSE
)

getdb_h5se_gr(namematch = "remethdb-h5se_gr.*", dfp = NULL, verbose = FALSE)

getdb_h5se_gm(namematch = "remethdb-h5se_gm.*", dfp = NULL, verbose = FALSE)

getdb_h5se_rg(namematch = "remethdb-h5se_rg.*", dfp = NULL, verbose = FALSE)

getdb_h5_rg(namematch = "remethdb-h5_rg.*", dfp = NULL, verbose = FALSE)

```

Arguments

namematch	Filename pattern to match when searching for database (see defaults).
dfp	Folder to search for database file (optional, if NULL then searches cache dir specified by BiocFileCache).
verbose	Whether to return verbose messages (default FALSE).

Value

Either a SummarizedExperiment object for h5se functions, or a file path for h5 functions.

See Also

get_rmdl()

Examples

```

# download test file to temp directory
h5 <- getdb_h5_test(dfp = tempdir())

```

getrg

Query and store data from h5 file signal tables

Description

Queries signal datasets in an h5 HDF5 database file. Handles identity queries to rows (GSM IDs) or columns (bead addresses). Returns query matches either as a list of datasets or a single RGChannelSet, with option to include sample metadata.

Usage

```
getrg(
  dbn,
  gsmv = NULL,
  cgv = NULL,
  data.type = c("se"),
  dsv = c("redsignal", "greensignal"),
  all.gsm = FALSE,
  all.cg = TRUE,
  metadata = TRUE,
  md.dsn = "mdpost",
  verbose = FALSE
)
```

Arguments

dbn	Name of the HDF5 database file.
gsmv	Vector valid GSM IDs (rows) to query, either NULL or vector of length > 2 valid GSM IDs, or "all.gsm" should be TRUE.
cgv	Vector of valid bead addresses (columns) to query in the signal datasets (default NULL).
data.type	Format for returned query matches, either as datasets "df" or RGChannelSet "se" object.
dsv	Vector of raw signal datasets or group paths to query, including both the red channel 'redsignal' and green channel 'greensignal' datasets.
all.gsm	Whether to query all available GSM IDs.
all.cg	Whether to query all available CpG probe addresses.
metadata	Whether to access available postprocessed metadata for queried samples.
md.dsn	Name of metadata dataset in h5 file.
verbose	Whether to post status messages.

Value

Returns either an RGChannelSet or list of data.frame objects from dataset query matches.

See Also

rgse()

Examples

```
path <- system.file("extdata", "h5test", package = "recountmethylation")
fn <- list.files(path)
dbpath <- file.path(path, fn)
rg <- getrg(dbn = dbpath, all.gsm = TRUE, metadata = FALSE)
dim(rg) # [1] 11162      2
class(rg)
# [1] "RGChannelSet"
# attr(,"package")
# [1] "minfi"
```

`get_rmdl`*Get DNAm assay data.*

Description

Uses RCurl to recursively download latest H5SE and HDF5 data objects from the server. This is currently wrapped in the `getdb()` functions.

Usage

```
get_rmdl(  
  which.class = c("rg", "gm", "gr", "test"),  
  which.type = c("h5se", "h5"),  
  fn = NULL,  
  dfp = "downloads",  
  url = "https://recount.bio/data/",  
  show.files = FALSE,  
  download = TRUE,  
  verbose = TRUE,  
  sslver = FALSE  
)
```

Arguments

<code>which.class</code>	Either "rg", "gm", "gr", or "test" for RGChannelSet, MethylSet, GenomicRatioSet, or 2-sample subset (default "test").
<code>which.type</code>	Either "h5se" for an HDF5-SummarizedExperiment (default) or "h5" for an HDF5 database.
<code>fn</code>	Name of file on server to download (optional, default NULL).
<code>dfp</code>	Download destination directory (default "downloads").
<code>url</code>	The server URL to locate files for download.
<code>show.files</code>	Whether to print server file data to console (default FALSE).
<code>download</code>	Whether to download (TRUE) or return queried filename (FALSE).
<code>verbose</code>	Whether to return verbose messages.
<code>sslver</code>	Whether to use server certificate check (default FALSE).

Value

New filepath to dir with downloaded data.

See Also

`servermatrix()`, `getURL()`, `loadHDF5SummarizedExperiment()`, `h5ls()`

hread	<i>Query and store an HDF5 dataset on row and column indices.</i>
-------	---

Description

Connect to an HDF5 database h5 file with `rhdf5::h5read()`. Returns the subsetted data.

Usage

```
hread(ri, ci, dsn = "redsignal", dbn = "remethdb2.h5")
```

Arguments

ri	Row indices in dataset.
ci	Column indices in dataset.
dsn	Name of dataset or group of dataset to connect with.
dbn	Path to h5 database file.

Value

HDF5 database connection object.

See Also

`h5read()`

Examples

```
# Get tests data pointer
path <- system.file("extdata", "h5test", package = "recountmethylation")
fn <- list.files(path)
dbpath <- file.path(path, fn)
# red signal, first 2 assay addr, 3 samples
reds <- hread(1:2, 1:3, d = "redsignal", dbn = dbpath)
dim(reds) # [1] 2 3
```

matchds_1to2	<i>Match two datasets on rows and columns</i>
--------------	---

Description

Match 2 datasets using the character vectors of row or column names. This is used to assemble an "RGChannelSet" from a query to an h5 dataset.

Usage

```

matchds_1to2(
  ds1,
  ds2,
  mi1 = c("rows", "columns"),
  mi2 = c("rows", "columns"),
  subset.match = FALSE
)

```

Arguments

ds1	First dataset to match
ds2	Second dataset to match
mi1	Match index of ds1 (either "rows" or "columns")
mi2	Match index of ds2 (either "rows" or "columns")
subset.match	If index lengths don't match, match on the common subset instead

Value

A list of the matched datasets.

Examples

```

# get 2 data matrices
ds1 <- matrix(seq(1, 10, 1), nrow = 5)
ds2 <- matrix(seq(11, 20, 1), nrow = 5)
rownames(ds1) <- rownames(ds2) <- paste0("row", seq(1, 5, 1))
colnames(ds1) <- colnames(ds2) <- paste0("col", c(1, 2))
ds2 <- ds2[rev(seq(1, 5, 1)), c(2, 1)]
# match row and column names
lmatched <- matchds_1to2(ds1, ds2, mi1 = "rows", mi2 = "rows")
lmatched <- matchds_1to2(lmatched[[1]], lmatched[[2]], mi1 = "columns",
  mi2 = "columns")
# check matches
ds1m <- lmatched[[1]]
ds2m <- lmatched[[2]]
identical(rownames(ds1m), rownames(ds2m))
identical(colnames(ds1m), colnames(ds2m))

```

Description

Forms an RGChannelSet from signal data list. This is called by certain queries to h5 files.

Usage

```
rgse(lmat, verbose = FALSE)
```

Arguments

ldat	List of raw signal data query results. Must include 2 data.frame objects named "redsignal" and "greensignal."
verbose	Whether to post status messages.

Value

Returns a RGChannelSet object from raw signal dataset queries.

See Also

getrg(), RGChannelSet()

Examples

```
path <- system.file("extdata", "h5test", package = "recountmethylation")
fn <- list.files(path)
dbpath <- file.path(path, fn)
rg <- getrg(dbn = dbpath, all.gsm = TRUE, metadata = FALSE)
dim(rg) # [1] 11162      2
class(rg)
# [1] "RGChannelSet"
# attr(,"package")
# [1] "minfi"
```

servermatrix

servermatrix

Description

Called by get_rmdl() to get a matrix of database files and file info from the server. Verifies valid versions and timestamps in filenames, and that h5se directories contain both an assays and an se.rds file.

Usage

```
servermatrix(
  dn,
  sslver = FALSE,
  printmatrix = TRUE,
  verbose = FALSE,
  url = "https://recount.bio/data/",
  recursive = TRUE
)
```

Arguments

dn	Server data returned from RCurl.
sslver	Whether to use SSL certificate authentication for server connection (default FALSE).
printmatrix	Whether to print the data matrix to console (default TRUE).

<code>verbose</code>	Whether to show verbose messages (default FALSE).
<code>url</code>	Server website url.
<code>recursive</code>	Whether to recursively grab file sizes for h5se objects (default TRUE).

Value

dm matrix of server files and file metadata

See Also

`get_rmdl`

Examples

```
dn <- RCurl::getURL("https://recount.bio/data/",  
.opts = list(ssl.verifypeer = FALSE))  
sm <- servermatrix(dn)
```

Index

data_mdpost, 2

gds_idat2rg, 3

gds_idatquery, 4

get_rmdl, 7

getdb, 4

getdb_h5_rg (getdb), 4

getdb_h5_test (getdb), 4

getdb_h5se_gm (getdb), 4

getdb_h5se_gr (getdb), 4

getdb_h5se_rg (getdb), 4

getdb_h5se_test (getdb), 4

getrg, 5

hread, 8

matchds_1to2, 8

rgse, 9

servermatrix, 10