

# Package ‘RITANdata’

March 29, 2021

**Type** Package

**Title** This package contains the annotation and network data sets

**Version** 1.14.0

**Author** Michael Zimmermann

**Maintainer** Michael Zimmermann <zimmermann.michael@mayo.edu>

**Description** Data such as is contained in these two R data files in this package are required for the RITAN package. Users may use their own or additional resources in conjunction with RITANdata. See the RITAN vignettes for more information.

**LazyData** TRUE

**Depends** R (>= 3.4)

**VignetteBuilder** knitr

**RoxygenNote** 5.0.1

**License** file LICENSE

**biocViews** AnnotationData, Homo\_sapiens

**NeedsCompilation** no

**git\_url** <https://git.bioconductor.org/packages/RITANdata>

**git\_branch** RELEASE\_3\_12

**git\_last\_commit** e9a2293

**git\_last\_commit\_date** 2020-10-27

**Date/Publication** 2021-03-29

## R topics documented:

RITANdata-package . . . . .	2
cached_coding_genes . . . . .	2
geneset_list . . . . .	3
network_list . . . . .	3

<b>Index</b>	<b>5</b>
--------------	----------

---

RITANdata-package      *This package contains the annotation and network data sets*

---

### Description

Data such as is contained in these two R data files in this package are required for the RITAN package. Users may use their own or additional resources in conjunction with RITANdata. See the RITAN vignettes for more information.

---

cached\_coding\_genes      *cached\_coding\_genes.RData*

---

### Description

Gene symbols for all human protein coding genes, cached for use in RITAN vignettes. The set of all human protein coding genes is the default "background" list. This data was generated by running the `load_all_protein_coding_symbols()` function from RITAN and saving the resulting vector of gene symbols. By default, functions in RITAN will download the most recent list. We encourage users to use the most appropriate background for their study. See our vignettes for additional discussion.

### Usage

```
cached_coding_genes
```

### Format

A chr vector of gene symbols for all protein coding genes

### Value

Chr vector of gene symbols

### Author(s)

Michael T Zimmermann

### Source

[ftp://ftp.ebi.ac.uk/pub/databases/genenames/new/tsv/locus\\_groups/protein-coding\\_gene.txt](ftp://ftp.ebi.ac.uk/pub/databases/genenames/new/tsv/locus_groups/protein-coding_gene.txt)

### Examples

```
print(str(cached_coding_genes))
```

---

geneset_list	<i>geneset_list.RData</i>
--------------	---------------------------

---

**Description**

R list object containing annotation resources and the gene sets contained in each of them.

**Usage**

```
geneset_list
```

**Format**

A list with one element for each annotation resource. Each element contains a varying number of gene symbols.

**Value**

A list of resources. Each resource contains a list of genesets.

**Author(s)**

Michael T Zimmermann

**Source**

Multiple sources used. See our table in the network vignette.

**Examples**

```
print(names(geneset_list))
```

---

network_list	<i>network_list.RData</i>
--------------	---------------------------

---

**Description**

R list object containing network data resources and, when available, confidence scores for each interaction. Each resource was taken as-is from flat-file downloads and simplified into SIF files for expediency. Citation information for each cached resource can be accessed via `attr(network_list, 'network_data_sources')`. Some resources are queried using existing R packages. For example, we access STRING data through STRINGdb. Future versions of RITAN will leverage additional existing package services.

**Usage**

```
network_list
```

**Format**

A list of resources, one entry for each network resource. Each list element is a `data.frame` with 3 columns:

p1 protein or gene 1

edge\_type edge/interaction/connection type

p2 protein or gene 2

**Value**

A list of network resources. Each entry contains a list of edges as a `data.frame`.

**Author(s)**

Michael T Zimmermann

**Source**

Multiple sources used. See our table in the RITAN network vignette for citation information.

**Examples**

```
print(names(network_list))
```

# Index

## \* datasets

cached\_coding\_genes, [2](#)

geneset\_list, [3](#)

network\_list, [3](#)

cached\_coding\_genes, [2](#)

geneset\_list, [3](#)

network\_list, [3](#)

RITANdata (RITANdata-package), [2](#)

RITANdata-package, [2](#)