

# Package ‘HPAanalyze’

April 16, 2019

**Type** Package

**Title** Retrieve and analyze data from the Human Protein Atlas

**Version** 1.0.0

**Date** 2018-10-09

**Description** Provide functions for retrieving, exploratory analyzing and visualizing the Human Protein Atlas data.

**Depends** R (>= 3.5.0)

**License** GPL-3 + file LICENSE

**RoxygenNote** 6.0.1

**Imports** dplyr, XLConnect, ggplot2, readr, tibble, xml2, reshape2, tidyr, magrittr, stats, utils, hpar, cowplot

**Suggests** knitr, rmarkdown, devtools, BiocStyle

**VignetteBuilder** knitr

**LazyData** true

**biocViews** Proteomics, CellBiology, Visualization, Software

**git\_url** <https://git.bioconductor.org/packages/HPAanalyze>

**git\_branch** RELEASE\_3\_8

**git\_last\_commit** 2d7785a

**git\_last\_commit\_date** 2018-10-30

**Date/Publication** 2019-04-15

**Author** Anh Nhat Tran [aut, cre]

**Maintainer** Anh Nhat Tran <[trannhatanh89@gmail.com](mailto:trannhatanh89@gmail.com)>

## R topics documented:

hpaDownload . . . . .	2
hpaExport . . . . .	3
hpaSubset . . . . .	4
hpaVis . . . . .	5
hpaVisPatho . . . . .	6
hpaVisSubcell . . . . .	7
hpaVisTissue . . . . .	8
hpaXml . . . . .	9

hpaXmlAntibody . . . . .	10
hpaXmlGet . . . . .	10
hpaXmlProtClass . . . . .	11
hpaXmlTissueExpr . . . . .	12
hpaXmlTissueExprSum . . . . .	12
hpa_downloaded_histology_v18 . . . . .	13

<b>Index</b>	<b>15</b>
--------------	-----------

---

hpaDownload	<i>Download datasets</i>
-------------	--------------------------

---

## Description

Download the latest version of HPA datasets and import them in R. It is recommended to only download the datasets you need, as some of them may be very big.

## Usage

```
hpaDownload(downloadList = "histology", version = "latest")
```

## Arguments

- downloadList** A vector or string indicate which datasets to download. Possible value:
- 'Normal tissue'
  - 'Pathology'
  - 'Subcellular location'
  - 'RNA tissue'
  - 'RNA cell line'
  - 'RNA transcript tissue'
  - 'RNA transcript cell line'
  - 'all': download everything
  - 'histology': same as c('Normal tissue', 'Pathology', 'Subcellular location')
  - 'rna': same as c('RNA tissue', 'RNA cell line')
  - 'isoform': same as c('RNA transcript tissue', 'RNA transcript cell line')
- See <https://www.proteinatlas.org/about/download> for more information.
- version** A string indicate which version to be downloaded. Possible value:
- 'hpar': Load data from the 'hpar' package. Does not contain isoform data.
  - 'latest': Download latest version. Require Internet connection.
  - 'example': Load the example dataset from 'HPA analyze' ('hpa\_downloaded\_histology\_v18'). Does not contain rna or isoform data.
  - 'v?' with '?' is a integer: Download a specific version of the dataset. For example: 'v18' download version 18. Currently support version 17 and above. Require Internet connection.

## Value

This function will return a list of tibbles corresponding to requested datasets.

**See Also**

Other downloadable datasets functions: [hpaExport](#), [hpaSubset](#)

**Examples**

```
downloadedData <- hpaDownload(downloadList='all', version='example')
summary(downloadedData)
```

---

hpaExport

*Export the subset data*

---

**Description**

Export the list object generated by `hpaSubset()` into xlsx format. Due to the size of some HPA datasets, as well as the limitation of the output format, exporting the full datasets generated by `hpaDownload()` is not recommended.

**Usage**

```
hpaExport(data, fileName, fileType = "xlsx")
```

**Arguments**

<code>data</code>	Input the list object generated by <code>hpaSubset()</code>
<code>fileName</code>	A string indicate the desired output file name
<code>fileType</code>	For compability of future development. Currently the only option is 'xlsx'

**Value**

This function will create an xlsx file which one individual spreadsheet for each datasets in the input list object.

**See Also**

Other downloadable datasets functions: [hpaDownload](#), [hpaSubset](#)

**Examples**

```
downloadedData <- hpaDownload(downloadList='all', version='example')
geneList <- c('TP53', 'EGFR')
tissueList <- c('breast', 'cerebellum', 'skin 1')
cancerList <- c('breast cancer', 'glioma', 'melanoma')

subsetData <- hpaSubset(data=downloadedData,
                       targetGene=geneList,
                       targetTissue=tissueList,
                       targetCancer=cancerList)

hpaExport(data=subsetData,
          fileName='TP53_EGFR_in_tissue_cancer.xlsx',
          fileType='xlsx')
```

---

hpaSubset	<i>Subset downloaded data</i>
-----------	-------------------------------

---

### Description

hpaSubset() subsets data by gene name, tissue, cell type, cancer and/or cell line. The input is the list object generated by hpaDownload() or as the output of another hpaSubset(). Use hpaListParam() to see the list of available parameters for a specific list object. Will not work on isoform data.

hpaListParam() list available variables in downloaded data that can be used as parameters to subset the data via hpaSubset(). This function work with the data object generated by hpaDownload() or a previous call of hpaSubset().

### Usage

```
hpaSubset(data, targetGene = NULL, targetTissue = NULL,
          targetCellType = NULL, targetCancer = NULL, targetCellLine = NULL)
```

```
hpaListParam(data)
```

### Arguments

data	Input the list object generated by hpaDownload() or hpaSubset()
targetGene	Vector of strings of HGNC gene symbols. Will be used to subset every dataset in the list object.
targetTissue	Vector of strings of normal tissues. Will be used to subset the normal_tissue and rna_tissue dataset.
targetCellType	Vector of strings of normal cell types. Will be used to subset the normal_tissue dataset.
targetCancer	Vector of strings of cancer types. Will be used to subset the pathology dataset.
targetCellLine	Vector of strings of cell lines. Will be used to subset the rna_cell_line dataset.

### Value

hpaSubset will return a list of tibbles as the result of subsetting, depending on the input data.

The output of hpaListParam() is a list of vectors containing all subset parameter for the downloaded data.

### See Also

Other downloadable datasets functions: [hpaDownload](#), [hpaExport](#)

### Examples

```
downloadedData <- hpaDownload(downloadList='all', version='example')
geneList <- c('TP53', 'EGFR')
tissueList <- c('breast', 'cerebellum', 'skin 1')
cancerList <- c('breast cancer', 'glioma', 'melanoma')

subsetData <- hpaSubset(data=downloadedData,
```

```

targetGene=geneList,
targetTissue=tissueList,
targetCancer=cancerList)

downloadedData <- hpaDownload(downloadList='all', version='example')
params <- hpaListParam(data=downloadedData)
params$normal_tissue

```

hpaVis

*Visualize data in one function***Description**

This function is an universal visualization function that allow calling other hpaVis functions via a single function call. By default, this function will use the dataset bundled with HPAanalyze, and provide a grid of all available plots. The types of plots in the output can be specified via the visType argument. If only one plot type is specified, this function will return the exact same output as the specific hpaVis function used to create the plot.

**Usage**

```

hpaVis(data = NULL, targetGene = NULL, visType = "all",
color = c("#ffffb2", "#fecc5c", "#fd8d3c", "#e31a1c"),
customTheme = FALSE, ...)

```

**Arguments**

data	Input the list object generated by hpa_download() or hpa_subset(). By default this function use the example dataset bundled with HPAanalyze, which is from version 18 of the HPA program.
targetGene	Vector of strings of HGNC gene symbols. By default it is set to c('TP53', 'RB1', 'MYC', 'KRAS',
visType	Vector of strings indicating which plots will be generated. Currently available values are 'all', 'Tissue', 'Patho', Cancer, Subcell.
color	Vector of 4 colors used to depict different expression levels.
customTheme	Logical argument. If TRUE, the function will return a barebone ggplot2 plot to be customized further.
...	Additional arguments to be passed downstream to other hpaVis functions being called behind the scene. These arguments includes targetTissue, targetCellType, targetCancer. See documentation for individual hpaVis functions for more information.

**Value**

If multiple visType is chosen, this function will return multiple graphs in one panel. If only one visType is chosen, this function will return a ggplot2 plot object, which can be further modified if desirable. See help file for each of the hpaVis function for more information about individual graphs.

**See Also**

[hpaDownload](#), [hpaSubset](#)

Other visualization functions: [hpaVisPatho](#), [hpaVisSubcell](#), [hpaVisTissue](#)

**Examples**

```
hpaVis()
```

---

hpaVisPatho

*Visualize pathology data*

---

**Description**

Visualize the expression of genes of interest in each cancer.

**Usage**

```
hpaVisPatho(data, targetGene, targetCancer = NULL, color = c("#ffffb2",
  "#fecc5c", "#fd8d3c", "#e31a1c"), customTheme = FALSE)
```

**Arguments**

data	Input the list object generated by <code>hpa_download()</code> or <code>hpa_subset()</code> . Require the pathology dataset.
targetGene	Vector of strings of HGNC gene symbols.
targetCancer	Vector of strings of normal tissues. The function will plot all available cancer by default.
color	Vector of 4 colors used to depict different expression levels.
customTheme	Logical argument. If TRUE, the function will return a barebone ggplot2 plot to be customized further.

**Value**

This function will return a ggplot2 plot object, which can be further modified if desirable. The pathology data is visualized as multiple bar graphs, one for each type of cancer. For each bar graph, x axis contains the inquired protein and y axis contains the proportion of patients.

**See Also**

Other visualization functions: [hpaVisSubcell](#), [hpaVisTissue](#), [hpaVis](#)

**Examples**

```
data("hpa_downloaded_histology_v18")
geneList <- c('TP53', 'EGFR', 'CD44', 'PTEN', 'IDH1', 'IDH2', 'CYCS')
cancerList <- c('breast cancer', 'glioma', 'melanoma')

## A typical function call
hpaVisPatho(data=hpa_downloaded_histology_v18,
  targetGene=geneList)
```

---

hpaVisSubcell	<i>Visualize subcellular location data</i>
---------------	--

---

## Description

Visualize the the confirmed subcellular locations of genes of interest.

## Usage

```
hpaVisSubcell(data, targetGene, color = c("#ffffb2", "#e31a1c"),
  customTheme = FALSE)
```

## Arguments

data	Input the list object generated by <code>hpa_download()</code> or <code>hpa_subset()</code> . Require the <code>subcellular_location</code> dataset.
targetGene	Vector of strings of HGNC gene symbols.
color	Vector of 2 colors used to depict if the protein expresses in a location or not.
customTheme	Logical argument. If TRUE, the function will return a barebone ggplot2 plot to be customized further.

## Value

This function will return a ggplot2 plot object, which can be further modified if desirable. The subcellular location data is visualized as a tile graph, in which the x axis includes the inquired proteins and the y axis contain the subcellular locations.

## See Also

Other visualization functions: [hpaVisPatho](#), [hpaVisTissue](#), [hpaVis](#)

## Examples

```
data("hpa_downloaded_histology_v18")
geneList <- c('TP53', 'EGFR', 'CD44', 'PTEN', 'IDH1', 'IDH2', 'CYCS')

## A typical function call
hpaVisSubcell(data=hpa_downloaded_histology_v18,
  targetGene=geneList)
```

---

hpaVisTissue

*Visualize tissue data*

---

### Description

Visualize the expression of protein of interest in each target tissue by cell types.

### Usage

```
hpaVisTissue(data, targetGene, targetTissue, targetCellType = NULL,
             color = c("#ffffb2", "#fecc5c", "#fd8d3c", "#e31a1c"),
             customTheme = FALSE)
```

### Arguments

data	Input the list object generated by <code>hpa_download()</code> or <code>hpa_subset()</code> . Require the <code>normal_tissue</code> dataset.
targetGene	Vector of strings of HGNC gene symbols.
targetTissue	Vector of strings of normal tissues.
targetCellType	Vector of strings of normal cell types.
color	Vector of 4 colors used to depict different expression levels.
customTheme	Logical argument. If TRUE, the function will return a barebone ggplot2 plot to be customized further.

### Value

This function will return a ggplot2 plot object, which can be further modified if desirable. The tissue data is visualized as a heatmap: x axis contains inquired protein and y axis contains tissue/cells of interest.

### See Also

Other visualization functions: [hpaVisPatho](#), [hpaVisSubcell](#), [hpaVis](#)

### Examples

```
data("hpa_downloaded_histology_v18")
geneList <- c('TP53', 'EGFR', 'CD44', 'PTEN', 'IDH1', 'IDH2', 'CYCS')
tissueList <- c('breast', 'cerebellum', 'skin 1')

## A typical function call
hpaVisTissue(data=hpa_downloaded_histology_v18,
             targetGene=geneList,
             targetTissue=tissueList)
```



---

hpaXml	<i>Extract details about an individual protein from XML file in one function</i>
--------	--

---

### Description

This function is the umbrella function for the hpaXml function family. It take the input of either one Ensembl gene id or a imported XML object resulting from a hpaXmlGet() function call. By default, it will extract all information available for HPAanalyze user from the XML file by calling every hpaXml function and put all results into a list.

### Usage

```
hpaXml(inputXml, extractType = "all", ...)
```

### Arguments

inputXml	Input can be either one Ensembl gene id or a imported XML object resulting from a hpaXmlGet() function call.
extractType	A vector of strings indicate which information is desired for extraction. By default this function will call all hpaXml functions available. Other options are 'ProtClass', 'TissueExprSum', 'Antibody', 'TissueExpr'.
...	Additional arguments to be passed downstream to other hpaXml functions being called behind the scene. See help files of other hpaXml functions for more information.

### Value

This function returns a list. Each element of the list is information extracted from the XML file specified using other hpaXml functions. See help file for each XML function for more information.

### See Also

Other xml functions: [hpaXmlAntibody](#), [hpaXmlGet](#), [hpaXmlProtClass](#), [hpaXmlTissueExprSum](#), [hpaXmlTissueExpr](#)

### Examples

```
hpaXml(inputXml='ENSG00000131979',  
       extractType=c('ProtClass', 'TissueExprSum', 'Antibody'))
```

---

hpaXmlAntibody      *Extract antibody information*

---

### Description

Extract information about the antibodies used for a specific protein.

### Usage

```
hpaXmlAntibody(importedXml)
```

### Arguments

`importedXml`      Input an xml document object resulted from a `hpaXmlGet()` call.

### Value

This function returns a tibble of 4 columns, containing information about the antibodies used in the project for the inquired protein: `id`, `releaseDate`, `releaseVersion`, and `RRID`.

### See Also

Other xml functions: [hpaXmlGet](#), [hpaXmlProtClass](#), [hpaXmlTissueExprSum](#), [hpaXmlTissueExpr](#), [hpaXml](#)

### Examples

```
GCH1xml <- hpaXmlGet('ENSG00000131979')
hpaXmlAntibody(GCH1xml)
```

---

hpaXmlGet      *Download and import xml file*

---

### Description

Download and import individual xml file for a specified protein. This function calls `xml2::read_xml()` under the hood.

### Usage

```
hpaXmlGet(targetEnsemblId, version = "latest")
```

### Arguments

`targetEnsemblId`

A string of one ensembl ID, start with ESNG. For example 'ENSG00000131979'

`version`

A string indicate which version to be downloaded. Possible value:

- 'latest': Download latest version.
- 'v?' with '?' is a integer: Download a specific version of the dataset. For example: 'v18' download version 18. Currently support version 13 and above.

**Value**

This function return an object of class "xml\_document" "xml\_node" containing the content of the imported XML file. (See documentations for package xml2 for more information.)

**See Also**

Other xml functions: [hpaXmlAntibody](#), [hpaXmlProtClass](#), [hpaXmlTissueExprSum](#), [hpaXmlTissueExpr](#), [hpaXml](#)

**Examples**

```
GCH1xml <- hpaXmlGet('ENSG00000131979')
```

---

hpaXmlProtClass	<i>Extract protein classes</i>
-----------------	--------------------------------

---

**Description**

Extract protein class information from imported xml document resulted from `hpaXmlGet()`.

**Usage**

```
hpaXmlProtClass(importedXml)
```

**Arguments**

`importedXml` Input an xml document object resulted from a `hpaXmlGet()` call.

**Value**

This function return a tibble of 4 columns.

**See Also**

Other xml functions: [hpaXmlAntibody](#), [hpaXmlGet](#), [hpaXmlTissueExprSum](#), [hpaXmlTissueExpr](#), [hpaXml](#)

**Examples**

```
GCH1xml <- hpaXmlGet('ENSG00000131979')
hpaXmlProtClass(GCH1xml)
```

hpaXmlTissueExpr      *Extract tissue expression details*

---

### Description

Extract tissue expression information for each sample and url to download images from imported xml document resulted from `hpaXmlGet()`.

### Usage

```
hpaXmlTissueExpr(importedXml)
```

### Arguments

`importedXml`      Input an xml document object resulted from a `hpaXmlGet()` call.

### Value

This function returns a list of tibbles, each for an antibody. Each tibble contains information about all individual samples and their staining. Due to the variation in amount of information available for these samples, the number of columns differs, but the tibble essentially includes: `patientId`, `age`, `sex`, `staining`, `intensity`, `quantity`, `location`, `imageUrl`, `snomedCode`, and `tissueDescription`. The last two items may have more than one column each.

### See Also

Other xml functions: [hpaXmlAntibody](#), [hpaXmlGet](#), [hpaXmlProtClass](#), [hpaXmlTissueExprSum](#), [hpaXml](#)

### Examples

```
GCH1xml <- hpaXmlGet('ENSG00000131979')
hpaXmlTissueExpr(GCH1xml)
```

---

hpaXmlTissueExprSum      *Extract tissue expression and download images*

---

### Description

Extract tissue expression information and url to download images from imported xml document resulted from `hpaXmlGet()`.

### Usage

```
hpaXmlTissueExprSum(importedXml, downloadImg = FALSE)
```

## Arguments

<code>importedXml</code>	Input an xml document object resulted from a <code>hpaXmlGet()</code> call.
<code>downloadImg</code>	Logical argument. The function will download all image from the extracted urls into the working folder.

## Value

This function return a list consists of a summary string, which is a very brief description of the protein, and a tibble of 2 columns: `tissue` (name of tissue available) and `imageUrl` (link to download the perspective image)

## See Also

Other xml functions: [hpaXmlAntibody](#), [hpaXmlGet](#), [hpaXmlProtClass](#), [hpaXmlTissueExpr](#), [hpaXml](#)

## Examples

```
GCH1xml <- hpaXmlGet('ENSG00000131979')
hpaXmlTissueExprSum(GCH1xml)
```

---

`hpa_downloaded_histology_v18`  
*HPA histology dataset*

---

## Description

Dataset downloaded with `hpaDownload('histology', version = 'v18')`.

## Usage

```
hpa_downloaded_histology_v18
```

## Format

A list of 3 tibbles

**normal\_tissue** Normal tissue IHC data

**pathology** Cancer IHC data

**subcellular\_location** Subcellular location IF data

## Details

Links to original data:

- [https://v18.proteinatlas.org/download/normal\\_tissue.tsv.zip](https://v18.proteinatlas.org/download/normal_tissue.tsv.zip)
- <https://v18.proteinatlas.org/download/pathology.tsv.zip>
- [https://v18.proteinatlas.org/download/subcellular\\_location.tsv.zip](https://v18.proteinatlas.org/download/subcellular_location.tsv.zip)

## See Also

[hpaDownload](#)

**Examples**

```
# load data
data("hpa_downloaded_histology_v18")

# access tibbles
normal_tissue_data <- hpa_downloaded_histology_v18$normal_tissue
cancer_data <- hpa_downloaded_histology_v18$pathology
subcell_location_data <- hpa_downloaded_histology_v18$subcellular_location
```

# Index

## \*Topic **datasets**

hpa\_downloaded\_histology\_v18, [13](#)

hpa\_downloaded\_histology\_v18, [13](#)

hpaDownload, [2](#), [3](#), [4](#), [6](#), [13](#)

hpaExport, [3](#), [3](#), [4](#)

hpaListParam (hpaSubset), [4](#)

hpaSubset, [3](#), [4](#), [6](#)

hpaVis, [5](#), [6–8](#)

hpaVisPatho, [6](#), [6](#), [7](#), [8](#)

hpaVisSubcell, [6](#), [7](#), [8](#)

hpaVisTissue, [6](#), [7](#), [8](#)

hpaXml, [9](#), [10–13](#)

hpaXmlAntibody, [9](#), [10](#), [11–13](#)

hpaXmlGet, [9](#), [10](#), [10](#), [11–13](#)

hpaXmlProtClass, [9–11](#), [11](#), [12](#), [13](#)

hpaXmlTissueExpr, [9–11](#), [12](#), [13](#)

hpaXmlTissueExprSum, [9–12](#), [12](#)